

Role of mesenchymal stem cells in the pathogenesis of a



ALL

IMAGES

VIDEOS

914,000 Results

Any time ▾

SPRY4 is responsible for pathogenesis of adolescent ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6811559>

Adolescent idiopathic scoliosis (AIS) is a complex, three-dimensional deformity of the spine that commonly occurs in pubescent girls. Decreased osteogenic differentiation and aberrant melatonin signalling have been demonstrated in mesenchymal stem cells (MSCs) from AIS patients and are implicated in the pathogenesis of AIS.

Author: Jing Li, Na Li, Yunfei Chen, Shangyi H... Publish Year: 2019

SPRY4 is responsible for pathogenesis of adolescent ...

<https://www.nature.com/articles/s41419-019-1949-7>

Oct 23, 2019 · SPRY4 is responsible for pathogenesis of adolescent idiopathic scoliosis by contributing to osteogenic differentiation and melatonin response of bone marrow-derived mesenchymal stem cells Skip to ...

Author: Jing Li, Na Li, Yunfei Chen, Shangyi H... Publish Year: 2019

Decreased osteogenic differentiation of mesenchymal stem ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2899449>

Keywords: Adolescent idiopathic scoliosis, Bone mineral density, Mesenchymal stem cells, Osteogenic differentiation ability Introduction Adolescent idiopathic scoliosis (AIS) is a complex three-dimensional deformity of the spine that usually occurs mostly in girls between the ages of 10 and 14.

Cited by: 21 Author: Weon Wook Park, Kuen Tak Suh, Jeung I...

Publish Year: 2009

Research progress on the etiology and pathogenesis of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7046244>

Feb 20, 2020 · To gain an insight into AIS pathogenesis, this review searched PubMed database up to June 2019, using key words or medical subject headings terms including "adolescent idiopathic scoliosis," "scoliosis," "pathogenesis," "etiology," "genetics," "mesenchymal stem cells," and their combinations, summarized existing ...

SPRY4 is responsible for pathogenesis of adolescent ...

<https://paperity.org/p/233108976/spry4-is...> ▾

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 54980

Manuscript Type: MINIREVIEWS

Altered physiology of mesenchymal stem cells in the pathogenesis of adolescent idiopathic scoliosis

Ko DS *et al.* Mesenchymal stem cells on AIS

Dai Sik Ko, Yun Hak Kim, Tae Sik Goh, Jung Sub Lee

Match Overview

Match Number	Source	Words	Similarity
1	Crossref	36 words Qianyu Zhuang, Jing Li, Zhihong Wu, Jianguo Zhang, Wei Sun, Tao Li, Yujuan Yan, Ying Jiang, Robert Chunhua Zha	2%
2	Crossref	26 words Shangyi Hui, Yang Yang, Jing Li, Na Li et al. "Differential miRNAs profile and bioinformatics analyses in bone marrow ..."	1%
3	Internet	25 words crawled on 02-Nov-2018 insights.ovid.com	1%
4	Internet	18 words creativecommons.org	1%
5	Internet	16 words crawled on 09-May-2020 www.wjgnet.com	1%
6	Internet	15 words crawled on 25-Mar-2020 link.springer.com	1%

Altered physiology of mesenchymal stem cells in the pat



ALL

IMAGES

VIDEOS

492,000 Results

Any time ▾

Research progress on the etiology and pathogenesis of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7046244>

Feb 20, 2020 · Zhuang Q, Mao W, Xu P, Li H, Sun Z, Li S, et al. Identification of differential genes expression profiles and pathways of bone marrow **mesenchymal stem cells of adolescent idiopathic scoliosis** patients by microarray and integrated gene network analysis. *Spine (Phila Pa 1976)* 2016; 41:840–855. doi: 10.1097/brs.0000000000001394.

Decreased osteogenic differentiation of mesenchymal stem ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2899449>

Keywords: **Adolescent idiopathic scoliosis**, Bone mineral density, **Mesenchymal stem cells**, Osteogenic differentiation ability
Introduction **Adolescent idiopathic scoliosis (AIS)** is a complex three-dimensional deformity of the spine that usually occurs mostly in girls between the ages of 10 and 14.

Cited by: 21

Author: Weon Wook Park, Kuen Tak Suh, Jeung I...

Publish Year: 2009

SPRY4 is responsible for pathogenesis of adolescent ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6811559>



Altered physiology of mesenchymal stem cells in the pat



ALL IMAGES VIDEOS

493,000 Results Any time

Research progress on the etiology and pathogenesis of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7046244>

Feb 20, 2020 · To gain an insight into **AIS pathogenesis**, this review searched PubMed database up to June 2019, using key words or medical subject headings terms including “**adolescent idiopathic scoliosis**,” “**scoliosis**,” “**pathogenesis**,” “**etiology**,” “**genetics**,” “**mesenchymal stem cells**,” and their combinations, summarized existing literatures and categorized the theories or hypothesis into nine ...

SPRY4 is responsible for pathogenesis of adolescent ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6811559>

Adolescent idiopathic scoliosis (AIS) is a complex, three-dimensional **deformity** of the **spine** that commonly occurs in pubescent girls. Decreased osteogenic differentiation and **aberrant melatonin signalling** have been demonstrated in **mesenchymal stem cells (MSCs)** from AIS patients and are implicated in the **pathogenesis** of **AIS**.

Author: Jing Li, Na Li, Yunfei Chen, Shangyi H... **Publish Year:** 2019

Decreased osteogenic differentiation of mesenchymal stem ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2899449>

Generalized **low bone mass** and osteopenia in both axial and peripheral skeletons have been reported in

Search Tools

Turn off Hover Translation (关闭取词)