

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 55006

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Active surveillance in metastasis pancreatic neuroendocrine tumor: A 20-year single-institutional experience

Gao *et al.* Surveillance of liver metastatic NF-PanNET

He-Li Gao, Wen-Quan Wang, ⁶Hua-Xiang Xu, Chun-Tao Wu, Hao Li, Quan-Xing Ni,
Xian-Jun Yu, Liang Liu

Abstract

BACKGROUND

Match Overview

1	Crossref 133 words Heli Gao, Liang Liu, Wenquan Wang, Huaxiang Xu et al. "Novel recurrence risk stratification of resected pancreatic	4%
2	Internet 81 words crawled on 13-Jan-2020 eprints.gla.ac.uk	3%
3	Crossref 74 words Brian I Rini, Tanya B Dorff, Paul Elson, Cristina Suarez Ro driguez et al. "Active surveillance in metastatic renal-cell ...	2%
4	Crossref 17 words Angelousi, Anna, Evanthia Kassi, Georgios Zografos, and Gregory Kaltsas. "Metastatic pheochromocytoma and pa...	1%
5	Internet 17 words crawled on 11-Jul-2020 www.jcancer.org	1%
6	Internet 17 words crawled on 06-Dec-2019 beta.eurekaselect.com	1%
7	Internet 14 words crawled on 23-Jun-2019 www.tandfonline.com	<1%

Active Surveillance In Metastasis Pancreatic Neuroendocri



ALL

IMAGES

VIDEOS

14,000 Results

Any time ▼

Surgery Versus Surveillance for Well-Differentiated ...

<https://theoncologist.onlinelibrary.wiley.com/doi/full/10.1634/theoncologist.2019-0466>

The European **Neuroendocrine Tumor** Society (ENETS) and the North American **Neuroendocrine Tumor** Society suggest consideration of **active surveillance** in small NF-panNETs <2 cm in size 2, 13, 14. On the other hand, the National Comprehensive **Cancer** Network (NCCN) states that observation can be considered for low-grade, incidentally discovered ...

Author: Hussein A. Assi, Sarbajit Mukherjee, ... **Publish Year:** 2020

Pancreatic neuroendocrine tumor with metastasis to the ...

<https://bmccancer.biomedcentral.com/articles/10.1186/s12885-016-3020-8> ▼

Jan 09, 2017 · Long-term term survival in patients with **pancreatic neuroendocrine tumors** has been reported, even in patients with **metastatic** disease. **Metastases** to the spleen are extremely rare, but have been reported from a number of primary malignancies, such as breast **cancer**, lung **cancer**, melanoma and ovarian **cancer**. This is the first report of a splenic **metastasis** from a primary **pancreatic neuroendocrine** ...

Cited by: 3

Author: Yasunaru Sakuma, Yoshikazu Yasuda, N...

Publish Year: 2017

国内版

国际版



Active surveillance in metastasis pancreatic neuroendocrine tumor: A 20



网页

图片

视频

学术

词典

地图

10,700 条结果 时间不限 ▼

Surgery Versus Surveillance for Well-Differentiated ... [翻译此页](#)

Cited by: 1

Author: Hussein A. Assi, Sarbajit Mukherjee, Pam...

Publish Year: 2020

The European Neuroendocrine Tumor Society (ENETS) and the North American Neuroendocrine Tumor Society suggest consideration of active surveillance in small NF-panNETs <2 cm in size 2, 13, 14. On the other hand, the National Comprehensive Cancer Network (NCCN) states that observation can be considered for low-grade, incidentally discovered ...

<https://theoncologist.onlinelibrary.wiley.com/doi/full/10.1634/theoncologist.2019-0466>

Lanreotide Therapy vs Active Surveillance in MEN1 ... [翻译此页](#)

Cited by: 5

Author: Antongiulio Faggiano, Roberta Modica, Fa...

Publish Year: 2020

2019-10-5 · Size variation of pancreatic neuroendocrine tumors from baseline (%) in the in the active surveillance group (panel A) and lanreotide group (panel C). Five tumors in panel A and two tumors in panel C, not present at baseline and appearing during the follow-up, have been assigned a 100% progression value.

<https://academic.oup.com/jcem/article/105/1/78/5581637> ▼

Impact of tumour size on metastasis and survival in ... [翻译此页](#)

位置: 8600 Rockville Pike, Bethesda, MD

2019-10-18 · Background: The relationship between tumour size and metastasis rate is poorly recognized in patients with pancreatic neuroendocrine tumours (PNETs). The impact of tumour size on prognosis was controversial in previous investigations. Methods: PNETs cases diagnosed from 1988 to 2013 were retrieved from the Surveillance Epidemiology and End Results (SEER) database



Active surveillance in metastasis pancreatic neuroendocrine tumor: .



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

51,900 Results Any time ▾

[Surveillance of Pancreatic Cancer Patients Following ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3360943>

INTRODUCTION. **Pancreatic cancer** is the fourth leading cause of **cancer** deaths in the U.S., with 43,140 new cases and 36,800 deaths in 2010. 1 Surgical resection is the only potentially curative treatment. 2 However, over 80% of patients **experience** recurrence within 2 years of surgery. 3, 4 Distant recurrences occur in about 75% of cases, with the liver as the most common site of **metastatic** ...

Cited by: 51 **Author:** Kristin M. Sheffield, Kristen T. Crowell, Yu...

Publish Year: 2012

[Lanreotide Therapy vs Active Surveillance in MEN1-Related ...](#)

<https://academic.oup.com/jcem/article/105/1/78/5581637> ▾

Oct 05, 2019 · Size variation of **pancreatic neuroendocrine tumors** from baseline (%) in the in the **active surveillance** group (panel A) and lanreotide group (panel C). Five **tumors** in panel A and two **tumors** in panel C, not present at baseline and appearing during the follow-up, have been assigned a 100% progression value.

Cited by: 5 **Author:** Antongiulio Faggiano, Roberta Modica, F...

Publish Year: 2020

[Pancreatic neuroendocrine tumors \(PNETs\): incidence ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2735065>

May 30, 2008 · introduction. **Pancreatic neuroendocrine tumors** (PNETs) are uncommon **neuroendocrine** neoplasms with reported incidence of <1 per 100 000 persons per year in population-based studies from Europe and Asia [1–7].Autopsy studies have indicated that these **tumors** are much more common, ranging from 0.8% to 10% in patients undergoing a postmortem examination, ...

Cited by: 673 **Author:** Thorvardur R. Halfdanarson, K. G. Rabe, ...

Publish Year: 2008

[Pancreatic neuroendocrine neoplasms: The latest surgical ...](#)

<https://www.sciencedirect.com/science/article/pii/S1040842819302197>

Jan 01, 2020 · 1. Introduction. **Pancreatic neuroendocrine** neoplasms (PanNENs) are considered relatively rare neoplasms accounting for only 1–2% of all **pancreatic** malignancies (Yao et al., 2007; Halfdanarson et al., 2008a).However, the number of patients with PanNENs has increased according to the **Surveillance**, Epidemiology, and End Results (SEER) database of United States; 1.09 per ...