

1 / 26

3
Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 55164

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Correlation between age of onset and gastrointestinal stenosis in hospitalized Crohn's disease

Shan-Bing Yang, Shu-Wen Du, Ji-Heng Wang

Match Overview

| | | |
|---|---|-----|
| 1 | Crossref 123 words Matteo Rottoli, Marta Tanzanu, Francesca Di Candido, Francesco Colombo et al. "Risk factors for locally advanced ca | 4% |
| 2 | Internet 17 words crawled on 20-May-2015 journals.plos.org | 1% |
| 3 | Internet 15 words crawled on 06-Jun-2020 f6publishing.blob.core.windows.net | <1% |
| 4 | Crossref 13 words "International Surgical Week ISW 2011", World Journal of Surgery, 2011 | <1% |
| 5 | Crossref 12 words Vrabie, Raluca. "Endoscopic management of inflammatory bowel disease strictures", World Journal of Gastrointestinal | <1% |



国内版 国际版

The correlation between age of onset and gastrointestir



Sign in



ALL

IMAGES

VIDEOS

1,560,000 Results

Any time ▾

[Intestinal Stricture in Crohn's Disease](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4316217>

Jan 29, 2015 · **Crohn's disease** (CD) is a disease with **chronic inflammation** of unknown etiology involving any part **of the gastrointestinal** tract. The incidence and prevalence of CD are increasing recently in Asia. Half **of the CD** patients will have intestinal complications, such as strictures or fistulas, within 20 years after diagnosis.

Cited by: 65

Author: Chen-Wang Chang, Jau-Min Wong, Chien-C...

Publish Year: 2015

[\[PDF\] Crohn's Disease: Influence of Age at Diagnosis on Site and ...](#)

[https://www.gastrojournal.org/article/S0016-5085\(96\)00387-3/pdf](https://www.gastrojournal.org/article/S0016-5085(96)00387-3/pdf)

As **age** at diagnosis increased, the proportion of patients with stricturing-type **Crohn's** disease decreased significantly from 45.8% for patients diagnosed before **the age of 20 years** to 33.7% (P 0.05) for patients diagnosed **between the ages of 20 and 39 years** and 28.8% (P 0.005) for patients diagnosed at **the age ...**

[Crohn's disease complicated by strictures: a systematic review](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4884453>

The most commonly used clinical parameters for predicting a more serious course of CD are **age of disease onset** less than **40 years of age**, perianal disease or the need for **steroids** during the first flare. 56,57 If a patient carries two out of the three parameters the positive predictive value for disabling CD in the future is approximately 90%.

Cited by: 252

Author: Florian Rieder, Ellen M Zimmermann, Feza ...

Publish Year: 2013

74%

64°C
CPU温度

激活 Windows
转到“设置”以激活 Windows。



国内版

国际版

Correlation between age of onset and gastrointestinal stenosis in hosp



网页

图片

视频

学术

词典

地图

检测到您输入了英文，试试切换到国际版？搜英文结果更丰富更准确



13,400 条结果 时间不限 ▼

Gastrointestinal Behçet's disease: A review [翻译此页](#)

Cited by: 65

Author: Wasseem Skef, Matthew J Hamilton, Thur...

Publish Year: 2015

位置: 8600 Rockville Pike, Bethesda, MD

2015-4-7 · Core tip: Behçet's disease is an uncommon subtype of inflammatory bowel disease. It can present with a wide array of clinical manifestations that may mimic other diseases including Crohn's disease. Establishing the diagnosis remains a challenge and clinicians must be aware of the relevant clinical manifestations and diagnostic considerations.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4385527>

Gastrointestinal Tract Disorders in Older Age [翻译此页](#)

Cited by: 7

Author: Igor Domic, Igor Domic, Terri Nordin, Mlad...

Publish Year: 2019

Considering an increase in the life expectancy leading to a rise in the elderly population, it is important to recognize the changes that occur along the process of aging. Gastrointestinal (GI) changes in the elderly are common, and despite some GI disorders being more prevalent in the elderly, there is no GI disease that is limited to this age group



Correlation between age of onset and gastrointestinal st



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

116,000 Results

Any time ▾

[Intestinal Stricture in Crohn's Disease](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4316217>

Jan 29, 2015 · **Crohn's disease** (CD) is a **disease with chronic inflammation of unknown etiology** involving any part **of the gastrointestinal tract**. The **incidence** and prevalence of CD are increasing recently in Asia. Half of the **CD** patients will have intestinal complications, such as strictures or fistulas, within 20 years after diagnosis.

Cited by: 65 **Author:** Chen-Wang Chang, Jau-Min Wong, Chie...

Publish Year: 2015

[What is the impact of age on adult patients with ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4462481>

Feb 04, 2013 · The definition of an elderly patient refers usually to individuals over the **age of 65**. Whilst 7–20% of IBD sufferers are children, 60–85% are adults, most of them being under **40 years of age** [4]. Classically, CD has two incidence peaks: one in the 20–30 year group and another in the 60–70 year **age**

...

Cited by: 3 **Author:** Cristina Cijevschi Prelipcean, Cătălina Mi...

Publish Year: 2014

[Prevalence and Risk Factors of Acute Lower ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4602567>

May 21, 2015 · Acute lower **gastrointestinal** bleeding (ALGIB) is a rare but potentially life-threatening complication of Crohn **disease** (CD). ... registered in the Department of Surgery of a large tertiary teaching **hospital** (Jinling **Hospital**) **between** January 2007 and June 2013, were retrieved using keywords "**gastrointestinal** bleeding" or "**gastrointestinal** ...

Cited by: 6 **Author:** Guanwei Li, Jianan Ren, Gefei Wang, Qi...

Publish Year: 2015

PEOPLE ALSO ASK

[What are the symptoms of gastroduodenal Crohn's disease?](#)



<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4316217/>