

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 55216

Manuscript Type: REVIEW

Latest developments in chronic intestinal pseudo-obstruction

Zhu CZ¹⁰ *et al.* Chronic intestinal pseudo-obstruction

Chang-Zhen Zhu, Hong-Wei Zhao, Hong-Wei Lin, Feng Wang, Yuan-Xin Li

¹² Abstract

Chronic intestinal pseudo-obstruction (CIPO) is a type of intestinal dysfunction presenting as symptoms of intestinal obstruction but without actual mechanical obstruction. Extremely low incidence, non-specific clinical symptoms, strong heterogeneity, and no definitive cause in some patients make CIPO very difficult to diagnose correctly. Imaging and gastrointestinal manometry are commonly used. Most patients have progressive worsening of their symptoms and require

Match Overview

1	Crossref 137 words Roberto De Giorgio, Rosanna F. Cogliandro, Giovanni Barbara, Roberto Corinaldesi, Vincenzo Stanghellini. "Chron	3%
2	Internet 131 words crawled on 07-Sep-2018 amsdottorato.unibo.it	3%
3	Internet 119 words crawled on 23-Aug-2018 thieme-connect.com	3%
4	Crossref 65 words Donald F. Kirby, Sulieman Abdal Raheem, Mandy L. Corrigan. "Nutritional Interventions in Chronic Intestinal Pseu ...	2%
5	Internet 49 words crawled on 08-Apr-2018 www.nature.com	1%
6	Internet 40 words crawled on 15-Jan-2016 www.vjgnet.com	1%
7	Crossref 38 words Khalil El-Chammas, Manu Sood. "Chronic Intestinal Pse... do-obstruction", Clinics in Colon and Rectal Surgery, 201	1%
8	Internet 35 words crawled on 30-Oct-2011 www.agmd-gimotility.org	1%



Chronic intestinal pseudoobstruction | Genetic and Rare ...

[https://rarediseases.info.nih.gov/diseases/12744/...](https://rarediseases.info.nih.gov/diseases/12744/)

Mar 28, 2018 · **Chronic intestinal** pseudo-obstruction (CIPO) is a **rare disease** characterized by repetitive episodes or continuous symptoms of bowel obstruction when no blockage exists. Problems with nerves, muscles, or interstitial cells of Cajal (the cells that set the pace of **intestinal** contractions) prevent normal contractions and cause problems with the movement of food, fluid, and air through the intestines.

Chronic Intestinal Pseudo-Obstruction: Symptoms, Diagnosis ...

[https://www.nationwidechildrens.org/conditions/...](https://www.nationwidechildrens.org/conditions/)

Chronic intestinal pseudo-obstruction (CIP) is a rare disorder of gastrointestinal motility where coordinated contractions (peristalsis) in the **intestinal** tract become altered and inefficient. Motility is the term used to describe the contraction of muscles in the gastrointestinal (GI) tract.

About chronic intestinal pseudo obstruction ...

<https://www.chw.org/.../conditions/chronic-intestinal-pseudo-obstruction>

Chronic intestinal pseudo-obstruction diagnosis. This is a very rare disorder. There are about 200 **new** cases diagnosed every year, according to the International Foundation for Functional Gastrointestinal Disorders. Children’s Hospital of Wisconsin treats about 25 to 30 cases a year. **Development** of **chronic intestinal** pseudo-obstruction

Chronic intestinal pseudo-obstruction.

<https://www.ncbi.nlm.nih.gov/pubmed/11060471>

1. Dig Dis. 2000;18(2):83-92. **Chronic intestinal** pseudo-obstruction. Hirano I(1), Pandolfino J. Author information: (1)Division of Gastroenterology and Hepatology, Northwestern University Medical School, Chicago, IL 60611, USA. i-hirano@northwestern.edu **Chronic intestinal** pseudo-obstruction (CIPO) is a syndrome defined by the presence of **chronic intestinal** dilation and dysmotility in the ...

Cited by: 29 **Author:** Ikuo Hirano, John Pandolfino

Publish Year: 2000

Chronic Intestinal Pseudo-obstruction - Guts UK

<https://gutscharity.org.uk/.../conditions/chronic-intestinal-pseudo-obstruction>

This factsheet is about **Chronic Intestinal** Pseudo-obstruction. **Chronic Intestinal** Pseudo-obstruction (CIP) is an overall term for several rare conditions which can affect any part of the gut (intestine). Symptoms resemble those caused by a blockage (obstruction) of the gut, but when investigated no blockage is found (hence the term “pseudo”).

Intestinal pseudo-obstruction

Clinical Syndrome

Intestinal pseudo-obstruction is a clinical syndrome caused by severe impairment in the ability of the intestines to push food through. It is characterized by the signs and symptoms of intestinal obstruction without any lesion in the intestinal lumen. Clinical features can include abdominal pain, nausea, severe distension, vomiting, dysphagia, diarrhea and constipation, depending upon the part of the gastrointestinal tract involved. The condition can begin at any age and it can be a primary condition or caused by another disease.



Wikipedia

People also search for

Bowel Obstruction

Ogilvie syndrome

Difficulty in Swallowing

Abdominal Pain

Constipation

See more

Data from: Wikipedia

Suggest an edit

Search Tools

Turn on Hover Translation (开启取词)



国内版

国际版

Microsoft Bing

Latest developments in chronic intestinal pseudo-obstruction

10,400,000 Results

Any time

ALL

IMAGES

VIDEOS

10,400,000 Results

Any time

Chronic intestinal pseudoobstruction | Genetic and Rare ...

https://rarediseases.info.nih.gov/diseases/12744/...

Mar 28, 2018 · **Chronic intestinal pseudo-obstruction** (CIPO) is a **rare disease** characterized by repetitive episodes or continuous symptoms of bowel obstruction when no blockage exists. Problems with nerves, muscles, or interstitial cells of Cajal (the cells that set the pace of **intestinal** contractions) prevent normal contractions and cause problems with the movement of food, fluid, and air through the intestines.

About chronic intestinal pseudo obstruction | Children's ...

https://childrenswi.org/.../conditions/chronic-intestinal-pseudo-obstruction

Development of chronic intestinal pseudo-obstruction. Most patients with this condition develop a problem with the nerve or muscle lining of their **bowel** in utero, though some children **develop** the condition later in life. In those cases, doctors aren't always sure what damaged the **bowel lining**.

Intestinal Pseudo-obstruction | NIDDK

https://www.niddk.nih.gov/.../digestive-diseases/intestinal-pseudo-obstruction

Intestinal pseudo-obstruction may be acute, occurring suddenly and lasting a short time, or it may be **chronic**, or long lasting. Acute colonic **pseudo-obstruction**, also called Ogilvie syndrome or acute colonic ileus, mostly affects older adults.

PEOPLE ALSO ASK

What is chronic intestinal pseudo-obstruction?

"What is chronic intestinal ""pseudo obstruction"" CIP?"

What causes secondary intestinal pseudo obstruction?

How to prevent intestinal pseudo obstruction?

Feedback

Pseudo-obstruction: Current approaches - Gastroenterology

https://www.gastrojournal.org/article/S0016-5085(99)70082-X/fulltext

Chronic intestinal pseudo-obstruction continues to be a life-threatening disease with devastating effects for the patients and their families. One third of newborns with **pseudo-obstruction** die in the first year of life. The goal of treatment is to restore normal **intestinal** propulsion.

Cited by: 184

Author: Carlo Di Lorenzo

Publish Year: 1999

Related searches for Latest developments in chronic intestinal ps...

chronic intestinal pseudo obstruction

chronic intestinal pseudo obstruction **diet**

intestinal pseudo obstruction **treatment**

pediatric intestinal pseudo obstruction

intestinal pseudo obstruction **overview**

pseudo intestinal obstruction **mayo**

intestinal pseudo obstruction **symptoms**

chronic **idiopathic** intestinal pseudo **obstr**

1

2

3

4

5

>

Some results are removed in response to a notice of local law requirement. For more information, please see [here](#).

Intestinal pseudo-obstruction

Clinical Syndrome

Intestinal pseudo-obstruction is a clinical syndrome caused by severe impairment in the ability of the intestines to push food through. It is characterized by the signs and symptoms of intestinal obstruction without any lesion in the intestinal lumen. Clinical features can include abdominal pain, nausea, severe distension, vomiting, dysphagia, diarrhea and constipation, depending upon the part of the gastrointestinal tract involved. The condition can begin at any age and it can be a primary condition or caused by another disease.

Wikipedia

People also search for

Bowel Obstruction

Ogilvie syndrome

Difficulty in Swallowing

Abdominal Pain

Constipation

See more

Data from: Wikipedia

Suggest an edit

Related searches

chronic intestinal pseudo obstruction

chronic intestinal pseudo obstruction **diet**

intestinal pseudo obstruction **treatment**

pediatric intestinal pseudo obstruction

intestinal pseudo obstruction **overview**

pseudo intestinal obstruction **mayo**

intestinal pseudo obstruction **symptoms**

chronic **idiopathic** intestinal pseudo **obstr**

Search Tools

Turn off Hover Translation (关闭取词)

增值电信业务经营许可证：合字B2-20090007

京ICP备10036305号

京公网安备11010802022657号

Privacy and Cookies

Legal

Advertise

Help

© 2020 Microsoft

Feedback

Feedback

10,500,000 Results Any time ▾

Chronic intestinal pseudoobstruction | Genetic and Rare ...

<https://rarediseases.info.nih.gov/diseases/12744/...> ▾

Mar 28, 2018 · **Chronic intestinal pseudo-obstruction** (CIPO) is a **rare disease** characterized by repetitive episodes or continuous symptoms of bowel obstruction when no blockage exists. Problems with nerves, muscles, or interstitial cells of Cajal (the cells that set the pace of **intestinal** contractions) prevent normal contractions and cause problems with the movement of food, fluid, and air through the intestines.

Intestinal pseudo-obstruction: MedlinePlus Genetics

<https://medlineplus.gov/genetics/condition/intestinal-pseudo-obstruction> ▾

When **intestinal pseudo-obstruction** occurs by itself, it is called primary or idiopathic **intestinal pseudo-obstruction**. The disorder can also develop as a complication of another health problem; in these cases, it is called secondary **intestinal pseudo-obstruction**. The condition can be episodic (acute) or persistent (**chronic**).

PEOPLE ALSO ASK

- What is chronic intestinal pseudo-obstruction? ▾
- "What is chronic intestinal ""pseudo obstruction"" CIP"? ▾
- What is secondary intestinal pseudo obstruction? ▾
- What causes acute colonic pseudo obstruction? ▾

Feedback

Intestinal Pseudo-obstruction | NIDDK

<https://www.niddk.nih.gov/.../digestive-diseases/intestinal-pseudo-obstruction> ▾

Intestinal pseudo-obstruction may be acute, occurring suddenly and lasting a short time, or it may be **chronic**, or long lasting. Acute colonic **pseudo-obstruction**, also called Ogilvie syndrome or acute colonic ileus, mostly affects older adults.

About chronic intestinal pseudo obstruction | Children's

Intestinal pseudo-obstruction

Clinical Syndrome

Intestinal pseudo-obstruction is a clinical syndrome caused by severe impairment in the ability of the intestines to push food through. It is characterized by the signs and symptoms of intestinal obstruction without any lesion in the intestinal lumen. Clinical features can include abdominal pain, nausea, severe distension, vomiting, dysphagia, diarrhea and constipation, depending upon the part of the gastrointestinal tract involved. The condition can begin at any age and it can be a primary condition or caused by another disease.

 [Wikipedia](#)

People also search for

- [Bowel Obstruction](#)
- [Ogilvie syndrome](#)
- [Difficulty in Swallowing](#)
- [Abdominal Pain](#)
- [Constipation](#)
- [See more ▾](#)

Data from: [Wikipedia](#)

[Suggest an edit](#)