



9

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 55430

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Serum ceruloplasmin can predict liver fibrosis in hepatitis B virus-infected patients

Kang NL *et al.* Serum CP can predict liver fibrosis in HBV-infected patients

Na-Ling Kang, Jie-Min Zhang, Meng-Xin Lin, Xu-Dong Chen, Zu-Xiong Huang, Yue-Yong Zhu, Yu-Rui Liu, Da-Wu Zeng

Abstract

BACKGROUND

The presence of significant liver fibrosis in hepatitis B virus (HBV)-infected individuals with persistently normal serum alanine aminotransferase levels (PNALT) is a strong indicator for initiating antiviral therapy. Serum ceruloplasmin (CP) is negatively correlated with liver fibrosis in HBV-infected individuals.

AIM

To examine the potential value of CP and develop a noninvasive index

Match Overview

1	Internet 85 words crawled on 09-Mar-2020 www.wjgnet.com	2%
2	Crossref 60 words Na-Ling Kang, Jie-Min Zhang, Yu-Rui Liu, Su Lin, Jing Dong, Jia-Ji Jiang, Yue-Yong Zhu, Da-Wu Zeng. "Novel pre	1%
3	Crossref 36 words H. Ben Ayed, M. Koubaa, S. Yaich, K. Rekik, T. Ben Jema a, I. Maaloul, C. Marrekchi, J. Damak, M. Ben Jemaa. "A	1%
4	Crossref 22 words Anaïs Vallet-Pichard. "FIB-4: An inexpensive and accurate... e marker of fibrosis in HCV infection. comparison with liv	1%
5	Crossref 21 words Zeng, Da-Wu, Yu-Rui Liu, Jie-Min Zhang, Yue-Yong Zhu, Su Lin, Jia You, You-Bing Li, Jing Chen, Qi Zheng, Jia-Ji	1%
6	Internet 18 words crawled on 01-Sep-2019 journals.plos.org	<1%
7	Internet 17 words crawled on 24-Apr-2020 www.oncotarget.com	<1%
8	Crossref 16 words Takeo Toshima, Ken Shirabe, Toru Ikegami, Tomoharu Yoshizumi et al. "A novel serum marker, glycosylated Wister	<1%



Serum ceruloplasmin can predict liver fibrosis in hepatitis B viri



ALL

IMAGES

VIDEOS

35,200 Results

Any time ▾

[Ceruloplasmin, a reliable marker of fibrosis in chronic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5116602>

Nov 21, 2016 · Core tip: To date, few non-invasive approaches have been developed to **evaluate liver fibrosis** and no studies have proposed measuring **ceruloplasmin (CP)** levels for **predicting liver fibrosis in chronic hepatitis B (CHB) virus patients** with normal or minimally raised alanine aminotransferase (ALT). This study showed **CP** was independently and negatively associated with **liver fibrosis**.

Cited by: 3

Author: Da-Wu Zeng, Jing Dong, Jia-Ji Jiang, ...

Publish Year: 2016

[Serum Ceruloplasmin Levels Correlate Negatively with Liver ...](#)

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0077942> ▾

Oct 25, 2013 · **Serum Ceruloplasmin Levels Correlate** Negatively with **Liver Fibrosis** in Males with **Chronic Hepatitis B: A New Noninvasive Model for Predicting Liver Fibrosis in HBV-Related Liver Disease** Da-Wu Zeng,

Cited by: 10

Author: Da-Wu Zeng, Yu-Rui Liu, Jie-Min Zhan...

Publish Year: 2013

[Ceruloplasmin, a reliable marker of fibrosis in chronic ...](#)

europepmc.org/articles/PMC5116602 ▾

Nov 01, 2016 · To develop a non-invasive model to evaluate significant **fibrosis** and cirrhosis by investigating the association between **serum ceruloplasmin (CP)** levels and **liver fibrosis** in chronic **hepatitis B (CHB) patients** with normal or minimally raised alanine aminotransferase (ALT). **Serum** samples and **liver** biopsy were obtained from 193 CHB **patients** with minimally ...

Cited by: 3

Author: Da-Wu Zeng, Jing Dong, Jia-Ji Jiang, ...

Publish Year: 2016



Serum ceruloplasmin can predict liver fibrosis in hepatiti



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

35,200 Results

Any time ▾

[Ceruloplasmin, a reliable marker of fibrosis in chronic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5116602>

Nov 21, 2016 · Core tip: To date, few non-invasive approaches have been developed to **evaluate liver fibrosis** and no studies have proposed measuring **ceruloplasmin (CP)** levels for **predicting liver fibrosis in chronic hepatitis B (CHB) virus patients** with normal or minimally raised alanine aminotransferase (ALT). This study showed **CP** was independently and negatively associated with **liver fibrosis**.

Cited by: 3

Author: Da-Wu Zeng, Jing Dong, Jia-Ji Jiang, Yu...

Publish Year: 2016

[Serum Ceruloplasmin Levels Correlate Negatively with Liver ...](#)

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0077942>

Oct 25, 2013 · **Serum Ceruloplasmin Levels Correlate** Negatively with **Liver Fibrosis** in Males with **Chronic Hepatitis B: A New Noninvasive Model for Predicting Liver Fibrosis in HBV-Related Liver Disease** Da-Wu Zeng,

Cited by: 10

Author: Da-Wu Zeng, Yu-Rui Liu, Jie-Min Zhang, ...

Publish Year: 2013

[Ceruloplasmin, a reliable marker of fibrosis in chronic ...](#)

europepmc.org/articles/PMC5116602

Nov 01, 2016 · To develop a non-invasive model to evaluate significant **fibrosis** and cirrhosis by investigating the association between **serum ceruloplasmin (CP)** levels and **liver fibrosis** in chronic **hepatitis B (CHB) patients** with normal or minimally raised alanine aminotransferase (ALT). **Serum** samples and **liver** biopsy were obtained from 193 CHB **patients** with minimally raised or normal ALT ...

Cited by: 3

Author: Da-Wu Zeng, Jing Dong, Jia-Ji Jiang, Yu...

Publish Year: 2016

[Novel predictive models using serum ceruloplasmin levels ...](#)

<https://www.sciencedirect.com/science/article/pii/S2210740119300907>