



33,800 Results Any time ▾

Superior mesenteric vein thrombosis as a complication of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3751343>

Since **superior mesenteric vein thrombosis** (SMVT) is a relatively rare disease and shows no specific symptom, its diagnosis tends to be delayed. In this **report**, we present a patient in whom **acute appendicitis** was complicated by SMVT and portal **vein thrombosis** (PVT). A definitive diagnosis could be made by abdominal contrast-enhanced CT, and acute appendicitis was surgically treated.

**Cited by:** 5 **Author:** Kazuhiro Takehara, Syozo Miyano, Michio ...  
**Publish Year:** 2013

Septic thrombophlebitis of the superior mesenteric vein ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1904453>

Jun 12, 2007 · **Portal-mesenteric vein thrombosis**, pylephlebitis and liver abscesses are rare complications of inflammatory bowel disease (IBD). The purpose of this **case report** is to relate an unusual presentation of CD in order to show how conservative treatment could be an appropriate option as a bridge to the surgery, in patients with septic thrombophlebitis and multiple liver abscesses with CD.

**Cited by:** 54 **Author:** Mariam Aguas, Guillermo Bastida, Pilar No...  
**Publish Year:** 2007

Mesenteric venous thrombosis as a complication of ...

<https://pubmed.ncbi.nlm.nih.gov/31770213>

Rationale: **Mesenteric** venous **thrombosis** is an uncommon but potentially fatal condition that can cause bowel ischemia. It results from a systemic hypercoagulable state or abdominal **infection** draining into the portal venous system. Several **cases** regarding portomesenteric venous **thrombosis** as a complication of appendicitis were reported in adults, but there are far fewer reports in pediatric ...

**Cited by:** 1 **Author:** Seo Hee Yoon, Mi-Jung Lee, Se Yong Jung, ...  
**Publish Year:** 2019

Superior mesenteric vein thrombosis as a complication of ...

<https://link.springer.com/article/10.1007/s12328-013-0390-1> ▾

Jun 14, 2013 · Abstract Since **superior mesenteric vein thrombosis** (SMVT) is a relatively rare disease and shows no specific symptom, its diagnosis tends to be delayed. In this **report**, we present a patient in whom **acute appendicitis** was complicated by **SMVT** and **portal vein thrombosis** (PVT).

**Cited by:** 5 **Author:** Kazuhiro Takehara, Syozo Miyano, Michio ...  
**Publish Year:** 2013

Portal, superior mesenteric and splenic vein thrombosis ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4154050>

Introduction. Acute **thrombosis** of the splanchnic venous circulation is a condition that, albeit rare in the general population, is of vital importance to the clinician, given its life-threatening sequelae, which include **mesenteric** infarction and progressive liver failure [].A variety of etiologies have been shown to cause portal **vein thrombosis**, such as cirrhosis, **infection** of the ...

**Cited by:** 8 **Author:** Prashanth Venkatesh, Nissar Shaikh, Nissa...  
**Publish Year:** 2014

Mesenteric venous thrombosis presenting as ...

<https://www.sciencedirect.com/science/article/pii/S073567571830915X>

Feb 01, 2019 · 1. Introduction. Acute **mesenteric** venous **thrombosis** (MVT) is a rare and infrequent cause of intestinal ischemia and can be life-threatening [].Acute MVT accounts for 5–15% of all **mesenteric** ischemia, and 6–9% of **cases** of acute **mesenteric** ischemia [2,3].It is responsible for 1 in 1000 of Emergency Department (ED) admissions, and 1 in 5000 to 15,000 inpatient admissions [].

Mesenteric Venous Thrombosis: Symptoms, Causes, and Risks

<https://www.healthline.com/health/mesenteric-venous-thrombosis> ▾

Sep 10, 2012 · **Mesenteric** venous **thrombosis** occurs when a blood clot forms in one or more of the major veins that drain blood from your intestines. This condition is ...

Venous thromboembolism related to cytomegalovirus infection

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5758214>

In such **cases**, cytomegalovirus (CMV) is rarely considered as a possible provoking agent; however, there is emerging data supporting its role as a cause of a transient hypercoagulable state. Herein, we present a **case** of CMV-induced portal **vein thrombosis** (PVT) along with a literature review of similar **cases**.

Some results are removed in response to a notice of local law requirement. For more information, please see [here](#).





## Match Overview

1	Internet 52 words crawled on 27-Feb-2017 <a href="http://www.wjnet.com">www.wjnet.com</a>	2%
2	Internet 32 words crawled on 19-Jun-2018 <a href="http://www.jove.com">www.jove.com</a>	1%
3	Crossref 28 words "Clinical Vignettes", The American Journal of Gastroenterology, 10/2011	1%
4	Crossref 17 words Linus K. Ndegwa, Gideon Emukule, Timothy M. Uyeki, Eunice Mailu et al. "Evaluation of the point-of-care Becton ...	1%
5	Internet 17 words crawled on 06-Jul-2020 <a href="http://pesquisa.bvsalud.org">pesquisa.bvsalud.org</a>	1%
6	Crossref 15 words Thomas W. von Geldern. "The next big thing" in diabetes: clinical progress on DPP-IV inhibitors", Drug Developm	1%
7	Internet 12 words crawled on 15-Sep-2018 <a href="http://www.thieme-connect.de">www.thieme-connect.de</a>	1%
8	Internet 12 words crawled on 21-Jul-2020 <a href="http://academictree.org">academictree.org</a>	1%

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 56352

**Manuscript Type:** CASE REPORT

**Superior mesenteric vein thrombosis induced by influenza infection: A case report**

Oh GM *et al.* SMV thrombosis induced by influenza infection

Gyu Man Oh, <sup>5</sup>Kyoungwon Jung, Jae Hyun Kim, Sung Eun Kim, Won Moon, Moo In Park, Seun Ja Park

## Abstract

### BACKGROUND

Among <sup>5</sup>the various types and causes of mesenteric ischemia, superior mesenteric vein (SMV) thrombosis is a rare and ambiguous disease. If a patient presents with SMV thrombosis, past medical history should be reviewed, and the patient should be screened for underlying disease. SMV thrombosis may also occur due to systemic



ALL

IMAGES

VIDEOS

33,400 Results

Any time ▾

## Superior mesenteric vein thrombosis as a complication of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3751343>

Since **superior mesenteric vein thrombosis** (SMVT) is a relatively rare disease and shows no specific symptom, its diagnosis tends to be delayed. In this **report**, we present a patient in whom **acute appendicitis** was complicated by SMVT and portal **vein thrombosis** (PVT). A definitive diagnosis could be made by abdominal contrast-enhanced CT, and acute appendicitis was surgically treated.

Cited by: 5

Author: Kazuhiro Takehara, Syozo Miyano, Michi...

Publish Year: 2013

## Superior mesenteric venous thrombophlebitis: A rare ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/1744-1633.12337>

The inferior **mesenteric vein** is less commonly involved than the SMV; the reason for this is unknown. 2. Before 1950, the incidence of acute appendicitis complicated with septic thrombophlebitis of the portomesenteric veins was 0.4 per cent. 3 Yet the mortality rate in SMV **thrombosis** associated with intraabdominal **infection** can be up to 50 per ...

Author: Leo Chun-Hei Wong, Kit-Fai Lee, Pau... Publish Year: 2019

## Superior Mesenteric Vein Thrombosis Secondary to Oral ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3465920>

Sep 29, 2012 · **Superior mesenteric vein thrombosis** (SMVT) is a rare yet frequently **fatal cause of intestinal ischemia**. Despite its severe consequences, SMVT often presents with nonspecific symptoms such as nausea, vomiting, and abdominal pain. It can occur with or without gastrointestinal bleeding, and symptoms may be present for hours to weeks.

Cited by: 4

Author: Heather Stewart, Michael T. Flannery, De...

Publish Year: 2012

## Superior mesenteric vein thrombosis as a complication of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4917498>

Pylephlebitis is an uncommon complication of uncontrolled intra-abdominal **infection** that is associated with high morbidity and mortality. We present our experience with a unique **case** of cecal diverticulitis and septic thrombophlebitis of the **superior mesenteric vein** that was promptly diagnosed with high-resolution imaging and blood cultures.

Cited by: 2

Author: Soniya Pinto, Terrence Lerner, Gowtham ...

Publish Year: 2016