

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 56488

Manuscript Type: CASE REPORT

Noadjuvant targeted therapy for apocrine carcinoma of the breast: A case report

Yang P *et al.* Neoadjuvant targeted therapy for apocrine carcinoma

Ping Yang, Shu-Jia Peng, Yan-Ming Dong, Lin Yang, Zhen-Yu Yang, Xi-E Hu, Guo-Qiang Bao

Abstract

BACKGROUND

Apocrine carcinoma of the breast is a special type of invasive ductal carcinoma of the breast, which is rare in clinical practice. Neoadjuvant therapy, especially neoadjuvant

Match Overview

2 matches

1	Internet 88 words crawled on 11-Jul-2017 www.hh.um.es	4%
2	Internet 40 words crawled on 21-Jun-2018 www.researchgate.net	2%
3	Internet 36 words crawled on 04-Jan-2020 quspace.qu.edu.qa	2%
4	Crossref 30 words Leyla Ozer, Adnan Aydinler. "Chapter 8 Adjuvant Systemic Chemotherapy for HER2-Negative Disease", Springer Scie	2%
5	Internet 22 words crawled on 06-Nov-2015 www.cibtech.org	1%
6	Crossref 21 words Wenyu Wu, Meiyong Wu, Guowen Peng, Degang Shi, Jian Zhang. "Prognosis in triple-negative apocrine carcinoma: ...	1%
7	Internet 16 words crawled on 03-Oct-2019 www.wjgnet.com	1%

Neoadjuvant targeted therapy for apocrine carcinoma of the breast:



ALL

IMAGES

VIDEOS

36,900 Results

Any time ▾

[Apocrine carcinoma of the male breast: a case report of an ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4393957)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4393957>

Apocrine carcinoma of the male **breast** is an exceptional malignant tumor. It does not have a particular clinical or radiological appearance, but it's microscopically characterized by the presence of granular cells and foamy cells representing over 90% of tumor cells.

Cited by: 1

Author: Mohammed Sekal, Kaoutar Znati, Taoufiq...

Publish Year: 2014

[\(PDF\) APOCRINE CARCINOMA OF BREAST- A RARE CASE ...](https://www.researchgate.net/publication/320495120...)

<https://www.researchgate.net/publication/320495120...>

Apocrine carcinoma, a subtype of invasive ductal **carcinoma of the breast**, expresses androgen receptor (AR), but often lacks estrogen receptor (ER) and progesterone receptor (PgR).

[Neoadjuvant Target Therapy In Her 2 Positive Breast Cancer ...](https://takeslides.com/slide/neoadjuvant-target...)

<https://takeslides.com/slide/neoadjuvant-target...> ▾

Neoadjuvant Target Therapy in Her 2 Positive **Breast** Cancer Dr Khaled Abulhair PhD Medical Oncology SCE Royal College UK Ass Professor of Clinical Oncology Mansoura University Egypt A long Road Searching for optimum **Neo Adjuvant Therapy** in Her 2 Positive Breast **Cancer** What is the optimum Chemotherapy . What is the optimum **Targeted Therapy** Did we reach the best available **treatment** ...

[The changing role of neoadjuvant therapy in breast cancer ...](https://bcmj.org/articles/changing-role...)

<https://bcmj.org/articles/changing-role...> ▾

A Canadian national expert consensus on **neoadjuvant therapy** for **breast cancer**: Linking practice to

evidence and beyond. *Curr Oncol* 2015;22(suppl 1):S42-S52. [View full text](#) | [Download PDF](#) | [Cite this article](#) | [Share this article](#)

Neoadjuvant targeted therapy for apocrine carcinoma of the breast:



ALL

IMAGES

VIDEOS

131,000 Results

Any time ▾

Apocrine carcinoma of the male breast: a case report of an ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4393957>

Apocrine carcinoma of the male **breast** is an exceptional malignant tumor. It does not have a particular clinical or radiological appearance, but it's microscopically characterized by the presence of granular cells and foamy cells representing over 90% of tumor cells.

Cited by: 1

Author: Mohammed Sekal, Kaoutar Znati, Taoufiq ...

Publish Year: 2014

(PDF) APOCRINE CARCINOMA OF BREAST- A RARE CASE REPORT

<https://www.researchgate.net/publication/320495120...>

APOCRINE CARCINOMA OF BREAST- A RARE CASE REPORT. September 2017; Journal of Evolution of Medical and Dental Sciences 6(72):5177-5178; DOI: 10.14260/Jemds/2017/1124

Neoadjuvant Model as a Platform for Research in Breast ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6170905>

Aug 14, 2018 · As for **neoadjuvant chemotherapy trials**, the increase in **pCR rates** has been recently accepted as an appropriate surrogate marker to **accelerate drug approval** in **high-risk breast cancer patients**.

Cited by: 2

Author: Santiago Escrivá-de-Romaní, Miriam Arumí,...

Publish Year: 2018

Search Tools

Turn off Hover Translat



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

133,000 Results

Any time ▾

[Apocrine carcinoma of the male breast: a case report of an ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4393957)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4393957>

Apocrine carcinoma of the male **breast** is an exceptional malignant tumor. It does not have a particular clinical or radiological appearance, but it's microscopically characterized by the presence of granular cells and foamy cells representing over 90% of tumor cells.

Cited by: 1**Author:** Mohammed Sekal, Kaoutar Znati, Taoufiq...**Publish Year:** 2014

[\(PDF\) APOCRINE CARCINOMA OF BREAST- A RARE CASE REPORT](https://www.researchgate.net/publication/320495120...)

<https://www.researchgate.net/publication/320495120...>

APOCRINE CARCINOMA OF BREAST- A RARE CASE REPORT. September 2017; Journal of Evolution of Medical and Dental Sciences 6(72):5177-5178; DOI: 10.14260/Jemds/2017/1124

[\[PDF\] Dermatofibrosarcoma protuberans – the use of neoadjuvant ...](https://jmedicalcasereports.biomedcentral.com/...)

<https://jmedicalcasereports.biomedcentral.com/...>

breast carcinoma and other spindle cell lesions **of the breast**. This is critical, as the **treatment** options for metaplastic **breast carcinoma** significantly differ from **treatment** options for dermatofibrosarcoma protuberans. This **case** describes the use of imatinib as a **neoadjuvant** option to reduce preoperative tumor size and improve surgical outcomes.

Author: Matthew W. McGee, Sarag A. Boukha...**Publish Year:** 2019

[A Review of Intraoperative Radiotherapy After Neoadjuvant ...](https://link.springer.com/article/10.1007/s40944-020-00465-w)

<https://link.springer.com/article/10.1007/s40944-020-00465-w> ▾

Adjuvant whole-**breast** irradiation with a boost to the tumor bed is the standard of **treatment** after **breast-conserving** surgery. Boost dose can be delivered either intraoperatively or externally. The purpose of this study is to review the literature regarding intraoperative radiation **therapy** (IORT) after **neoadjuvant** chemotherapy (NACT) in patients with locally advanced **breast cancer** (LABC).

[Neoadjuvant Therapy in Early Breast Cancer: Treatment ...](https://www.sciencedirect.com/science/article/pii/S0936655517302789)

<https://www.sciencedirect.com/science/article/pii/S0936655517302789>