

国内版

国际版

Predicting cholecystocholedochal fistulas in patients w

Am I the most talkative search

ALLIMAGESVIDEOS

2,140 ResultsAny time

Mirizzi syndrome type Va: A rare co

https://www.ncbi.nlm.nih.gov/pmc/articles

Oct 28, 2010 · Keywords: Mirizzi syndrome, Obstr

fistula, Endoscopic retrograde cholangiopancr

a rare cause of intermittent obstructive jaundice, v

Hartmann's pouch mechanically obstructs the cor

Cited by: 5Author: Pavlos Lampropoul

Publish Year: 2010

Updates in Mirizzi syndrome - Pubh

https://www.ncbi.nlm.nih.gov/pmc/articles

Jun 28, 2016 · The diagnosis of Mirizzi syndrome

suspicion, or surgical intuition, which can be suppl

procedures, where ultrasound and endoscopic re

stand as auxiliary diagnostic (1,2,16,26).

Cited by: 3Author: Alan Isaac Valderra

Publish Year: 2017

Mirizzi syndrome: History, current knowledge and proposal ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3442202

Sep 14, 2012 · PATHOPHYSIOLOGY. The current concept of Mirizzi syndrome, includes the

external compression of the bile duct and the later development of cholecystobiliary and

cholecystoenteric fistulas as different stages of the same disease process[4,7,8].Mirizzi syndrome

can be caused by an acute or chronic inflammatory condition secondary to a single ...

Cited by: 90Author: Marcelo A Beltrán

Publish Year: 2012

Complications of gallstone disease: Mirizzi syndrome ...

https://www.researchgate.net/publication/281037969_Complications_of_gallstone_d

isease...

Other uncommon complications that are not so easy to diagnose include Mirizzi syndrome,

cholecystocholedochal fistula, and gallstone ileus [2]. It is important to note, however, in a ...

个人收藏

最近项目

应用程序

桌面

文稿

下载

OneDrive

iCloud

位置

TOSHIBA

标签

没有修改参考...

最终

新建文件夹

取消

名称

修改日期

大小

种类

56249_ReviewReport.docx

昨天 18:58

232 KB

Micro

56249-杨羽-第一次定稿评论意见.docx

今天 15:22

17 KB

Micro

56249-Biostatisti...iew Certificate.pdf

昨天 09:55

120 KB

PDF;

56249-Clinical Tri...tion Statement.pdf

昨天 09:55

317 KB

PDF;

56249-Conflict-of...sclosure Form.pdf

昨天 09:55

1.3 MB

PDF;

56249-CONSORT 2010 Statement.pdf

昨天 09:55

74 KB

PDF;

56249-Copyright...nse Agreement.pdf

昨天 09:55

2.1 MB

PDF;

56249-CrossCheck

今天 15:24

1.4 MB

PNG

56249-Institution...m or Document.pdf

昨天 09:55

350 KB

PDF;

56249-Manuscript File_3132.docx

昨天 09:55

445 KB

Micro

56249-Non-Nativ...ng Certificate.docx

昨天 09:55

613 KB

Micro

56249-Signed Inf...Document(s).docx

昨天 09:55

24 KB

Micro

截屏 2020-05-2618.21.27

今天 18:21

582 KB

PNG

杨羽定稿模版.docx

今天 15:21

29 KB

Micro

Data from: Wikipedia

Suggest an edit

Search Tools

Turn off Hover Translation (关闭取词)

国内版

国际版

Predicting cholecystocholedochal fistulas in patients with Mirizzi syndror

ALL

IMAGES

VIDEOS

10,500 Results

Any time

Mirizzi's syndrome: A scoring system for preoperative ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6151998>

INTRODUCTION. In 1948, the Argentinean surgeon Pablo Mirizzi,[] described a patient with partial obstruction of the common hepatic duct (CHD) secondary to impacted biliary stone in the cystic duct or in the infundibulum of the gallbladder, associated with an inflammatory response involving the cystic duct and the CHD.This presentation became known as Mirizzi's syndrome (MS).

Cited by: 2

Author: Rachana D Tataria, Hrishikesh P Salgaon...

Publish Year: 2018

Mirizzi Syndrome—Two Case Reports and a Short Review of ...

<https://www.internationalsurgery.org/doi/full/10.9738/CC13.1>

The authors have analyzed the problem of Mirizzi syndrome (MS) and found in the literature that it was reported in 0.3% to 3% of patients undergoing cholecystectomy. Anatomic disorder, especially the presence of cholecystocholedochal fistula, increases the risk of bile duct injury during cholecystectomy, albeit more often during laparoscopic ...

Cited by: 4

Author: Petar B. Petricevic, Olga M. Kontic, Miom...

Publish Year: 2011

Mirizzi's Syndrome - an overview | ScienceDirect Topics

<https://www.sciencedirect.com/topics/medicine-and-dentistry/mirizzis-syndrome>

Mirizzi Syndrome. Mirizzi syndrome is defined as biliary obstruction secondary to cholecystitis. It occurs in 0.3% to 3% of patients undergoing cholecystectomy (Lai & Lau, 2006). An impacted stone in the gallbladder infundibulum or cystic duct can compress the bile duct, usually at the level of the common hepatic duct (type I), or a stone can ...

ERCP findings of Mirizzi's type II Syndrome | HCPLive

https://www.hcplive.com/journals/surgical-rounds/2006/2006-04/2006-04_04

Mirizzi's syndrome is caused by longstanding impacted stones at the cystic duct or Hartmann's pouch, which result in partial or complete obstruction of the common bile duct, leading to obstructive jaundice. 5 Mirizzi's syndrome is diagnosed in 0.7% to 1.1% of all patients undergoing cholecystectomy. 1-3 In 1982, McSherry and colleagues divided ...

Search Tools

Turn off Hover Translation (关闭取词)

cn.bing.com/?FORM=Z9FD1

28-Sep-2020 11:45AM

4144 words • 14 matches • 12 sources

FAQ

iThenticate

56821-Review-check.docx

Quotes Excluded
Bibliography Excluded

7%
0.000000

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 56821

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Predicting cholecystocholedochal fistulas in patients with Mirizzi syndrome undergoing endoscopic retrograde cholangiopancreatography

Wu CH *et al.* Cholecystocholedochal fistulas by ERCP in Mirizzi syndrome

Abstract

BACKGROUND

Mirizzi syndrome (MS) is defined as an extrinsic compression of the extrahepatic biliary system by an impacted stone in the gallbladder or the cystic duct leading to obstructive jaundice. Endoscopic retrograde cholangiopancreatography (ERCP) could serve diagnostic and therapeutic purposes in patients with MS, including the relationships between the cystic duct, the gallbladder, and the common bile duct (CBD). Cholecystectomy is a challenging procedure for a laparoscopic surgeon in patients with MS, and the presence of a cholecystocholedochal fistula renders preoperative diagnosis

Match Overview

1

Crossref 48 words
D. Gomez, "Mirizzi's syndrome -- results from a large ve...
in experience", *HSPS Official Journal of The International H*

2%

2

Internet 32 words
crawled on 05-Jul-2020
[www.hindawi.com](#)

1%

3

Internet 20 words
crawled on 07-Apr-2009
[www.kma.org.kw](#)

1%

4

Crossref 19 words
A. Cuendes, "Mirizzi syndrome and cholecystobiliary fist...
a A unifying classification", *British Journal of Surgery*, 11/1

1%

5

Crossref 19 words
Jiro Kimura, Naokazu Takata, Alan Kawarai Lefler, Masaki
Kanzaki, Ken Mochikami, "Laparoscopic subtotal cholecys...

1%

6

Crossref 18 words
Tsuyuguchi, T, "Long-term follow-up after treatment of M...
irizzi syndrome by peroral cholangioscopy", *Gastrointestinal*

1%

7

Crossref 14 words
Cuendes, Abba, "Common Bile Duct Pressure in Patients...
With Common Bile Duct Stones With or Without Acute Sup

<1%

8

Crossref 14 words
Xie-qun Xu, Tao Hong, Bing-hu Li, Wei Liu, Xiao-dong He,
Chao-j Zhang, "Mirizzi Syndrome: Our Experience with 2...

<1%

9

Crossref 13 words
Eklia Szantó, "Low-dose Methotrexate in Rheumatoid Arth...
ritis: Effect and Tolerance: An Open Trial and a Double-bl...

<1%

10

Internet 13 words
crawled on 04-Sep-2020
[synapse.konamed.org](#)

<1%

PAGE: 1 OF 18

Test Only Report

国内版

国际版

Predicting cholecystocholedochal fistulas in patients with Mirizzi s



ALL

IMAGES

VIDEOS

5,440 Results

Any time ▾

Mirizzi's syndrome: A scoring system for preoperative ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6151998>

INTRODUCTION. In 1948, the Argentinean surgeon Pablo **Mirizzi**,[] described a **patient** with partial obstruction of the common hepatic duct (CHD) secondary to impacted biliary stone in the cystic duct or in the infundibulum of the gallbladder, associated with an inflammatory response involving the cystic duct and the CHD.This presentation became known as **Mirizzi's syndrome** (MS).

Cited by: 2

Author: Rachana D Tataria, Hrishikesh P Salgao...

Publish Year: 2018

The incidence of Mirizzi syndrome in patients undergoing ...

https://www.researchgate.net/publication/23306892_The_incidence_of_Mirizzi_syndrome_in...

Mirizzi Syndrome is detected in 0.06% to 5.7% of **patients** during cholecystectomy, and in 1.07% of **patients undergoing endoscopic retrograde** cholangiopancreatography (ERCP).

Laparoscopic Resection of Cholecystocolic Fistula and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4745623>

The **Mirizzi syndrome** (MS) is an impacted stone in the cystic duct or Hartmann's pouch that mechanically obstructs the common bile duct (CBD). We would like to report laparoscopic subtotal cholecystectomy (SC) and resection of cholecystocolic **fistula** by the help of Tri-Staple™ in a case with type V MS and cholecystocolic **fistula**, for first time in the literature.

Cited by: 1

Author: Fahri Yetişir, Akgün Ebru Şarer, Hasan Z...

Publish Year: 2016

Mirizzi Syndrome—Two Case Reports and a Short Review of ...

<https://www.internationalsurgery.org/doi/full/10.9738/CC13.1>

The authors have analyzed the problem of **Mirizzi syndrome** (MS) and found in the literature that it was reported in 0.3% to 3% of **patients undergoing** cholecystectomy. Anatomic disorder, especially the presence of **cholecystocholedochal fistula**, increases the risk of bile duct injury during