

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 57030

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

**First-line chemotherapy in very elderly patients with metastatic pancreatic cancer:
Gemcitabine monotherapy versus Combination chemotherapy**

Han SY *et al.* Chemotherapy in elderly pancreatic cancer patients

Sung Yong Han, Dong Uk Kim, Young Mi Seol, Suk Kim, Nam Kyung Lee, Seung Baek
Hong, Hyung-Il Seo

Abstract

BACKGROUND

Combination chemotherapy (gemcitabine plus nab-paclitaxel and FOLFIRINOX) is

Match Overview

1	Internet 97 words crawled on 07-Nov-2019 link.springer.com	2%
2	Crossref 53 words "UEG Week 2016 Poster Presentations", United European Gastroenterology Journal, 2016	1%
3	Internet 38 words crawled on 19-Feb-2020 www.researchsquare.com	1%
4	Crossref 37 words Rebecca Thomas, William Dahut, Nancy Harold, Jean Gre m et al. "A phase I and pharmacologic study of 9-aminoca	1%
5	Internet 23 words crawled on 15-Jul-2020 bmccancer.biomedcentral.com	<1%
6	Crossref 22 words "Abstracts of Papers Submitted to the Joint 50th Anniversar y Meeting of the American Pancreatic Association and Jaj ...	<1%
7	Internet 22 words crawled on 29-Apr-2020 worldwidescience.org	<1%
8	Crossref 22 words E Fish, L Fuchs, G Gulati, D Talmor, A Oren-Grinberg. "F...	<1%

国内版

国际版

First-line chemotherapy in very elderly patients with metastatic pan



ALL

IMAGES

VIDEOS

28,600 Results

Any time ▾

[Gemcitabine in elderly patients with advanced pancreatic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3163247>

Aug 14, 2011 · INTRODUCTION. Although **pancreatic cancer** (PC) only accounts for 2% of all cancers, it is the fourth leading cause of **cancer** death in the United States (US). Prognosis is **very** poor, with an estimated incidence of 33 000 per year in the US and a similar death incidence rate. Median survival in **patients** with advanced PC who receive the best supportive care (BSC) is only three to four months.

Cited by: 51

Author: Olivia Hentic, Chantal Dreyer, Vinciane Reb...

Publish Year: 2011

[Combination therapy versus gemcitabine monotherapy in the ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5846317>

Results. A total of 3,401 **elderly** PC **patients** from six randomized controlled trials were included for analysis. In comparison with **gemcitabine** alone, **combination** therapy in **elderly** PC **patients** did not significantly improve OS (HR 0.93, 95% CI: 0.82–1.06, p=0.29). Sub-group analysis according to treatment regimens showed that combined **chemotherapy** significantly improved OS in comparison with ...

Cited by: 7

Author: Jiamin Jin, Chunbo Teng, Tao Li

Publish Year: 2018

[First line nab-paclitaxel plus gemcitabine in elderly ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6776800>

Feb 20, 2019 · Keywords: **Pancreatic cancer** (PC), **elderly**, nab-paclitaxel plus **gemcitabine**, **metastatic**

Search Tools

Turn off Hover Translation (关闭取词)

Chat wi



Say s



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

41,200 Results

Any time ▾

[Gemcitabine in elderly patients with advanced pancreatic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3163247>

Aug 14, 2011 · INTRODUCTION. Although **pancreatic cancer** (PC) only accounts for 2% of all cancers, it is the fourth leading cause of **cancer** death in the United States (US)[]. Prognosis is **very** poor, with an estimated incidence of 33 000 per year in the US and a similar death incidence rate[]. Median survival in **patients** with advanced PC who receive the best supportive care (BSC) is only three to four months.

Cited by: 51

Author: Olivia Hentic, Chantal Dreyer, Vinciane R...

Publish Year: 2011

[Combination therapy versus gemcitabine monotherapy in the ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5846317>

Mar 07, 2018 · Results. A total of 3,401 **elderly** PC **patients** from six randomized controlled trials were included for analysis. In comparison with **gemcitabine** alone, **combination** therapy in **elderly** PC **patients** did not significantly improve OS (HR 0.93, 95% CI: 0.82–1.06, p=0.29). Sub-group analysis according to treatment regimens showed that combined **chemotherapy** significantly improved OS in ...

Cited by: 7

Author: Jiamin Jin, Chunbo Teng, Tao Li

Publish Year: 2018

[First line nab-paclitaxel plus gemcitabine in elderly ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6776800>

Feb 20, 2019 · Keywords: **Pancreatic cancer** (PC), **elderly**, nab-paclitaxel plus **gemcitabine**, **metastatic pancreatic** adenocarcinoma, **first-line chemotherapy** Introduction **Pancreatic cancer** (PC) is one of the most lethal malignant tumors across the world, including 55,000 new cases and 44,000 deaths estimated in 2018 (1).

Cited by: 3

Author: Angelica Petrillo, Annalisa Pappalardo, Fil...

Publish Year: 2019

[Role of chemotherapy in the very elderly patients with ...](#)

<https://www.sciencedirect.com/science/article/pii/S1879406811000087>

Jul 01, 2011 · **Metastatic pancreatic cancer** is an incurable disease with dismal prognosis, ranging from 2 to 6months. The role of **chemotherapy** for **metastatic** pancrea...

Cited by: 15

Author: Ibrahim T. Aldoss, Tsewang Tashi, Wilson...

Publish Year: 2011