

Thank you for your letter and for the referee's comments concerning our manuscript entitled "A letter to the editor about a comment on a published article. "We have studied their comments carefully and have made correction which we hope meet with their approval.

We have resolved all issues in the manuscript that were raised in the peer-review report(s) and made point-by-point responses to the issues raised in the peer-review report(s), which are listed below:

1. Reviewer #1 report: "Considering the second comment, the authors of the current letter did not sufficiently explain the problems related to inconsistencies between Table 1 and Figure 1(A). Therefore, I kindly ask the authors to more precisely elucidate what the problem is."

REVISION: We brought about the correct information of the problematic cited studies in this Figure, and explained how they differ from which the authors of the meta-analysis wrote in their article.

2. Reviewer #1 report: "Except for which the authors mentioned in this letter, I found out that such inconsistencies also exist between Table 1 and Figure 1(B) of the meta-analysis."

Explanation checked the other data extracted from the meta-analysis in detail again and found no errors.

3. Reviewer #1 report: The Reviewer #1 pointed out some language/general problems.

REVISION: We made point-by-point correction to the language/general problems.

We also have revised the manuscript according to the Editorial Office's comments and suggestions, which are listed below:

1. The revised manuscript was polished by the Professional English Language editing Company, and a language editing certificate is provided.

2. We provide the original figures, prepare and arrange the figures using PowerPoint in 58133-Image File.

3. We have included the keyword "Updated meta-analysis of pancreatic stent placement in preventing post-endoscopic retrograde cholangiopancreatography pancreatitis" in the manuscript title. Citation: Fan JH, Qian JB, Wang YM, Shi RH, Zhao CJ. Updated meta-analysis of pancreatic stent placement in preventing post-endoscopic retrograde cholangiopancreatography pancreatitis. *World J Gastroenterol* 2015; [PMID: 26140006 PMID: PMC4481455 DOI: 10.3748/wjg.v21.i24.7577]

Thank you for your review again. We hope we can get your approval for our careful revised manuscript.