World Journal of *Clinical Cases*

World J Clin Cases 2021 February 6; 9(4): 764-998





Published by Baishideng Publishing Group Inc

W J C C World Journal of Clinical Cases

Contents

Thrice Monthly Volume 9 Number 4 February 6, 2021

MINIREVIEWS

764 Chiari malformations in children: An overview

Spazzapan P, Bosnjak R, Prestor B, Velnar T

ORIGINAL ARTICLE

Case Control Study

774 Effect of hospital discharge plan for children with type 1 diabetes on discharge readiness, discharge education quality, and blood glucose control

Tong HJ, Qiu F, Fan L

Retrospective Study

784 Effect of biofeedback combined with high-quality nursing in treatment of functional constipation

Zhao X, Meng J, Dai J, Yin ZT

792 Radioactive ¹²⁵I seed implantation for pancreatic cancer with unexpected liver metastasis: A preliminary experience with 26 patients

Li CG, Zhou ZP, Jia YZ, Tan XL, Song YY

Clinical Trials Study

801 Biliary stent combined with iodine-125 seed strand implantation in malignant obstructive jaundice Wang HW, Li XJ, Li SJ, Lu JR, He DF

Observational Study

- 812 Effects of different statins application methods on plaques in patients with coronary atherosclerosis Wu X, Liu XB, Liu T, Tian W, Sun YJ
- 822 Usefulness of prenatal magnetic resonance imaging in differential diagnosis of fetal congenital cystic adenomatoid malformation and bronchopulmonary sequestration

Li Z, Lv YD, Fang R, Li X, Luo ZQ, Xie LH, Zhu L

CASE REPORT

- 830 Reciprocal hematogenous osteomyelitis of the femurs caused by Anaerococcus prevotii: A case report Daunaraite K, Uvarovas V, Ulevicius D, Sveikata T, Petryla G, Kurtinaitis J, Satkauskas I
- 838 Gastroduodenal intussusception caused by gastric gastrointestinal stromal tumor: A case report and review of the literature

Hsieh YL, Hsu WH, Lee CC, Wu CC, Wu DC, Wu JY



Conton	World Journal of Clinical Cases
Conten	Thrice Monthly Volume 9 Number 4 February 6, 2021
847	Altemeier perineal rectosigmoidectomy with indocyanine green fluorescence imaging for a female adolescent with complete rectal prolapse: A case report
	Yamamoto T, Hyakudomi R, Takai K, Taniura T, Uchida Y, Ishitobi K, Hirahara N, Tajima Y
854	Long-term survival in a patient with Hutchinson-Gilford progeria syndrome and osteosarcoma: A case report
	Hayashi K, Yamamoto N, Takeuchi A, Miwa S, Igarashi K, Araki Y, Yonezawa H, Morinaga S, Asano Y, Tsuchiya H
864	Recurrent medullary thyroid carcinoma treated with percutaneous ultrasound-guided radiofrequency ablation: A case report
	Tong MY, Li HS, Che Y
871	"Bull's eye" appearance of hepatocellular adenomas in patients with glycogen storage disease type I $-$ atypical magnetic resonance imaging findings: Two case reports
	Vernuccio F, Austin S, Meyer M, Guy CD, Kishnani PS, Marin D
878	Clinical characteristics and <i>ABCC2</i> genotype in Dubin-Johnson syndrome: A case report and review of the literature
	Wu H, Zhao XK, Zhu JJ
886	Adult-onset Still's disease evolving with multiple organ failure and death: A case report and review of the literature
	Han ZB, Wu J, Liu J, Li HM, Guo K, Sun T
898	Open reduction and Herbert screw fixation of Pipkin type IV femoral head fracture in an adolescent: A case report
	Liu Y, Dai J, Wang XD, Guo ZX, Zhu LQ, Zhen YF
904	Acute pancreatitis with pulmonary embolism: A case report
	Fu XL, Liu FK, Li MD, Wu CX
912	Apert syndrome diagnosed by prenatal ultrasound combined with magnetic resonance imaging and whole exome sequencing: A case report
	Chen L, Huang FX
919	Application of neoadjuvant chemotherapy combined with anlotinib in occult breast cancer: A case report and review of literature
	Zhang Y, Wu D, Zhao B, Tian XL, Yao TC, Li F, Liu WF, Shi AP
927	Atypical presentation of shoulder brucellosis misdiagnosed as subacromial bursitis: A case report
	Wang FS, Shahzad K, Zhang WG, Li J, Tian K
935	Retroperitoneal teratoma resection assisted by 3-dimensional visualization and virtual reality: A case report
	Liu T, Chen K, Xia RM, Li WG
943	Renal failure and hepatitis following ingestion of raw grass carp gallbladder: A case report <i>Zhou LN, Dong SS, Zhang SZ, Huang W</i>



Combon	World Journal of Clinical Cases						
Conten	Thrice Monthly Volume 9 Number 4 February 6, 2021						
951	Pheochromocytoma as a cause of repeated acute myocardial infarctions, heart failure, and transient erythrocytosis: A case report and review of the literature						
	Shi F, Sun LX, Long S, Zhang Y						
960	Immediate implant placement in combination with platelet rich-fibrin into extraction sites with periapical infection in the esthetic zone: A case report and review of literature						
	Fang J, Xin XR, Li W, Wang HC, Lv HX, Zhou YM						
970	Acute inferior wall myocardial infarction induced by aortic dissection in a young adult with Marfan syndrome: A case report						
	Zhang YX, Yang H, Wang GS						
976	Primary nonkeratinizing squamous cell carcinoma of the scapular bone: A case report						
	Li Y, Zuo JL, Tang JS, Shen XY, Xu SH, Xiao JL						
983	Fertility-sparing surgeries without adjuvant therapy through term pregnancies in a patient with low-grade endometrial stromal sarcoma: A case report						
	Gu YZ, Duan NY, Cheng HX, Xu LQ, Meng JL						
992	Isolated interrupted aortic arch in an adult: A case report						
	Dong SW, Di DD, Cheng GX						

Contents

Thrice Monthly Volume 9 Number 4 February 6, 2021

ABOUT COVER

Editorial Board Member of World Journal of Clinical Cases, Salim R Surani, MD, MPH, MSHM, FACP, FCCP, FAASM is Chair of Critical Care at Corpus Christi Medical Center, Adjunct Clinical Professor of Medicine, Department of Pulmonary, Critical Care and Sleep Medicine at Texas A&M University, and Program Director of the Pulmonary Fellowship Program at Bay Area Medical Center, Corpus Christi. His training and education involved fellowship in Pulmonary Medicine at Baylor College of Medicine, Master's in Public Health, & Epidemiology from Yale University, and Master's in Health Management from University of Texas, Dallas. Having authored more than 250 peer-reviewed articles and written several books and book chapters. (L-Editor: Filipodia)

AIMS AND SCOPE

The primary aim of World Journal of Clinical Cases (WJCC, World J Clin Cases) is to provide scholars and readers from various fields of clinical medicine with a platform to publish high-quality clinical research articles and communicate their research findings online.

WJCC mainly publishes articles reporting research results and findings obtained in the field of clinical medicine and covering a wide range of topics, including case control studies, retrospective cohort studies, retrospective studies, clinical trials studies, observational studies, prospective studies, randomized controlled trials, randomized clinical trials, systematic reviews, meta-analysis, and case reports.

INDEXING/ABSTRACTING

The WJCC is now indexed in Science Citation Index Expanded (also known as SciSearch®), Journal Citation Reports/Science Edition, Scopus, PubMed, and PubMed Central. The 2020 Edition of Journal Citation Reports® cites the 2019 impact factor (IF) for WJCC as 1.013; IF without journal self cites: 0.991; Ranking: 120 among 165 journals in medicine, general and internal; and Quartile category: Q3. The WJCC's CiteScore for 2019 is 0.3 and Scopus CiteScore rank 2019: General Medicine is 394/529.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: Yan-Xia Xing, Production Department Director: Yun-Xiaojian Wu; Editorial Office Director: Jin-Lei Wang.

NAME OF JOURNAL	INSTRUCTIONS TO AUTHORS
World Journal of Clinical Cases	https://www.wjgnet.com/bpg/gerinfo/204
ISSN	GUIDELINES FOR ETHICS DOCUMENTS
ISSN 2307-8960 (online)	https://www.wjgnet.com/bpg/GerInfo/287
LAUNCH DATE	GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH
April 16, 2013	https://www.wjgnet.com/bpg/gerinfo/240
FREQUENCY	PUBLICATION ETHICS
Thrice Monthly	https://www.wjgnet.com/bpg/GerInfo/288
EDITORS-IN-CHIEF	PUBLICATION MISCONDUCT
Dennis A Bloomfield, Sandro Vento, Bao-gan Peng	https://www.wjgnet.com/bpg/gerinfo/208
EDITORIAL BOARD MEMBERS	ARTICLE PROCESSING CHARGE
https://www.wjgnet.com/2307-8960/editorialboard.htm	https://www.wjgnet.com/bpg/gerinfo/242
PUBLICATION DATE	STEPS FOR SUBMITTING MANUSCRIPTS
February 6, 2021	https://www.wjgnet.com/bpg/GerInfo/239
COPYRIGHT	ONLINE SUBMISSION
© 2021 Baishideng Publishing Group Inc	https://www.f6publishing.com

© 2021 Baishideng Publishing Group Inc. All rights reserved. 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA E-mail: bpgoffice@wjgnet.com https://www.wjgnet.com



W J C C World Journal of Clinical Cases

World Journal of

Submit a Manuscript: https://www.f6publishing.com

World J Clin Cases 2021 February 6; 9(4): 838-846

DOI: 10.12998/wjcc.v9.i4.838

ISSN 2307-8960 (online)

CASE REPORT

Gastroduodenal intussusception caused by gastric gastrointestinal stromal tumor: A case report and review of the literature

Yi-Lun Hsieh, Wen-Hung Hsu, Ching-Chun Lee, Chun-Chieh Wu, Deng-Chyang Wu, Jeng-Yih Wu

ORCID number: Yi-Lun Hsieh 0000-0001-9250-8255; Wen-Hung Hsu 0000-0002-9539-5281; Ching-Chun Lee 0000-0002-1290-6120; Chun-Chieh Wu 0000-0001-8726-3302; Deng-Chyang Wu 0000-0003-3742-0634; Jeng-Yih Wu 0000-0001-9461-1598.

Author contributions: Hsieh YL drafted the manuscript, Hsu WH, Lee CC, Wu CC, and Wu DC acquired and analyzed the data; Wu JY revised the manuscript critically for important intellectual content; all authors have read and approved the final manuscript.

Informed consent statement: The patient provided informed written consent for the publication of this case report.

Conflict-of-interest statement: The authors declare that they have no conflict of interest to report.

CARE Checklist (2016) statement: The authors have read the CARE Checklist (2016), and the manuscript was prepared and revised according to the CARE Checklist (2016).

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative

Yi-Lun Hsieh, Wen-Hung Hsu, Deng-Chyang Wu, Jeng-Yih Wu, Division of Gastroenterology, Department of Internal Medicine, Kaohsiung Medical University Hospital, Kaohsiung 807, Taiwan

Ching-Chun Lee, Division of Colorectal Surgery, Department of Surgery, Kaohsiung Medical University Hospital, Kaohsiung 807, Taiwan

Chun-Chieh Wu, Department of Pathology, Kaohsiung Medical University Hospital, Kaohsiung 807, Taiwan

Corresponding author: Jeng-Yih Wu, MD, Professor, Division of Gastroenterology, Department of Internal Medicine, Kaohsiung Medical University Hospital, No. 100 Tz-You 1st Road, Kaohsiung 807, Taiwan. joywu@kmu.edu.tw

Abstract

BACKGROUND

Gastric gastrointestinal stromal tumor (GIST) is the most common etiology of gastroduodenal intussusception. Although gastroduodenal intussusception caused by gastric GIST is mostly treated by surgical resection, the first case of gastroduodenal intussusception caused by gastric GIST was treated by endoscopic submucosal dissection (ESD) in Japan in 2017.

CASE SUMMARY

An 84-year-old woman presented with symptoms of postprandial fullness with nausea and occasional vomiting for a month. Initially, she visited a local clinic for help, where abdominal sonography revealed a space-occupying lesion around the liver, so she was referred to our hospital for further confirmation. Abdominal sonography was repeated, which revealed a mass with an alternating concentric echogenic lesion. Esophagogastroduodenoscopy (EGD) was performed under the initial impression of gastric cancer with central necrosis and showed a tortuous distortion of gastric folds down from the lesser curvature side to the duodenal bulb with stenosis of the gastric outlet. EGD was barely passed through to the 2nd portion of the duodenum and a friable ulcerated mass was found. Several differential diagnoses were suspected, including gastroduodenal intussusception, gastric cancer invasion to the duodenum, or pancreatic cancer with adherence to the gastric antrum and duodenum. Abdominal computed tomography for further evaluation was arranged and showed gastroduodenal intussusception with a long stalk polypoid mass 5.9 cm in the duodenal bulb. Under the impression of gastroduodenal intussusception, ESD was performed at the base of the



WJCC | https://www.wjgnet.com

Commons Attribution

NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: htt p://creativecommons.org/License s/by-nc/4.0/

Manuscript source: Unsolicited manuscript

Specialty type: Gastroenterology and hepatology

Country/Territory of origin: Taiwan

Peer-review report's scientific quality classification

Grade A (Excellent): 0 Grade B (Very good): B, B Grade C (Good): C Grade D (Fair): 0 Grade E (Poor): 0

Received: August 25, 2020 Peer-review started: August 25, 2020

First decision: November 8, 2020 Revised: November 19, 2020 Accepted: December 10, 2020 Article in press: December 10, 2020 Published online: February 6, 2021

P-Reviewer: D'Orazi V, Ozen H S-Editor: Zhang L L-Editor: Wang TQ P-Editor: Zhang YL



gastroduodenal intussusception; unfortunately, a gastric perforation was found after complete resection was accomplished, so gastrorrhaphy was performed for the perforation and retrieval of the huge polypoid lesion. The gastric tumor was pathologically proved to be a GIST. After the operation, there was no digestive disturbance and the patient was discharged uneventfully on the 10th day following the operation.

CONCLUSION

We present the second case of gastroduodenal intussusception caused by GIST treated by ESD. It is also the first case report of gastroduodenal intussusception by GIST in Taiwan, and endoscopic reduction or resection is an alternative treatment for elderly patients who are not candidates for surgery.

Key Words: Gastric gastrointestinal stromal tumor; Endoscopic submucosal dissection; Gastro-duodenal intussusception; Elderly; Esophagogastroduodenoscopy; Gastrointestinal obstruction; Case report

©The Author(s) 2021. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: This is the first case report of gastroduodenal intussusception caused by gastrointestinal stromal tumor in Taiwan and endoscopic reduction or resection is an alternative treatment for elderly patients who are not candidates for surgery.

Citation: Hsieh YL, Hsu WH, Lee CC, Wu CC, Wu DC, Wu JY. Gastroduodenal intussusception caused by gastric gastrointestinal stromal tumor: A case report and review of the literature. World J Clin Cases 2021; 9(4): 838-846

URL: https://www.wjgnet.com/2307-8960/full/v9/i4/838.htm DOI: https://dx.doi.org/10.12998/wjcc.v9.i4.838

INTRODUCTION

Gastric outlet obstruction (GOO) is a clinical syndrome characterized by epigastric abdominal pain and postprandial vomiting due to mechanical obstruction. Benign disease such as peptic ulcer disease was responsible for 90% of cases until the late 1970s^[1]. With the decline in the incidence of peptic ulcer disease, it is estimated that 50-80% of all cases of GOO are attributable to malignancies. Distal gastric cancer remains a relatively common cause of malignant GOO, accounting for up to 35% of GOO cases^[2]. Gastro-duodenal intussusception is a rare cause of GOO in adults, and it is typically caused by a pathological leading point, malignant in over one half of cases^[3]. Herein, we report an 84-year-old woman with gastroduodenal intussusception caused by a gastric gastrointestinal stromal tumor (GIST).

CASE PRESENTATION

Chief complaints

An 84-year-old woman presented with symptoms of postprandial fullness with nausea and occasional vomiting for a month.

History of present illness

The patient suffered from persistent hematemesis and tarry stool complicated with orthostatic hypotension over the past 2-3 years. She complained about abdominal distress, abdominal fullness, nausea, and vomiting in recent one month. She first visited a local clinic, where abdominal sonography showed a liver tumor.

History of past illness

The patient had a history of hypertension, chronic kidney disease, and hepatitis B virus infection.



Personal and family history

The patient denied any personal history of alcohol, betel nuts, and cigarette consumption. She also denied travel, contact, and cluster history in recent 6 mo. As a housewife, she did not have any occupational history. Regarding her family history, she had one elder brother and four younger sisters. All of them did not have any malignancy history.

Physical examination

On the physical examination, the patient's consciousness was alert (E4V5M6); her conjunctiva was not pale; she had anicteric sclera; her chest had symmetric movement with respiration; Her breath sound was bilaterally clear; and she had regular heart beat, flat abdomen, normoactive bowel sound, no muscle guarding, no tenderness, no rebound pain, and no pitting edema.

Laboratory examinations

The results of laboratory examinations are shown in Table 1.

Imaging examinations

Abdominal sonography was repeated, which revealed a mass with an alternating concentric echogenic lesion (Figure 1). EGD was performed under the initial impression of gastric cancer with central necrosis and showed a tortuous distortion of gastric folds down from the lesser curvature side to the duodenal bulb with stenosis of the gastric outlet (Figure 2A). EGD was barely passed through to the 2nd portion of the duodenum and a friable ulcerated mass was found (Figure 2B). Several differential diagnoses were suspected, including gastroduodenal intussusception, gastric cancer invasion to the duodenum, or pancreatic cancer with adherence to the gastric antrum and duodenum. Abdominal computed tomography for further evaluation was arranged and showed gastroduodenal intussusception with a long stalk polypoid mass (5.9 cm) in the duodenal bulb (Figure 3).

Further diagnostic work-up

Under the impression of gastroduodenal intussusception, endoscopic submucosal dissection (ESD) was performed at the base of the gastroduodenal intussusception; unfortunately, a gastric perforation was found after complete resection was accomplished, so gastrorrhaphy was performed for the perforation and retrieval of the huge polypoid lesion (Figure 4).

FINAL DIAGNOSIS

The gastric tumor was pathologically diagnosed as a GIST (Figure 5).

TREATMENT

Endoscopic resection and laparotomy were performed for gastric tumor removal and gastrorrhaphy.

OUTCOME AND FOLLOW-UP

The patient had a complete remission.

DISCUSSION

Regarding gastrointestinal obstruction in adults, symptoms are variable depending on the locations of obstruction, which range from small bowel obstruction followed by large intestine and gastric outlet complications^[4]. It is mostly caused by reasons such as adhesion, malignancy, and volvulus. In adults, intussusception accounts merely for 1% of mechanical gastrointestinal obstructions, representing a very rare cause^[5]. The symptoms of intussusception are nausea, vomiting, gastrointestinal bleeding, change



Table 1 Laboratory examinations					
	Result	Reference range			
WBC	9.37	$4.4-11.3 \times 10^9 \mathrm{L}$			
Hb	9.1	12.3-15.3 g/dL			
Plt	302	(160-370) × 1000/uL			
CRP	2.04	mg/L			
Crea	1.53	mg/dL			
BUN	25.9	mg/dL			
Na	139	mmol/L			
K	3.9	mmol/L			
GOT	16	IU/L			
GPT	11	IU/L			
INR	0.97				
PTT	24.3	sec			
CEA	3.58				

WBC: White blood cells; Hb: Hemoglobin; Plt: Platelets; CRP: C reactive protein; Crea: Creatinine; BUN: Blood urea nitrogen; GOT: Glutamic oxalacetic transaminase; GPT: Glutamic pyruvic transaminase; CEA: Carcinoma embryonic antigen.



Figure 1 Abdominal ultrasound revealed the doughnut sign, measuring 4.5 cm × 4.6 cm.

in bowel habits, constipation, or abdominal pain^[6]. Ischemic change and peritonitis seldom occur but represent major critical complications of intussusception. In adults, intussusception is usually the result of lesions, including scar-like tissue in the intestine (adhesions) and prior surgery such as gastrointestinal bypass surgery for weight control, polyp, or tumor. The presenting case suffering from partial gastric outlet obstruction by gastroduodenal intussusception was managed by ESD and gastrorrhaphy proved that is was caused by a GIST.

GIST accounts for around 0.2% of all gastrointestinal tumors and occurs anywhere along the gastrointestinal tract, but most commonly in the stomach (40%-60%) and jejunum/ileum (25%-30%)^[7]. GIST is typically asymptomatic or has nonspecific symptoms (i.e., early satiety and bloating), unless they ulcerate, bleed, or grow large enough to cause pain or obstruction. Conceivably, gastroduodenal intussusception caused by GIST most commonly presents with nonspecific symptoms of acute or intermittent abdominal pain with vomiting lasting from days to several months^[8]. By reviewing the relevant literature, we found 41 cases of gastroduodenal intussusception within the past 20 years (Table 2)^[9-44]. Gastric GIST is the most common etiology and

WJCC | https://www.wjgnet.com

Table 2 Review of case reports on gastroduodenal intussusception							
Ref.	Year	Age	Sex	Diagnosis	Pathology report	Management	Size
Nakagawara <i>et al</i> ^[9]	2000	50	F	EGD	Gastric heterotopia	Endoscopic polypectomy	30 mm × 36 mm
Sankaranunni et al ^[10]	2001	48	М	СТ	Gastric lipoma	Laparotomy	NA
Harrison <i>et al</i> ^[11]	2001	76	М	EGD	Leiomyoma	Laparotomy	50 mm × 42 mm
Mouës <i>et al</i> ^[12]	2002			EGD and CT	Gastric lipoma	Laparotomy	50 mm × 100 mm
Crowther <i>et al</i> ^[13]	2002	59	F	CT	GIST	Partial gastrectomy	60 mm
Vinces et al ^[14]	2005	72	М	Laparoscopy	Gastric lipoma	Exploratory laparotomy	NA
Vinces et al ^[14]	2006				Gastric lipoma		NA
Juglard <i>et al</i> ^[15]	2006				Ménétrier's disease		NA
Adjepong <i>et al</i> ^[16]	2006	84	М	СТ	GIST	Laparoscopic Billroth II partial gastrectomy	40 mm × 30 mm
Samamé <i>et al</i> ^[17]	2007				GIST		NA
Shum et al ^[18]	2007	34	F	СТ	GIST	Partial gastrectomy	50 mm × 50 mm
Shum et al ^[18]	2008	67	М	Ultrasound and EGD	Gastric carcinoma	Surgical resection	45 mm × 40 mm
Alamili al ^[19]	2008			CT	Duodenal lipoma	Surgical resection	NA
Siam et al ^[20]	2008	29	М	EGD	GIST	Partial Gastrectomy	60 mm × 60 mm
Su <i>et al</i> ^[21]	2009	24	М	EGD	Gastric carcinoma (PJS)	Surgical resection	30 mm
Hillenbrand <i>et al</i> ^[22]	2009	42	F	CT	Post banded gastroplasty	Surgical reduction	
Chan <i>et al</i> ^[23]	2009	34	F	СТ	GIST	Laparoscopic wedge resection	65 mm × 44 mm
Eom <i>al</i> ^[24]	2011	73	F	CT and EGD	Gastric carcinoma	Subtotal gastrectomy	78 mm × 75 mm
Euanorasetr et al ^[25]	2011				Gastric carcinoma	Subtotal gastrectomy	NA
Gyedu <i>et al</i> ^[26]	2011	59	F	CT and US	GIST	Partial gastrectomy	70 mm × 60 mm
Seok <i>et al</i> ^[27]	2012	51	М	CT and EGD	GIST	Gastric partial resection	55 mm × 42 mm
Seok et al ^[27]	2012	62	F	EGD and CT	GIST	Billroth II partial gastrectomy	52 mm × 35 mm
Wilson <i>et al</i> ^[28]	2012	78	F	СТ	GIST	Laparoscopic wedge resection	44 mm × 33 mm
Chen <i>et al</i> ^[29]	2013	63	F	CT and EGD	Gastric hamartomatous polyp	Endoscopic mucosal resection	NA
Rittenhouse <i>et al</i> ^[30]	2013	52	F	СТ	GIST	Laparoscopic wedge resection	50 mm × 50 mm
Chahla <i>et al</i> ^[31]	2014	76	М	CT	Gastric hyperplastic polyp	Endoscopic resection	< 30 mm
Khanna <i>et al</i> ^[32]	2014	33	М	CT and EGD	Brunner's gland hamartoma	Duodenostomy and polypectomy	35 mm × 70 mm
Kadowaki <i>et al</i> ^[33]	2014	77	F	Laparotomy	Gastric collision tumor	Gastrotomy followed by duodenotomy	120 mm
Yang <i>et al</i> ^[34]	2015	63	М	СТ	Gastric schwannoma	Conventional laparotomy	55 mm × 48 mm
MS et al ^[35]	2015	74	М	СТ	GIST	Partial gastrectomy	NA
Indiran <i>et al</i> ^[36]	2015				GIST		NA



Hsieh YL et al. Gastroduodenal intussusception caused by gastric GIST

Yildiz <i>et al</i> ^[37]	2016	85	F	СТ	GIST	Subtotal gastrectomy	60 mm × 50 mm
Komatsubara <i>et al</i> ^[38]	2016	90	F	EGD	GIST	Wedge resection	50 mm × 45 mm
Yamauchi <i>et al</i> ^[9]	2017	95	F	СТ	GIST	Endoscopic submucosaldissection	42 mm × 39 mm
Jameel <i>et al</i> ^[39]	2017	65	F	EGD and CT	GIST	Laparoscopic resection	60 mm × 60 mm
Casimiro Pérez et al ^[40]	2018	55	М	EGD and CT	Gastric submucosal lipoma	Laparoscopic transgastric excision	63 mm × 55 mm
Zhou <i>et al</i> ^[41]	2018	69	М	EGD and CT	GIST	Laparoscopic resection	45 mm × 40 mm
Ssentongo et al ^[42]	2018	85	F	СТ	GIST	Wedge resection	25 mm × 25 mm
De <i>et al</i> ^[43]	2018	42	F	EGD	GIST	Surgical resection	80 mm × 70 mm
Đokić <i>et al</i> ^[8]	2019	62	М	CT and US	GIST	Laparotomy resection	75 mm × 55 mm
Suda <i>et al</i> ^[44]	2019	81	F	EGD and CT	Gastric carcinoma	Laparoscopic gastrectomy	55 mm
Our case	2020	84	М	US and EGD and CT	GIST	Endoscopic submucosaldissection and surgical repair	59 mm

EGD: Esophagogastroduodenoscopy; F: Female; CT: Computed tomography; GIST: Gastrointestinal stromal tumor; M: Male; NA: Not available.



Figure 2 Esophagogastroduodenoscopy. A: Gastro-duodenal intussusception; B: Ulcerated polypoid lesion.



Figure 3 Abdominal computed tomography revealed intussusception with a long stalk polypoid mass 5.9 cm in the duodenal bulb. A: Axial view; B: Coronal view.

accounts for more than half of these cases, with the mean size of the GIST being 54.8 mm and the average age being 64.25 years (range, 29-95 years). Management of gastroduodenal intussusception included surgical intervention and endoscopic



Zaisbideng® WJCC https://www.wjgnet.com



Figure 4 Cardia submucosal tumor measuring 5.6 cm × 4.5 cm × 3.5 cm.



Figure 5 Microscopic examination.

reduction in the past, and for the present case, endoscopic reduction of the invagination was tried but failed due to its large size (5.9 cm). Although gastroduodenal intussusception caused by gastric GIST is mostly treated by surgical resection, the first case of gastroduodenal intussusception caused by gastric GIST was treated by ESD in Japan in 2017^[45], so ESD was also tried for this case with the result of complete resection although complicated with perforation. Finally, gastrorrhaphy repair and retrieval of the huge polypoid lesion were accomplished. Here we present the second case of gastroduodenal intussusception caused by GIST treated by ESD. It is also the first case report of gastroduodenal intussusception caused by GIST in Taiwan, and endoscopic reduction or resection is an alternative treatment for elderly patients who are not candidates for surgery.

CONCLUSION

We present the second case of gastroduodenal intussusception caused by GIST treated by endoscopic submucosal dissection. It is also the first case report of gastroduodenal intussusception caused by GIST in Taiwan, and endoscopic reduction or resection is an alternative treatment for elderly patients who are not candidates for surgery.

REFERENCES

- 1 Shone DN, Nikoomanesh P, Smith-Meek MM, Bender JS. Malignancy is the most common cause of gastric outlet obstruction in the era of H2 blockers. Am J Gastroenterol 1995; 90: 1769-1770 [PMID: 7572891]
- Chowdhury A, Dhali GK, Banerjee PK. Etiology of gastric outlet obstruction. Am J Gastroenterol 2 1996; 91: 1679 [PMID: 8759707]



- Marinis A, Yiallourou A, Samanides L, Dafnios N, Anastasopoulos G, Vassiliou I, Theodosopoulos 3 T. Intussusception of the bowel in adults: a review. World J Gastroenterol 2009; 15: 407-411 [PMID: 19152443 DOI: 10.3748/wjg.15.407]
- 4 Markogiannakis H, Messaris E, Dardamanis D, Pararas N, Tzertzemelis D, Giannopoulos P, Larentzakis A, Lagoudianakis E, Manouras A, Bramis I. Acute mechanical bowel obstruction: clinical presentation, etiology, management and outcome. World J Gastroenterol 2007; 13: 432-437 [PMID: 17230614 DOI: 10.3748/wjg.v13.i3.432]
- Azar T, Berger DL. Adult intussusception. Ann Surg 1997; 226: 134-138 [PMID: 9296505 DOI: 5 10.1097/00000658-199708000-00003]
- 6 Weilbaecher D, Bolin JA, Hearn D, Ogden W 2nd. Intussusception in adults. Review of 160 cases. Am J Surg 1971; 121: 531-535 [PMID: 5557762 DOI: 10.1016/0002-9610(71)90133-4]
- 7 Zakaria AH, Daradkeh S. Jejunojejunal intussusception induced by a gastrointestinal stromal tumor. Case Rep Surg 2012; 2012: 173680 [PMID: 23213593 DOI: 10.1155/2012/173680]
- **Dokić M**, Novak J, Petrič M, Ranković B, Štabuc M, Trotovšek B. Case report and literature review: 8 patient with gastroduodenal intussusception due to the gastrointestinal stromal tumor of the lesser curvature of the gastric body. BMC Surg 2019; 19: 158 [PMID: 31664984 DOI: 10.1186/s12893-019-0608-3
- 9 Nakagawara M, Kajimura M, Hanai H, Shimizu S, Kobayashi H. Gastroduodenal intussusception secondary to a giant solitary gastric heterotopia: a case report. Gastrointest Endosc 2000; 52: 568-570 [PMID: 11023589 DOI: 10.1067/mge.2000.108923]
- Sankaranunni B, Ooi DS, Sircar T, Smith RC, Barry J. Gastric lipoma causing gastroduodenal 10 intussusception. Int J Clin Pract 2001; 55: 731-732 [PMID: 11777307]
- 11 Harrison JR, Ruchim M. Gastroduodenal intussusception. Gastrointest Endosc 2001; 53: 632 [PMID: 11323593 DOI: 10.1067/mge.2001.113586]
- Mouës CM, Steenvoorde P, Viersma JH, van Groningen K, de Bruïne JF. Jejunal intussusception of a 12 gastric lipoma: a review of literature. Dig Surg 2002; 19: 418-420 [PMID: 12435918 DOI: 10.1159/000065825
- Crowther KS, Wyld L, Yamani Q, Jacob G. Case report: gastroduodenal intussusception of a 13 gastrointestinal stromal tumour. Br J Radiol 2002; 75: 987-989 [PMID: 12515708 DOI: 10.1259/bjr.75.900.750987]
- Vinces FY, Ciacci J, Sperling DC, Epstein S. Gastroduodenal intussusception secondary to a gastric 14 lipoma. Can J Gastroenterol 2005; 19: 107-108 [PMID: 15729430 DOI: 10.1155/2005/146149]
- Juglard R, Rimbot A, Stéphant E, Paoletti H, Talarmin B, Arteaga C. [Gastroduodenal 15 intussusception complicating Menetrier's disease]. J Radiol 2006; 87: 69-71 [PMID: 16415785 DOI: 10.1016/s0221-0363(06)73974-9
- 16 Adjepong SE, Parameswaran R, Perry A, Mathews R, Jones R, Butterworth JR, Sigurdsson A. Gastroduodenal intussusception due to gastrointestinal stromal tumor (GIST) treated by laparoscopic billroth II distal gastrectomy. Surg Laparosc Endosc Percutan Tech 2006; 16: 245-247 [PMID: 16921305 DOI: 10.1097/00129689-200608000-00010]
- Samamé J, Moreno JI, Maraschio MA. [Gastroduodenal intussusception due to gastrointestinal 17 stromal tumor]. Cir Esp 2007; 82: 131 [PMID: 17785150 DOI: 10.1016/s0009-739x(07)71682-2]
- 18 Shum JS, Lo SS, Ka SY, Yeung CW, Ho JT. Gastroduodenal intussusception. Abdom Imaging 2007; 32: 698-700 [PMID: 17285402 DOI: 10.1007/s00261-007-9179-3]
- 19 Alamili M, Berg JO, Lindström C, Jensen CV, Wettergren A. [Gastroduodenal intussusception causing gastric retention]. Ugeskr Laeger 2008; 170: 753 [PMID: 18307965]
- 20 Siam FA, Siow SL. Stomach gastrointestinal stromal tumours (GIST) intussuscepted into duodenum: a case report. Malays J Med Sci 2008; 15: 68-70 [PMID: 22589640]
- Su PY, Yen HH, Chen CJ. Clinical challenges and images in GI. Peutz-Jeghers syndrome with 21 gastroduodenal intussusception secondary to gastric cancer. Gastroenterology 2009; 136: 774, 1125 [PMID: 19167388 DOI: 10.1053/j.gastro.2008.06.037]
- 22 Hillenbrand A, Waidner U, Henne-Bruns D, Maria Wolf A, Buttenschoen K. After 3 years of starvation: duodenum swallowed remaining stomach. Obes Surg 2009; 19: 664-666 [PMID: 19291339 DOI: 10.1007/s11695-009-9819-5]
- Chan CT, Wong SK, Ping Tai Y, Li MK. Endo-laparoscopic reduction and resection of 23 gastroduodenal intussuception of gastrointestinal stromal tumor (GIST): a synchronous endoscopic and laparoscopic treatment. Surg Laparosc Endosc Percutan Tech 2009; 19: e100-e103 [PMID: 19542829 DOI: 10.1097/SLE.0b013e3181a03f07]
- Eom BW, Ryu KW, Lee JH, Lee JY, Lee JS, Kook MC, Kim YW. Gastrogastric intussusception 24 secondary to a gastric carcinoma: Report of a case. Surg Today 2011; 41: 1424-1427 [PMID: 21922370 DOI: 10.1007/s00595-010-4439-1]
- 25 Euanorasetr C, Suwanthanma W. Transpyloric prolapse of a pedunculated polypoid gastric carcinoma: a case report and review of the literature. J Med Assoc Thai 2011; 94: 1008-1012 [PMID: 21863686]
- 26 Gyedu A, Reich SB, Hoyte-Williams PE. Gastrointestinal stromal tumour presenting acutely as gastroduodenal intussusception. Acta Chir Belg 2011; 111: 327-328 [PMID: 22191138]
- 27 Seok HS, Shon CI, Seo HI, Choi YG, Chung WG, Won HS. [Gastroduodenal intussusception due to pedunculated polypoid gastrointestinal stromal tumor]. Korean J Gastroenterol 2012; 59: 372-376 [PMID: 22617532 DOI: 10.4166/kjg.2012.59.5.372]
- 28 Wilson MH, Ayoub F, McGreal P, Collins C. Gastrointestinal stromal tumour presenting as



gastroduodenal intussusception. BMJ Case Rep 2012; 2012 [PMID: 22927285 DOI: 10.1136/bcr-2012-006787]

- Chen YY, Chen TW, Chen YF. Asymptomatic multiple gastric and duodenal tumors. Sporadic gastric 29 hamartomatous polyps with gastroduodenal intussusception and adenocarcinoma transformation. Gastroenterology 2013; 145: e7-e8 [PMID: 23900102 DOI: 10.1053/j.gastro.2013.05.055]
- Rittenhouse DW, Lim PW, Shirley LA, Chojnacki KA. Gastroduodenal intussusception of a 30 gastrointestinal stromal tumor (GIST): case report and review of the literature. Surg Laparosc Endosc Percutan Tech 2013; 23: e70-e73 [PMID: 23579533 DOI: 10.1097/SLE.0b013e31826d72d4]
- Chahla E, Kim MA, Beal BT, Alkaade S, Garrett RW, Omran L, Ogawa MT, Taylor JR. 31 Gastroduodenal Intussusception, Intermittent Biliary Obstruction and Biochemical Pancreatitis due to a Gastric Hyperplastic Polyp. Case Rep Gastroenterol 2014; 8: 371-376 [PMID: 25685129 DOI: 10.1159/000369548]
- Khanna M, Ramanathan S, Ahmed A, Kumar D. Gastroduodenal intussusception secondary to a 32 pedunculated Brunner's gland hamartoma: CT and endoscopic features. J Gastrointest Cancer 2014; 45 Suppl 1: 257-260 [PMID: 25316097 DOI: 10.1007/s12029-014-9656-1]
- 33 Kadowaki Y, Nishimura T, Komoto S, Yuasa T, Tamura R, Okamoto T, Ishido N. Gastroduodenal intussusception caused by a gastric collision tumor consisting of adenocarcinoma and neuroendocrine carcinoma. Case Rep Gastroenterol 2014; 8: 89-94 [PMID: 24803892 DOI: 10.1159/000356818]
- Yang JH, Zhang M, Zhao ZH, Shu Y, Hong J, Cao YJ. Gastroduodenal intussusception due to gastric 34 schwannoma treated by Billroth II distal gastrectomy: one case report. World J Gastroenterol 2015; 21: 2225-2228 [PMID: 25717262 DOI: 10.3748/wjg.v21.i7.2225]
- 35 M S PB, Reddy CK, Augustine AJ, Sagari SG. Gastroduodenal intussusception due to pedunculated polypoid gastrointestinal stromal tumour (gist): a rare case. J Clin Diagn Res 2015; 9: PD05-PD06 [PMID: 25738026 DOI: 10.7860/JCDR/2015/10457.5370]
- 36 Indiran V, Vinoth Kumar R, Maduraimuthu P. Gastrointestinal stromal tumor presenting as gastroduodenal intussusception. Indian J Gastroenterol 2015; 34: 347-348 [PMID: 26293600 DOI: 10.1007/s12664-015-0587-y]
- Yildiz MS, Doğan A, Koparan IH, Adin ME. Acute Pancreatitis and Gastroduodenal Intussusception 37 Induced by an Underlying Gastric Gastrointestinal Stromal Tumor: A Case Report. J Gastric Cancer 2016; 16: 54-57 [PMID: 27104028 DOI: 10.5230/jgc.2016.16.1.54]
- 38 Komatsubara T, Zuiki T, Lefor AK, Hirota N, Oki J. Unusual gastroduodenal intussusception secondary to a gastrointestinal stromal tumor of the gastric fundus. IJS Open 2016; 5: 33-36 [DOI: 10.1016/j.ijso.2016.10.002
- Jameel ARA, Segamalai D, Murugaiyan G, Shanmugasundaram R, Obla NB. Gastroduodenal -39 Intussusception due to Gastrointestinal Stromal Tumour (GIST). J Clin Diagn Res 2017; 11: PD09-PD10 [PMID: 28969200 DOI: 10.7860/JCDR/2017/26292.10398]
- 40 Casimiro Pérez JA, Fernández Quesada C, Rodríguez Méndez Á, Sánchez Guedez I. Gastroduodenal invagination secondary to gastric submucosal lipoma treated by laparoscopic transgastric excision. Cir Esp 2018; 96: 235 [PMID: 29033072 DOI: 10.1016/j.ciresp.2017.09.003]
- Zhou Y, Wu XD, Shi Q, Xu CH, Jia J. Gastroduodenal intussusception and pylorus obstruction 41 induced by a c-KIT-negative gastric gastrointestinal stromal tumor: case report and review of the literature. Z Gastroenterol 2018; 56: 374-379 [PMID: 29346826 DOI: 10.1055/s-0043-122605]
- 42 Ssentongo P, Egan M, Arkorful TE, Dorvlo T, Scott O, Oh JS, Amponsah-Manu F. Adult Intussusception due to Gastrointestinal Stromal Tumor: A Rare Case Report, Comprehensive Literature Review, and Diagnostic Challenges in Low-Resource Countries. Case Rep Surg 2018; 2018: 1395230 [PMID: 30159192 DOI: 10.1155/2018/1395230]
- 43 De U, Basu S. Gastroduodenal intussusception due to gastrointestinal stromal tumor. Clin Case Rep 2018; 6: 2276-2278 [PMID: 30455936 DOI: 10.1002/ccr3.1786]
- Suda T, Hodo Y, Shirota Y. Gastroduodenal intussusception of a gastric carcinoma. Dig Endosc 44 2019; 31: e38-e39 [PMID: 30536924 DOI: 10.1111/den.13313]
- Yamauchi K, Iwamuro M, Ishii E, Narita M, Hirata N, Okada H. Gastroduodenal Intussusception 45 with a Gastric Gastrointestinal Stromal Tumor Treated by Endoscopic Submucosal Dissection. Intern Med 2017; 56: 1515-1519 [PMID: 28626176 DOI: 10.2169/internalmedicine.56.8160]



WJCC | https://www.wjgnet.com



Published by Baishideng Publishing Group Inc 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA Telephone: +1-925-3991568 E-mail: bpgoffice@wjgnet.com Help Desk: https://www.f6publishing.com/helpdesk https://www.wjgnet.com

