

1 **Name of Journal:** *World Journal of Gastroenterology*

Manuscript NO: 58224

Manuscript Type: REVIEW

Simultaneous colorectal **and** parenchymal-sparing liver resection for advanced colorectal carcinoma with synchronous liver metastases: Between conventional and mini-invasive approaches

DE RAFFELE E *et al.* Liver resection for advanced CRC

EMILIO DE RAFFELE, Mariateresa Mirarchi, Dajana Cuicchi, Ferdinando Lecce, Riccardo Casadei, Claudio Ricci, Saverio Selva, Francesco Minni

EMILIO DE RAFFELE, Saverio Selva, Division of Pancreatic Surgery, Department of Digestive Diseases, Azienda Ospedaliero-Universitaria di Bologna, Policlinico S.Orsola-Malpighi, Bologna 40138, BO, Italy

Match Overview

1	Internet 174 words crawled on 06-Aug-2020 f6publishing.blob.core.windows.net	1%
2	Internet 110 words crawled on 01-Jan-2020 ghrnet.org	1%
3	Crossref 75 words Emilio De Raffeale, Mariateresa Mirarchi, Samuele Vaccari, Dajana Cuicchi, Ferdinando Lecce, Barbara Dalla Via, Brun	1%
4	Internet 66 words crawled on 09-Feb-2020 www.nature.com	<1%
5	Internet 57 words crawled on 28-Sep-2020 ar.iiarjournals.org	<1%
6	Internet 41 words crawled on 31-Aug-2017 kce.fgov.be	<1%
7	Internet 35 words crawled on 23-Mar-2016 www.annaliitalianidichirurgia.it	<1%
8	Internet 34 words crawled on 15-Oct-2020 jgo.amegroups.com	<1%

Simultaneous colorectal and parenchymal-sparing liver resection 1



ALL

IMAGES

VIDEOS

12,400 Results

Any time ▾

Simultaneous curative resection of double colorectal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6198303>

Oct 15, 2018 · Core tip: **Simultaneous colorectal and liver resection** represents an appealing surgical strategy in selected patients with **colorectal** cancer and resectable **synchronous liver metastases** (CRLM). **Synchronous colorectal carcinoma** may represent an adequate indication to **simultaneous** resections, even though it may require more complex **colorectal** resections.

Cited by: 2

Author: Emilio De Raffe, Mariateresa Mirarchi, ...

Publish Year: 2018

Parenchymal-sparing liver surgery in patients with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4919708>

Jun 27, 2016 · INTRODUCTION. **Colorectal carcinoma** is the third most frequent cancer in the world, with nearly 1.23 million new cases diagnosed each year[1,2].About half of these patients will develop **liver metastases** during the course of the disease, causing two thirds of deaths[].In terms of treatment, **liver resection** is the treatment of choice to prolong survival and offer a chance of ...

Cited by: 16

Author: Fernando A Alvarez, Rodrigo Sanchez C...

Publish Year: 2016

Management of colorectal cancer presenting with ...

<https://www.nature.com/articles/nrclinonc.2014.90>

Jun 03, 2014 · Hillingsø, J. G. & Wille-Jørgensen, P. Staged or **simultaneous resection** of **synchronous liver metastases** from **colorectal** cancer—a systematic review. **Colorectal Dis.** 11 , ...

Cited by: 97

Author: Ajith K. Siriwardena, James M. Mason, ...

Publish Year: 2014

Parenchymal-sparing liver surgery in patients with ...

<https://www.wjgnet.com/1948-9366/full/v8/i6/407.htm> ▾

Colorectal carcinoma is the third most frequent cancer in the world, with nearly 1.23 million new cases diagnosed each year [1. 2].About half of these patients will develop **liver metastases** during

Simultaneous colorectal and parenchymal-sparing liver resection fo



ALL

IMAGES

VIDEOS

12,900 Results

Any time ▾

Simultaneous curative resection of double colorectal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6198303>

Oct 15, 2018 · Core tip: **Simultaneous colorectal and liver resection** represents an appealing surgical strategy in selected patients with **colorectal** cancer and resectable **synchronous liver metastases** (CRLM). **Synchronous colorectal carcinoma** may represent an adequate indication to **simultaneous** resections, even though it may require more complex **colorectal** resections.

Cited by: 3

Author: Emilio De Raffe, Mariateresa Mirarchi, ...

Publish Year: 2018

Parenchymal-sparing liver surgery in patients with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4919708>

Jun 27, 2016 · INTRODUCTION. **Colorectal carcinoma** is the third most frequent cancer in the world, with nearly 1.23 million new cases diagnosed each year[1,2].About half of these patients will develop **liver metastases** during the course of the disease, causing two thirds of deaths[].In terms of treatment, **liver resection** is the treatment of choice to prolong survival and offer a chance of cure to patients with ...

Cited by: 17

Author: Fernando A Alvarez, Rodrigo Sanchez Cl...

Publish Year: 2016

Parenchymal-sparing liver surgery in patients with ...

<https://www.wjgnet.com/1948-9366/full/v8/i6/407.htm> ▾

Colorectal carcinoma is the third most frequent cancer in the world, with nearly 1.23 million new cases diagnosed each year [1, 2].About half of these patients will develop **liver metastases** during the course of the disease, causing two thirds of deaths. The treatment of choice to prolong survival and offer a chance of cure to patients with ...



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

5,210 Results

Any time ▾

[Simultaneous curative resection of double colorectal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6198303>

Oct 15, 2018 · Core tip: **Simultaneous colorectal and liver resection** represents an appealing surgical strategy in selected patients with **colorectal** cancer and resectable **synchronous liver metastases** (CRLM). **Synchronous colorectal carcinoma** may represent an adequate indication to **simultaneous** resections, even though it may require more complex **colorectal** resections.

Cited by: 3**Author:** Emilio De Raffe, Mariateresa Mirarchi, ...**Publish Year:** 2018

[Parenchymal-sparing liver surgery in patients with ...](#)

<https://www.wjgnet.com/1948-9366/full/v8/i6/407.htm> ▾

Colorectal carcinoma is the third most frequent cancer in the world, with nearly 1.23 million new cases diagnosed each year [1, 2]. About half of these patients will develop **liver metastases** during the course of the disease, causing two thirds of deaths []. In terms of treatment, **liver resection** is the treatment of choice to prolong survival and offer a chance of cure to patients with **colorectal** ...

Cited by: 17**Author:** Fernando A Alvarez, Rodrigo Sanchez Cl...**Publish Year:** 2016

[Simultaneous resection for colorectal cancer and ...](#)

https://www.researchgate.net/publication/277252306_Simultaneous_resection_for...

Simultaneous resection of **colorectal** cancer and **synchronous liver metastases** is associated with a comparable morbidity rate and shorter hospital stay, even when following rectal **resection** and ...

[\(PDF\) Simultaneous Liver and Colorectal Resections Are ...](#)

<https://www.researchgate.net/publication/45441642...>

Hepatic **resection** (HR) is the only option offering a potential cure for patients **with synchronous colorectal cancer liver metastases** (SCRLM). The optimal timing of HR for SCRLM is still controversial.

[Synchronous resection of colorectal cancer and liver ...](#)

<https://www.researchgate.net/publication/221838377...>

Parenchymal-sparing liver resection, instead of major or two-stage hepatectomy for bilobar disease,