

Match Overview

1	Crossref 78 words S. N. Hong, H. J. Kim, K. H. Kim, S.-J. Han, I. M. Ahn, H. S. Ahn "Risk of incident infection in patients with inflamm	2%
2	Crossref 72 words Ingrid Puig Cardoso, Neogelia Pereira de Almeida, Daniel a Rosa Gotardo, Mauricio Cardeal, Genoile Oliveira Sant	2%
3	Crossref 52 words Dong Il Park, Tadakazu Hisamatsu, Minhu Chen, Siew Ch ien Ng et al. "Asian Organization for Crohn's and Colitis a	1%
4	Crossref 51 words Suh, Young Sun, Seung-ki Kwok, Ji Hyeon Ju, Kyung-Su Park, Sung-Hwan Park, and Chong-Hyeon Yoon. "Safe R	1%
5	Crossref 42 words D.-Y. Chen. "Biphasic emergence of active tuberculosis in rheumatoid arthritis patients receiving TNF inhibitors: th	1%
6	Crossref 41 words "OUTCOMES RESEARCH", The American Journal of Gastroenterology, 09/2008	1%
7	Crossref 30 words Zhenhua Xu, Hugh M. Davis, Honghui Zhou. "Clinical impact of concomitant immunomodulators on biologic thera	1%
8	Internet 28 words crawled on 29-Jun-2018 www.jove.com	1%

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 58370

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Active tuberculosis² in inflammatory bowel disease patients under treatment from an endemic area¹ in Latin America

Fortes FML¹ et al. Tuberculosis in inflammatory bowel disease

Flora Maria Lorenzo Fortes, Ney Boa Sorte, Victor D Mariano, Laíla D Andrade, Fernanda A Oliveira, Monique CA Santos, Cláudia Ivanilda N dos Santos, Catharina A Passos, Mila P Pacheco, Valdiana C Surlo, Neogélia P de Almeida, Jaciane AM Fontes, Andréa M Pimentel, Raquel Rocha, Genoile Oliveira Santana

Abstract

BACKGROUND



ALL

IMAGES

VIDEOS

30,600 Results

Any time ▼

Outcomes of Treatment for Latent Tuberculosis Infection in ...

<https://academic.oup.com/ibdjournal/article/24/10/2272/4987150> ▼

Apr 26, 2018 · INTRODUCTION. The **treatment** of **inflammatory bowel diseases (IBD)**, such as ulcerative colitis (UC) and Crohn's **Disease** (CD), was revolutionized by the development of targeted immunologic therapies ("biologics") against tumor necrosis factor alpha (TNF- α), integrins, and interleukins. 1, 2 One significant risk of using these newer therapies is an increased risk of ...

Cited by: 3

Author: Guilherme Piovezani Ramos, Gregory St...

Publish Year: 2017

Abnormalities suggestive of latent tuberculosis infection ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6830153>

Jan 25, 2019 · Adequate **screening for latent tuberculosis (TB) infection (LTBI)** has become increasingly important in low TB-endemic countries such as The Netherlands, particularly due to a growing number of immigrants coming from high TB-endemic countries and increasing use of immunosuppressive therapies . For the diagnosis of LTBI the World Health Organisation (WHO) ...

Cited by: 2

Author: Jonathan W. Uzorka, Lucia J.M. Kroft, J...

Publish Year: 2019

Fact Sheets | Testing & Diagnosis | Testing for ...

https://www.cdc.gov/tb/publications/factsheets/testing/tb_testing.htm ▼

People from a country where TB **disease** is common (most countries in **Latin America**, the Caribbean, Africa, Asia, Eastern Europe, and Russia) People who live or work somewhere in the United States where TB **disease** is more common (homeless shelters, prison or jails, or some nursing homes) People who use illegal drugs; Choosing a TB Test

[PDF] Risk of developing tuberculosis under anti-TNF treatment ...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.901.5289&rep=rep1&type=pdf

treatment paradigms in the management of **patients** with **inflammatory bowel disease (IBD)**, being currently the most potent **treatment** to achieve clinical remission and mucosal healing. 2 The

ALLIMAGESVIDEOS

38,100 ResultsAny time

Outcomes of Treatment for Latent Tuberculosis Infection in ...
<https://academic.oup.com/ibdjournal/article/24/10/2272/4987150>

Apr 26, 2018 · INTRODUCTION. The **treatment of inflammatory bowel diseases (IBD)**, such as ulcerative colitis (UC) and Crohn's **Disease (CD)**, was revolutionized by the development of targeted immunologic therapies ("biologics") against tumor necrosis factor alpha (TNF-α), integrins, and interleukins. 1, 2 One significant risk of using these newer therapies is an increased risk of infection; specifically ...

Cited by: 3 **Author:** Guilherme Piovezani Ramos, Gregory Stroh...

Publish Year: 2017

[PDF] **Risk of developing tuberculosis under anti-TNF treatment ...**
<https://academic.oup.com/ecco-jcc/article-abstract/7/3/208/392990>

Apr 01, 2013 · Abstract. Background: In **patients** treated with TNF-antagonists, incident cases of **tuberculosis (TB)** after a negative screening have been reported, leading to the suggestion that improved TB testing is necessary. Aim: The aim of the current study is to establish the incidence of TB and its characteristics in **patients with inflammatory bowel disease (IBD) under** TNF antagonists to design ...

Cited by: 84 **Author:** Aranzazu Jauregui-Amezaga, Fanny Turon, ...

Publish Year: 2013

Predicting, Preventing, and Managing Treatment-Related ...
<https://www.sciencedirect.com/science/article/pii/S1542356520301737>

May 01, 2020 · In **patients** with suspected latent or **active tuberculosis**, anti-TNF therapy should be postponed and antituberculosis **treatment** should be given according to national guidelines. Travel to the tropics or **endemic area** if the **patient** is taking immunomodulators or at risk of infection, consider and discuss infections **endemic** to countries to be ...

Cited by: 2 **Author:** Laurent Beaugerie, Jean-François Rahier, J...

Publish Year: 2020

Peritoneal tuberculosis mimicking carcinomatous ascites in ...
<https://ijponline.biomedcentral.com/articles/10.1186/s13052-020-0816-6>

Apr 19, 2020 · Ascites can develop as a consequence of a number of **diseases** in childhood. Despite chronic liver **disease** is the most common cause, several conditions can lead to ascites also in the absence of liver dysfunction. As non-cirrhotic ascites shows a high degree of overlapping sign and symptoms it is still a challenge for physicians. A 8-year-old Caucasian girl was referred for fever, vomit ...

Cited by: 1 **Author:** Alessandro Rossi, Velia Melone, Rossella T...

Publish Year: 2020

Inflammatory bowel disease imaging: Current practice and ...
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC26811637>

Jan 21, 2016 · Differentiation from **tuberculosis**: **Tuberculosis** is a mimicker of many **diseases** and thus can prove to be clinically challenging to diagnose and may be confused with many other conditions, including **inflammatory bowel disease**. Although abdominal **tuberculosis** is an uncommon form of extrapulmonary **tuberculosis**, the ileocecal region is the most ...

Crohn's Disease: Diagnosis and Management - American ...
<https://www.aafp.org/afp/2018/1201/p661.html>

<

Causes

Signs and symptoms

Diagnosis

Purpose

Prevention

>

Current data suggest an interplay between genetic susceptibility and environmental factors in the development of Crohn's disease. Genetic loci have been identified that increase risk. For example, homozygosity for the NOD2 gene has shown a 20- to 40-fold increased risk of developing Crohn's disease.5 Environmental factors associated with increased risk include smoking, oral contraceptive use, antibiotic use, regular use of nonsteroidal anti-inflammatory drugs, and urban environment.5,7 Factors a...

[See more on aafp.org](#)

Screening Optimization of Latent Tuberculosis Infection in ...
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4532802>

Bélar E., Semb S., Ruhwald M., et al. Prednisolone **treatment** affects the performance of the QuantiFERON gold in-tube test and the tuberculin skin test in **patients** with autoimmune disorders screened for latent **tuberculosis** infection. **Inflammatory Bowel Diseases**. 2011; 17 (11):2340–2349. doi: 10.1002/ibd.21605.

Tuberculosis - Symptoms and causes - Mayo Clinic
<https://www.mayoclinic.org/diseases-conditions/tuberculosis/symptoms-causes>

<

Overview

Symptoms

Causes

Risk Factors

Complications

>

Tuberculosis (TB) is a potentially serious infectious disease that mainly affects your lungs. The bacteria that cause tuberculosis are spread from one person to another through tiny droplets released into the air via coughs and sneezes.Once rare in developed countries, tuberculosis infections began increasing in 1985, partly because of the emergence of HIV, the virus that causes AIDS. HIV weakens a person's immune system so it can't fight the TB germs. In the United States, because of stronge...

[See more on mayoclinic.org](#)

Infectious and Communicable Diseases | Central American ...
<https://www.cdc.gov/immigrantrefugeehealth/profiles...>

Dengue fever is **endemic** throughout much of Central and South **America**. However, chikungunya first arrived in this region in 2014 after appearing in the Caribbean in 2013. Currently, local chikungunya transmission is occurring in more than 45 countries and territories in the Americas, including El Salvador, Guatemala, and Honduras 28 , 29 .

Some results are removed in response to a notice of local law requirement. For more information, please see [here](#).

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

28,900 Results

Any time ▼

Outcomes of Treatment for Latent Tuberculosis Infection in ...

<https://academic.oup.com/ibdjournal/article/24/10/2272/4987150> ▼

Apr 26, 2018 · INTRODUCTION. The **treatment** of **inflammatory bowel diseases** (IBD), such as ulcerative colitis (UC) and Crohn's **Disease** (CD), was revolutionized by the development of targeted immunologic therapies ("biologics") against tumor necrosis factor alpha (TNF- α), integrins, and interleukins. 1, 2 One significant risk of using these newer therapies is an increased risk of infection; specifically ...

Cited by: 3

Author: Guilherme Piovezani Ramos, Gregory Stroh...

Publish Year: 2017

Screening of Imported Infectious Diseases among ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4385785>

Apr 01, 2015 · Most reported cases of active tuberculosis in immigrants have been described in the first 5 years after arrival, 33, 34 mostly among persons from sub-Saharan Africa and the Indian subcontinent. 35 We must consider that preventive treatment with **Isoniazid** is not free of toxicity and that < 30–60% of the patients complete such a long regimen correctly. 36, 37 Moreover important limits to the tuberculin ...

Cited by: 64

Author: Begoña Monge-Maillo, Rogelio López-Vélez...

Publish Year: 2015

Risk of developing tuberculosis under anti-TNF treatment ...

<https://academic.oup.com/ecco-jcc/article-abstract/7/3/208/392990> ▼

Apr 01, 2013 · Abstract. Background: In **patients** treated with TNF-antagonists, incident cases of **tuberculosis** (TB) after a negative screening have been reported, leading to the suggestion that improved TB testing is necessary. Aim: The aim of the current study is to establish the incidence of TB and its characteristics in **patients** with **inflammatory bowel disease** (IBD) under TNF antagonists to design ...

Cited by: 84

Author: Aranzazu Jauregui-Amezaga, Fanny Turon, ...

Publish Year: 2013

PEOPLE ALSO ASK

Is yellow fever endemic in latin america?

