

26

Name of Journal: *World Journal of Transplantation***Manuscript NO:** 58422**Manuscript Type:** MINIREVIEWS

**Noninvasive markers of liver steatosis and fibrosis after liver transplantation -
Where do we stand?**

Ivana Mikolasevic, Sanja Stojavljevic, Filip Blazic, Maja Mijic, Delfa Radic-
Kristo, Toni Juric, Nadija Skenderevic, Mia Klapan, Andjela Lukic, Tajana Filipec
Kanižaj

Abstract

In the last two decades, advances in immunosuppressive regimens have led to fewer complications of acute rejection crisis and consequently improved short-term graft and patient survival. In parallel with this great success, long-term post-transplantation complications have become a focus of interest of doctors

Match Overview

1	Internet 209 words crawled on 10-Oct-2020 www.wjgnet.com	2%
2	Crossref 148 words Marine Dubois, Maxime Ronot, Pauline Housset-Debry, Vanessa Brun et al. "Performance of B-mode ratio and 2D she	2%
3	Internet 134 words crawled on 22-Sep-2020 tgh.amegroups.com	2%
4	Internet 96 words crawled on 24-Jun-2020 insights.ovid.com	1%
5	Crossref 86 words Maneerat Chayanupatkul, Divya B. Dasani, Kristian Sogaard, Thomas D. Schiano. "The Utility of Assessing Liver Allogr	1%
6	Internet 80 words crawled on 10-Nov-2018 www.thieme-connect.com	1%
7	Internet 74 words urn.nsk.hr	1%
8	Crossref 71 words Ivana Mikolasevic, Lidija Orlic, Neven Franjic, Goran Hausen, Davor Stijepic, Sandra Milic, et al. "The Utility of Assessing Liver Allogr	1%



NONINVASIVE MARKERS OF LIVER STEATOSIS AND FIBROSIS AFTER LIVE



Sign in

ALL

IMAGES

VIDEOS

157,000 Results

Any time ▾

Noninvasive Biomarkers of Liver Fibrosis: Clinical ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4226439>

Dec 01, 2014 · The “ideal” **noninvasive liver fibrosis** biomarker. Several **noninvasive** approaches, including scoring systems that utilize direct serum **markers of liver fibrosis** based on underlying biology as well as some exciting technological advances in imaging, are under investigation and have been reviewed comprehensively elsewhere. 13–16 It has been proposed that the ideal **noninvasive** ...

Cited by: 15**Author:** Daniel L. Motola, Peter Caravan, Raymo...**Publish Year:** 2014

Non-invasive assessment of liver fibrosis in chronic liver ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2682233>

May 14, 2009 · With this approach, **liver** biopsy and **non-invasive markers** for **liver fibrosis** are not antagonists, but they are agonists towards the common goal of correctly classifying **liver fibrosis**. SAFE biopsy has been recently validated in a multicentre, international study on serum **non-invasive markers** for **liver fibrosis**.

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

Noninvasive markers of liver steatosis and fibrosis after liver transpl



ALL

IMAGES

VIDEOS

159,000 Results

Any time ▼

Noninvasive Assessment of Liver Fibrosis: Current and ...

<https://pubmed.ncbi.nlm.nih.gov/32664553>

Liver fibrosis is one of the risk factors for hepatocellular carcinoma (HCC) development. The staging of **liver fibrosis** can be evaluated only via a **liver** biopsy, which is an invasive procedure. **Noninvasive** methods for the diagnosis of **liver fibrosis** can be divided into morphological tests such as elastography and serum biochemical tests.

Author: Ryota Masuzaki, Tatsuo Kanda, Reina...**Publish Year:** 2020

Noninvasive Evaluation of Liver Fibrosis and Portal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6396371>

We investigated **noninvasive** follow-up **markers** for histologic **liver fibrosis** and portal hypertension (PH) in patients with biliary atresia **after** successful portoenterostomy (PE). Among children with bilirubin <20 $\mu\text{mol/L}$ **after** PE (n = 39), Metavir **fibrosis** stage was evaluated at PE and in follow-up protocol **liver** biopsies (n = 83).

Cited by: 2**Author:** Maria Hukkinen, Jouko Lohi, Päivi Heikkil...**Publish Year:** 2019

Prognostic Value of Non-Invasive Fibrosis and Steatosis ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4471234>

Third, we did not have availability of more accurate **non-invasive fibrosis** methods, including transient elastography, Fibrotest-Fibrosure® and Enhanced **Liver Fibrosis** test. These **non-invasive** tools have shown high prognostic accuracy to predict outcomes in patients with chronic hepatitis C and B [24,26,42]. However, these tests are unlikely to ...

Cited by: 29**Author:** Giada Sebastiani, Rasha Alshaalan, Phili...**Publish Year:** 2015

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

144,000 Results

Any time ▾

Open links in new tab



Noninvasive Evaluation of Liver Fibrosis and Portal ...

<https://pubmed.ncbi.nlm.nih.gov/30859150>

We investigated noninvasive follow-up **markers** for histologic **liver fibrosis** and portal hypertension (PH) in patients with biliary atresia **after** successful portoenterostomy (PE). Among children with bilirubin <20 μ mol/L **after** PE (n = 39), Metavir **fibrosis** stage was evaluated at PE and in follow-up protocol **liver** biopsies (n = 83).

Noninvasive Assessment of Liver Fibrosis: Current and ...

<https://pubmed.ncbi.nlm.nih.gov/32664553>

Liver fibrosis is one of the risk factors for hepatocellular carcinoma (HCC) development. The staging **of liver fibrosis** can be evaluated only via a **liver** biopsy, which is an invasive procedure. Noninvasive methods for the diagnosis **of liver fibrosis** can be divided into morphological tests such as elastography and serum biochemical tests.

Author: Ryota Masuzaki, Tatsuo Kanda, Rein... **Publish Year:** 2020

PEOPLE ALSO ASK

Are there non-invasive markers for hepatic fibrosis? ▾

What is a liver biopsy? ▾

What is pathological progression of liver fibrosis? ▾

Feedback

Non-invasive assessment of liver fibrosis in chronic liver ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2682233>

May 14, 2009 · With this approach, **liver** biopsy and **non-invasive markers** for **liver fibrosis** are not antagonists, but they are agonists towards the common goal of correctly classifying **liver fibrosis**. SAFE biopsy has been recently validated in a multicentre, international study on serum **non-invasive markers** for **liver fibrosis**.

Cited by: 106

Author: Giada Sebastiani

Publish Year: 2009