

国内版 国际版



Ischemic colitis after enema administration: Incidence, timing, and



ALL

IMAGES

VIDEOS

25,100 Results

Any time ▾

Ischemic Colitis - ncbi.nlm.nih.gov

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3477422>

Mar 20, 2012 · **Clinical** Features and **Diagnosis**. CI usually manifests with sudden cramping, mild, left lower abdominal pain; an urgent desire to defecate; and passage of bright red or maroon blood or **bloody diarrhea** within 24 h. **Bleeding** is not sufficient to require transfusion.

Miscellaneous Colitides: Ischemic Colitis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2780155>

The submucosal and intramural hemorrhages are reabsorbed, and complete **clinical** and radiologic resolution occurs within 1 to 2 weeks, after which time no further therapy is required. 1 More severe initial **ischemic insults** may result in necrosis of the overlying mucosa, resulting in a subsequent segmental ulcerating **colitis**. Patients with **asymptomatic segmental colitis** may go on to ...

Irritable bowel syndrome and ischemic colitis: evidence ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3388526>

IC is the most frequently encountered form of **ischemic injury** of the large bowel, occurring with an **incidence** of 4.5–44 cases per 100,000 person-years in the **general population** [Higgins et al. 2004]. Two forms of IC have been described: nongangrenous and gangrenous.

Cited by: 6

Author: Susan Lucak

Publish Year: 2012

PEOPLE ALSO ASK

What is the incidence of colonic ischemia?



What is the treatment for intestinal ischemia?



What are the complications of intestinal ischemia?



Ischemic colitis after enema administration: Incidence, timing, and c

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

64,100 Results

Any time

Ischemic Colitis - ncbi.nlm.nih.gov

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3477422

Mar 20, 2012 · **Clinical Features and Diagnosis.** CI usually manifests with sudden cramping, mild, left lower abdominal pain; an urgent desire to defecate; and passage of bright red or maroon blood or **bloody diarrhea** within 24 h. **Bleeding** is not sufficient to require transfusion.

Rebamipide enema therapy for left-sided ischemic colitis ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2725346

Jul 07, 2008 · **AIM:** To attempt rectal **administration** of rebamipide in the treatment of **ischemic colitis** patients with ulcers, and evaluate its effects. **METHODS:** We compared 9 **ischemic colitis** patients (2 men, 7 women) with ulcers treated by bowel rest only from 2000 to 2005 (conventional therapy group), with 6 patients (2 men, 4 women) treated by rebamipide **enema** therapy in 2006 (rebamipide **enema** ...

Cited by: 13

Author: Satoshiro Matsumoto, Kenichiro Tsuji, Sat...

Publish Year: 2008

Ischemic Colitis - an overview | ScienceDirect Topics

https://www.sciencedirect.com/topics/medicine-and-dentistry/ischemic-colitis

When clinical criteria are used, the **incidence** is only 1 to 2%. It remains to be seen whether the new endoluminal grafting techniques for aortic surgery will have an impact on the **incidence** of **ischemic colitis**. The **incidence** of **ischemic colitis** after repair of ...

PEOPLE ALSO ASK

Is Rebamipide enema therapy effective for ulcerative colitis?

What is the incidence of colonic ischemia?

What is the incidence of chronic mesenteric ischaemia?


What is the prevalence of ischaemic colitis?

Feedback

Ischemic Colitis

Medical Condition

Occurs when there is a diminished blood supply to the colon



- Nausea
- Abdominal pain and cramping
- Tenderness in the belly
- Bloody diarrhea
- A feeling of urgency to move your bowels

A condition in which inflammation and injury of the large intestines results from inadequate blood supply.

Common (More than 200,000 cases per year in US)

Often requires lab test or imaging

Treatment from medical professional advised

Can last several days or weeks

Caused due to inadequate blood supply to the colon as a result of any of the various conditions such as atherosclerosis, blood clot formation, or bowel obstruction. Characterized by bloody diarrhea, pain, tenderness, a feeling of urgency to move bowels and nausea. Antibiotics such as cefuroxime to prevent infections and IV fluids to those dehydrated. Surgery is done in severe cases to remove the dead tissue.

Symptoms

- Abdominal pain and cramping

globalbing.com/?FORM=z9FD1

Ischemic methods and druq therapies in patients with ...

1	Crossed 25 words Hong Gil-Sun, Choong Wook Lee, Mi-hyun Kim, and Cherry Kim "Appendixal location analysis and review of the miltidug"	1%
2	Internet 19 words created on 29-Jul-2020 www.its.org	<1%
3	Internet 14 words created on 03-Sep-2020 synopsis.korsamed.org	<1%
4	Internet 14 words created on 05-Dec-2019 fipublishing.bibb.coe.windows.net	<1%
5	Internet 13 words created on 15-Mar-2016 www.vignnet.com	<1%
6	Internet 13 words created on 18-Aug-2019 www.frontiersin.org	<1%

Ischemic colitis after enema administration: Incidence, timing, and



ALL

IMAGES

VIDEOS

71,000 Results

Any time ▾

Chemical colitis - PubMed

<https://pubmed.ncbi.nlm.nih.gov/18209577>

Chemical colitis can occur as a result of **accidental contamination of endoscopes** or by intentional or **accidental administration of enemas** containing various chemicals. Most cases have occurred **after accidental contamination of endoscopes** with glutaraldehyde and/or hydrogen peroxide. There have been ...

Miscellaneous Colitides: Ischemic Colitis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2780155>

The submucosal and intramural hemorrhages are reabsorbed, and complete **clinical** and radiologic resolution occurs within 1 to 2 weeks, after which time no further therapy is required. 1 More severe initial **ischemic insults** may result in necrosis of the overlying mucosa, resulting in a subsequent segmental ulcerating **colitis**. Patients with **asymptomatic segmental colitis** may go on to ...

Clinical and endoscopic features of ischemic colitis

https://www.researchgate.net/publication/229953779_Clinical_and_endoscopic_features_of...

Clinical and endoscopic features of ischemic colitis Article in Chinese Journal of Digestive Diseases 4(2):64 - 68 · July 2003 with 8 Reads How we measure 'reads'

PEOPLE ALSO ASK

What is the incidence of intestinal ischemia? ▾

Is colonic ischemia life threatening? ▾

What are the clinical features of ischemia? ▾

What causes intestinal ischemia? ▾