

4
Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 58829

Manuscript Type: CASE REPORT

Misdiagnosis of Ligamentoid fibromatosis of the small mesenteric: case report and review of the literature

Kai Xu, Qi-Kang Zhao, Jing-Shan Liu, Dong-Hai Zhou, Yong-Liang Chen, Xing-Yi Zhu, Ming Su, Kun-Quan Huang, Wen Du, Hong-Yu Zhao

Match Overview

1	Internet 41 words crawled on 15-Jun-2020 pubmed.ncbi.nlm.nih.gov	2%
2	Internet 17 words crawled on 13-Jun-2020 www.researchsquare.com	1%
3	Internet 14 words crawled on 01-Jul-2020 www.wjgnet.com	1%
4	Internet 14 words crawled on 28-May-2020 f6publishing.blob.core.windows.net	1%
5	Internet 12 words crawled on 05-Aug-2020 tcr.amegroups.com	1%



国内版 国际版

Misdiagnosis of Ligamentoid fibromatosis of the small mesenteric c



Sign in



ALL IMAGES VIDEOS

Add the Give with Ding extension >

62,400 Results Any time

Mesenteric fibromatosis misdiagnosed with lymph node ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6097515>

Fibromatosis, also referred to as desmoid fibromatosis, was first described by Muller in 1838.1 This is a rare type of tumor derived from mesenchymal tissue with an annual incidence of only 1 per million, and accounts for 3% of all soft tissue tumors.2 Mesenteric fibromatosis, or abdominal fibromatosis, has a

Author: Peng Wang, Hailan Zhou, Zhixiang Z

Publish Year: 2018

Search Tools

Turn off Hover Translation (关闭浮词)

收藏 取消 翻译 翻译

rerpt

更多释义>

没有找到结果, 请点击更多释义进行详细查询

Primary Desmoid Tumor of the Small Bowel: A Case Report ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6692092>

There are isolated case reports over the past 30 years of adults with mesenteric fibromatosis who had other risk factors for desmoid development in addition to their Crohn's disease [11-13]. Additionally, there is one report of a man with Crohn's disease but no other identifiable risk factors for mesenteric

Cited by: 2

Author: Peter A Floding, Tieshan Fan, Katherine R

Publish Year: 2019

Incidental Finding and Management of Mesenteric ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4917074>

Jun 09, 2016 The two most commonly misdiagnosed conditions are between mesenteric fibromatosis and gastrointestinal stromal tumors. Radiotherapy has been shown to have a small role in mesenteric fibromatosis treatment. ... A case report and review of the literature. J Cancer Res Clin Oncol. 2007; 133:533-38. 22 Žekić I, Čulmović-Garić R, Magas

Cited by: 4

Author: Gregory Nicolas, Tony Kibury, Rasha Shi





Misdiagnosis of ligamentoid fibromatosis of the small mesenteric: A



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

423,000 Results Any time ▾

[Mesenteric fibromatosis misdiagnosed with lymph node ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6097515>

Fibromatosis, also referred to as desmoid **fibromatosis**, was first described by Muller in 1838.¹ This is a rare type of tumor derived from mesenchymal tissue with an annual incidence of only two to four **cases** per million, and accounts for 3% of all soft tissue tumors.² **Mesenteric fibromatosis** (MF), a type of intra-abdominal **fibromatosis**, has a ...

Author: Peng Wang, Haitao Zhou, Zhixiang Z... **Publish Year:** 2018

[Mesenteric Fibromatosis \(Desmoid Tumour\) - A Rare Case Report](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4290279>

Nov 20, 2014 - **Mesenteric Fibromatosis** (MF) is a proliferative fibroblastic lesion of **small** intestinal mesentery. It constitutes 8% of all desmoid tumours, which represent 0.03% of all neoplasm. It is histologically benign but may invade locally and recur after excision.

Cited by: 5 **Author:** Ghalige Hs, Sharma Mb, Singh Ts

Publish Year: 2014

[\[PDF\] Mesenteric Fibromatosis: a case report](#)

https://www.researchgate.net/profile/Jerry_Tsai/publication/283106918_Mesenteric...

In summary, we present a rare case of mesenteric fibromatosis presenting as a **soft tissue mass** over the **left upper abdominal quadrant mesentery** without definite direct involvement of the small...

[Mesenteric fibromatosis. Case report | Request PDF](#)

<https://www.researchgate.net/publication/5858538...>

Request PDF | **Mesenteric fibromatosis. Case report** | Deep **fibromatosis** is a rare locally aggressive but not metastasizing proliferation. Intra-abdominal **fibromatosis** (IAF) occurs either in ...

[Primary small intestine mesenteric low-grade fibromyxoid ...](#)

<https://diagnosticpathology.biomedcentral.com/...> ▾

Mar 13, 2020 - Low-grade fibromyxoid sarcoma (LGFMS) is a rare fibroblastic tumor often involving deep tissue of trunk and lower extremities in young to middle-aged patients. Rarely, LGFMS can occur in other sites including head and neck, chest, abdomen and female reproductive system. Three **cases** of LGFMS in mesentery of **small** intestine have been reported and all have conventional histologic features.