

Match Overview

1	Internet 64 words crawled on 20-Dec-2019 f6publishing.blob.core.windows.net	3%
2	Internet 22 words crawled on 15-Jan-2020 www.mdpi.com	1%
3	Internet 17 words crawled on 29-May-2020 www.tandfonline.com	1%
4	Crossref 16 words I. Hinduja, K. Kapadia, F. Udwadia, R. Bhilawadikar, A. Adhe, K. Zaveri. "Unusual presentation of endometriosis with haen ...	1%
5	Crossref 16 words Chloé Maignien, Pietro Santulli, Sandrine Chouzenoux, Iñaki ... onzalez-Foruria et al. "Reduced α -2,6 sialylation regulates cell	1%
6	Internet 14 words crawled on 19-Sep-2020 bmcpsy psychiatry.biomedcentral.com	1%
7	Crossref 13 words Ryoko Asano, Tsuneo Nakazawa, Fumiki Hirahara, Hideya Sa kakibara. "Dienogest Was Effective in Treating Hemorrhagic ...	1%

激活 Windows
转到“设置”以激活 Windows

1
Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 58833

Manuscript Type: CASE REPORT

Novel triple-therapy in hemorrhagic ascites caused by endometriosis: A case report

Xue Han, Shi-Tai Zhang

Abstract

BACKGROUND

Massive hemorrhagic ascites caused by endometriosis is exceedingly rare, and the treatment strategy remains controversial. Here, we report a case of endometriosis with massive hemorrhagic ascites treated with novel triple-therapy, including conservative surgery, gonadotropin-releasing hormone agonist therapy and then dienogest.



ALL

IMAGES

VIDEOS

30,100 Results

Any time ▾

Endometriosis Ascites: A Case Report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3113161>

INTRODUCTION. Endometriosis associated with massive ascites is sufficiently rare with less than 20 cases being reported since 1954. Most cases of hemorrhagic ascites are found in patients with underlying malignancies, such as hepatoma or ovarian carcinoma, in tuberculosis, or with a perforated duodenal ulcer. Endometriosis, however, is an exceptionally rare cause. 2

Cited by: 6

Author: Samora-Mata J, Feste

Publish Year: 1999

Endometriosis presenting with recurrent massive ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6531191>

Recurrent hemorrhagic ascites secondary to endometriosis is an extremely rare presentation. The first case of endometriosis-related ascites was described by Brew in 1954; since then, only approximately 60 cases have been reported in the literature. A systematic review and meta-analysis of existing cases reported that 63% of these women had ...

Author: Xue Wang, Yiling Li, Jing Tong, Bing ...

Publish Year: 2019

Hemorrhagic ascites associated with endometriosis: A case ...

<https://www.researchgate.net/publication/12335013...>

Endometriosis associated with massive, bloody ascites is an unusual occurrence. This report draws attention to this condition as a complication of endometriosis, with the description of a case and ...

Ascites and pelvic masses: An unusual case of endometriosis

[https://www.fertstert.org/article/S0015-0282\(04\)02814-6/fulltext](https://www.fertstert.org/article/S0015-0282(04)02814-6/fulltext)

Endometriosis is seldom appreciated as the cause of ascites and pelvic masses. It is important for gynecologists and oncologists to be aware of this entity, because the presence of ascites with abdominal and/or pelvic masses accompanied by weight loss immediately suggests a diagnosis of malignancy, and the possibility of endometriosis is often ...

Cited by: 4

Author: Jacques Donnez, Pascale Jadoul

Publish Year: 2005

Dienogest Was Effective in Treating Hemorrhagic Ascites ...

<https://www.sciencedirect.com/science/article/pii/S155346501400260X>

Endometriosis Ascites: A Case Report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3113161>

INTRODUCTION. **Endometriosis** associated with massive **ascites** is sufficiently rare with less than 20 cases being reported since 1954. Most cases of **hemorrhagic ascites** are found in patients with underlying malignancies, such as hepatoma or ovarian carcinoma, in tuberculosis, or with a perforated duodenal ulcer. **Endometriosis**, however, is an exceptionally rare cause. 2

Cited by: 6

Author: Samora-Mata J, Feste

Publish Year: 1999

Endometriosis presenting with recurrent massive ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6531191>

Recurrent **hemorrhagic ascites** secondary to **endometriosis** is an extremely rare presentation. The first case of **endometriosis**-related **ascites** was described by Brew in 1954; since then, only approximately 60 cases have been reported in the literature. A systematic review and meta-analysis of existing cases reported that 63% of these women had ...

Author: Xue Wang, Yiling Li, Jing Tong, Bing Cha...

Publish Year: 2019

Massive recurrent hemoperitoneum with encapsulating ...

[https://www.fertstert.org/article/S0015-0282\(19\)32274-5/fulltext](https://www.fertstert.org/article/S0015-0282(19)32274-5/fulltext)

Endometriosis can have different clinical presentations. **Endometriosis** should be a differential diagnosis in women of reproductive age presenting with massive **hemorrhagic ascites**. **Hemorrhagic ascites**, considered an exceedingly rare clinical course of **endometriosis**, represents a challenge to the surgeon who is unfamiliar with this condition.

Cited by: 1

Author: Alejandro Gonzalez, Santiago Artazcoz, Fran...

Publish Year: 2019

Endometriosis with massive hemorrhagic ascites: A case ...

https://www.researchgate.net/publication/7623913_Endometriosis_with_massive...

Recurrent haemorrhagic **ascites** as a cause of **endometriosis** is rare. We report the case of a 36-year-old woman presenting acutely with abdominal distension, **ascites** and an elevated CA-125 raising ...

Search Tools

Turn off Hover Translation (关闭取...



59,100 Results

Any time ▼

[Endometriosis Ascites: A Case Report](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3113161>

INTRODUCTION. **Endometriosis** associated with massive **ascites** is sufficiently rare with less than 20 cases being reported since 1954. 1 Most cases of **hemorrhagic ascites** are found in patients with underlying malignancies, such as hepatoma or ovarian carcinoma, in tuberculosis, or with a perforated duodenal ulcer. **Endometriosis**, however, is an exceptionally rare **cause**. 2

Cited by: 6**Author:** Samora-Mata J, Feste**Publish Year:** 1999

[Endometriosis presenting with recurrent massive ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6531191>

Recurrent **hemorrhagic ascites** secondary to **endometriosis** is an extremely rare presentation. The first **case** of **endometriosis**-related **ascites** was described by Brew in 1954; since then, only approximately 60 cases have been reported in the literature. A systematic review and meta-analysis of existing cases reported that 63% of these women had ...

Author: Xue Wang, Yiling Li, Jing Tong, Bing ...**Publish Year:** 2019

[Dienogest Was Effective in Treating Hemorrhagic Ascites ...](#)

<https://www.sciencedirect.com/science/article/pii/S155346501400260X>

Nov 01, 2014 · **Hemorrhagic ascites caused by endometriosis** is extremely rare, and its **treatment** is under discussion. We report a case of **recurrent endometriosis-related ascites treated with dienogest** (DNG). A 35-year-old nulliparous Japanese woman with a history of infertility presented with **worsening dysmenorrhea** and **abdominal distention caused by massive ascites**.

Cited by: 3**Author:** Ryoko Asano, Tsuneo Nakazawa, Fumiki ...**Publish Year:** 2014

[Endometriosis with massive hemorrhagic ascites: A case ...](#)

https://www.researchgate.net/publication/7623913_Endometriosis_with_massive...

Jul 01, 2005 · Recurrent haemorrhagic **ascites** as a **cause** of **endometriosis** is rare. We **report** the **case** of a 36-year-old woman presenting acutely with abdominal distension, **ascites** and an ...