

国内版国际版

Microsoft Bing

Femoral epithelioid hemangioendothelioma detected with MRI and PET/

Chat with BingSign in

ALLIMAGESVIDEOS

53,700 ResultsAny time

Pseudomyogenic hemangioendothelioma—A case report ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6699196>

Pseudomyogenic hemangioendothelioma (PMH) is a rare vascular bone and soft tissue tumor, previously known as epithelioid sarcoma-like hemangioendothelioma , and pseudomyogenic (fibroma-like) variant of epithelioid sarcoma . This is a neoplasm of intermediate malignant potential, which will rarely metastasize.

Cited by: 2Author: Saeed Dianat, Hira Yousaf, Paari Muruga...

Publish Year: 2019

A rare case of intravascular epithelioid ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4437253>

Epithelioid hemangioendothelioma of the common femoral vein: case report and review of the literature. J Vasc Surg. 2001; 33 :1100–3. doi: 10.1067/mva.2001.111993. [PubMed] [Cross Ref]

Cited by: 1Author: Maria Paola Ciliberti, Raffaella Caponio, ...

Epithelioid hemangioendothelioma

Rare Tumor

Epithelioid hemangioendothelioma is a rare vascular tumor, first characterized by Sharg and Franz Enzinger that both clinically and histologically is intermediate between angiosarcoma and hemangioma. It is a distinct, disease-defining genetic entity recently described for EHE indicating it is an entirely separate entity from angiosarcoma and hemangioma.

Wikipedia

国内版

国际版

Microsoft Bing

Femoral epithelioid hemangioendothelioma detected with magnetic

Sign in

ALLIMAGESVIDEOS

14,100 ResultsAny time

Epithelioid hemangioendothelioma of spine: A case report ...

https://www.sciilit.net/article/d2f82ec73ef67bf9101efc2bf05bd61

Dec 01, 2020 Primary epithelioid hemangioendothelioma of the spine is the extremely rare malignant vascular neoplasm with an unpredictable outcome. A case of epithelioid hemangioendothelioma with multiple lytic lesions of thoracolumbar spine and other bones in a 29-year-old male patient is reported. A review of the published data regarding this rare neoplasm is also presented.

Resectable Single Hepatic Epithelioid Hemangioendothelioma ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6419389

Imaging examinations such as computed tomography or magnetic resonance scanning may be helpful for making the diagnosis, which typically reveals multiple hepatic nodules with capsular retraction and target-like configuration . However, it is easily misdiagnosed as metastatic carcinoma.

Cited by: 1Author: Jun-Ke Wang, Zhen-Ru Wu, Fei Su, Wen-Jie ...

Publish Year: 2018

Epithelioid hemangioendothelioma of spine: A case report ...

https://www.sciencedirect.com/science/article/pii/S1930043320305422

Here we report a 29-year-old male case with the complete data, including clinical, imaging (X-ray, computed tomography [CT], 18 F-fluorodeoxyglucose positron emission tomography/computed tomography [18 F-FDG-PET/CT], and magnetic resonance imaging [MRI]), surgical, histopathological information, and the adjuvant therapy following the surgery ...

Author: Ping-Kang Chen, Qi-Ting Lin, You-Zhen ...

Publish Year: 2020

[PDF] Imaging Diagnosis of Epithelioid Hemangioendothelioma in ...

https://www.annalsthoracicsurgery.org/article/S0003-4975(19)31822-3/pdf

Figure 2. Fluoride-18-fluorodeoxyglucose-positron emission tomography (PET) and magnetic resonance imaging (MRI) showed a mild to moderate hypermetabolic nodule with a maximal-standardized uptake value of 3.35 in S8 liver segment (arrow in A maximum intensity projection image, in B fusion axial PET/MRI images, and in D metabolism images).

Diffuse hepatic epithelioid hemangioendothelioma with ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6392553

1. Introduction. Malignant hepatic epithelioid hemangioendothelioma (HEH) is a rare vascular tumor of endothelial origin. [] It can present as diffuse, multifocal, or solitary nodular form [1–4]; the diffuse form is considered to be the advanced stage due to coalescence of the lesions; this is associated with vascular infiltration of hepatic and/or portal veins, [] and may be prone to ...

Cited by: 6Author: Yanlin Tan, Xiaohuang Yang, Chuning Dong...

Publish Year: 2018

Imaging Diagnosis of Epithelioid Hemangioendothelioma in ...

https://www.sciencedirect.com/science/article/pii/S0003497519318223

Jun 01, 2020 Epithelioid hemangioendothelioma (EHE) is a rare vascular malignancy with intermediate behavior between that of benign hemangioma and malignant angiosarcoma. 1 Most cases develop as lung and liver nodules. 2 EHE of bone is an extremely rare tumor—it represents only 0.5% to 1.0% of bony malignant tumors, 3 with a thoracic vertebrae location occurring in an even much lower percentage of ...

68Ga-DOTA-E-[c(RGDfK)]2 positron emission tomography ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6390208

Introduction. Hemangioendothelioma epithelioid (HEE) is a low-grade malignant vascular endothelial cell tumor that originates in soft tissues and rarely occurs in the liver. 1 The diagnosis is made through histopathology and immunohistochemistry because they lack specific clinical and/or radiological characteristics. 2 A new observation was reported regarding a case of HEE that highlights the ...

Pseudomyogenic hemangioendothelioma—A case report and ...

https://www.sciencedirect.com/science/article/pii/S1930043319302432

Oct 01, 2019 Pseudomyogenic hemangioendothelioma (PMH) is a rare vascular bone and soft tissue tumor, previously known as epithelioid sarcoma-like hemangioendothelioma , and pseudomyogenic (fibroma-like) variant of epithelioid sarcoma . This is a neoplasm of intermediate malignant potential, which will rarely metastasize.

Some results are removed in response to a notice of local law requirement. For more information, please see here.

12345>

Search Tools

Turn off Hover Translation (关闭)

Add the Give with Bing extension >

Make a difference for a nonprofit, simply by searching on Bing

MAYBE LATERYES

增值电信业务经营许可证：合字82-20090007京ICP备10036305号京公网安备11010802022657号

Privacy and CookiesLegalAdvertiseHelp

© 2020 Microsoft

11-Dec-2020 05:17PM
1556 words • 14 matches • 7 sources
FAQ

iThenticate®
58839_Auto_EditedC.docx
Quotes Included
Bibliography Included
9% SIMILAR

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 58839

Manuscript Type: CASE REPORT

Femoral epithelioid hemangioendothelioma detected with magnetic resonance imaging and positron emission tomography/computed tomography: A case report

Zhao HG *et al.* Imaging findings of bone epithelioid hemangioendothelioma

Hong-Guang Zhao, Ke-Wei Zhang, Sen Hou, Yu-Yin Dai, Song-Bai Xu

Abstract

BACKGROUND

Epithelioid hemangioendothelioma (EHE) is an uncommon low-grade aggressive vascular tumor. It can occur in almost all locations, but is rarely encountered in bone.

CASE SUMMARY

Match Overview

1	Internet 42 words crawled on 03-Aug-2020 worldvidscience.org	3%
2	Internet 41 words crawled on 03-Nov-2020 www.vjgnet.com	2%
3	Crossref 23 words Abdulrahman Albakr, Miranda Schell, Brian Drew, Aleksa Cenic. "Epithelioid hemangioendothelioma of the spine: case ...	1%
4	Crossref 20 words Li Song, Songbo Han, Liang Jiang, Weitang Zhang. "F18-fluorodeoxyglucose positron emission tomography/compute ...	1%
5	Crossref 12 words C. P. Cantwell. "MRI Features After Radiofrequency Ablation of Osteoid Osteoma with Cooled Probes and Impedance-C...	1%
6	Internet 11 words crawled on 30-Dec-2019 www.birpublications.org	1%
7	Internet 6 words crawled on 20-Nov-2020 www.researchgate.net	<1%

PAGE: 1 OF 7
Text-Only Report

国内版 国际版

Femoral epithelioid hemangioendothelioma detected with magnet



ALL IMAGES VIDEOS

14,100 Results

Any time ▾

Epithelioid hemangioendothelioma of spine: A case report ...

<https://pubmed.ncbi.nlm.nih.gov/33117468>

Primary **epithelioid hemangioendothelioma** of the spine is the extremely rare malignant vascular neoplasm with an unpredictable outcome. **A case of epithelioid hemangioendothelioma** with multiple lytic lesions of thoracolumbar spine and other bones in a 29-year-old male patient is reported. A review of ...

Author: Ping-Kang Chen, Qi-Ting Lin, You-Z... **Publish Year:** 2020

Epithelioid hemangioendothelioma of spine: A case report ...

<https://www.scilit.net/article/d2f82ec73ef67fbf9101efc2bf05bd61> ▾

Dec 01, 2020 · Primary **epithelioid hemangioendothelioma** of the spine is the extremely rare malignant vascular neoplasm with an unpredictable outcome. **A case of epithelioid hemangioendothelioma** with multiple lytic lesions of thoracolumbar spine and other bones in a 29-year-old male patient is reported. A review of the published data regarding this rare neoplasm is ...

Resectable Single Hepatic Epithelioid Hemangioendothelioma ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6419389>

Imaging examinations such as **computed tomography** or **magnetic resonance** scanning may be helpful for making the diagnosis, which typically reveals multiple hepatic nodules with capsular retraction and target-like configuration . However, it is easily misdiagnosed as ...

Cited by: 1 **Author:** Jun-Ke Wang, Zhen-Ru Wu, Fei Su, We...

Publish Year: 2018

Epithelioid hemangioendothelioma of spine: A case report ...

<https://www.sciencedirect.com/science/article/pii/S1930043320305422>

Dec 01, 2020 · Here we **report** a 29-year-old male **case** with the complete data, including clinical, **imaging** (X-ray, **computed tomography** [CT], 18 F-fluorodeoxyglucose **positron emission tomography/computed tomography** [18 F-FDG-PET/CT], and **magnetic resonance imaging** [MRI]), surgical, histopathological information, and the adjuvant therapy following the surgery ...