

Name or journal: *Vvoria Journal of Clinical Oncology*

Manuscript NO: 58995

Manuscript Type: CASE REPORT

Endometrial clear cell carcinoma invades the right oviduct with a cooccurring ipsilateral oviduct adenomatoid tumor: A case report

Zhi-Xiong Hu, Min-Hua Tan, Qiong-Zhen Li, Jia-Li Xu, Wei Chen, Zhi-Hao Xie, Yong-Jian Zhou, Qing Liang, Jian-Hong An, Hong Shen

Abstract

BACKGROUND

To investigate the clinicopathological features of endometrial clear cell carcinoma which has invaded the right oviduct with a cooccurring ipsilateral oviduct adenomatoid tumor.

CASE SUMMARY

A case of endometrial clear cell carcinoma invading the right oviduct with a cooccurring ipsilateral oviduct adenomatoid tumor was collected and analyzed using

Match Overview

There are no matching sources for this report.



ALL

IMAGES

VIDEOS

2,020 Results

Any time ▾

[Endometrioid carcinoma of the fallopian tube resembling an ...](#)

<https://www.sciencedirect.com/science/article/pii/S0344033809001290>

Mar 15, 2010 · Primary carcinoma of the fallopian tube is a rare tumor, accounting for 0.16–1.6% of the malignant tumors of the female reproductive tract , , , , , . It has an average annual incidence of 3.6 per 1 million women in the USA , and tends to occur in postmenopausal patients , , , . Most of the reported cases are of serous type, followed by endometrioid, transitional cell, undifferentiated ...

Cited by: 5

Author: Wenbin Huang, Youcai Zhao, Jianhua Zha...

Publish Year: 2010

[Systematic Identification of Characteristic Genes of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6770582>

One normal tissue was derived from the ipsilateral oviduct of a benign ovarian tumor (mucinous cyst adenoma). All of the normal samples did not include malignant lesions. The human ovarian cancer cell lines OVCAR3 and SKOV3 were grown in DMEM with 10% fetal bovine serum (FBS) and 1% penicillin/streptomycin at 37 °C under 5% CO₂.

Cited by: 2

Author: Saya Nagasawa, Kazuhiro Ikeda, Kuniko ...

Publish Year: 2019

[Fallopian Tube Cancer | GLOWM](#)

[https://www.glowm.com/section_view/heading/Fallopian Tube Cancer/item/261](https://www.glowm.com/section_view/heading/Fallopian%20Tube%20Cancer/item/261)

Boet R, Lifshitz S: Primary clear cell adenocarcinoma of the fallopian tube: Light microscopic and ultrastructural findings. *Int J Gynecol Pathol* 1:292, 1982 : 38. Silva E, Robey S, Smith T et al: Ovarian carcinomas with transitional cell carcinoma pattern. *Am J Clin Pathol* 93:457, 1990 : 39

[Cavernous haemangioma of the oviduct | Request PDF](#)

<https://www.researchgate.net/publication/47350419...>

One cases presented with a mixed clear cell and serous endometrial carcinoma and myometrial invasion of 85%. The fourth case presented with endometrioid adenocarcinoma of the uterine cervix and ...

[An unusual case of uterine tube cancer \(transitional cell ...](#)

<https://www.researchgate.net/publication/7565572...>



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

1,710 Results

Any time ▾

[Endometrioid carcinoma of the fallopian tube resembling an ...](#)

<https://www.sciencedirect.com/science/article/pii/S0344033809001290>

Mar 15, 2010 · Primary **carcinoma** of the fallopian tube is a rare **tumor**, accounting for 0.16–1.6% of the malignant tumors of the female reproductive tract , , , , , . It has an average annual incidence of 3.6 per 1 million women in the USA , and tends to occur in postmenopausal patients , , , , . Most of the reported cases are of serous type, followed by endometrioid, transitional **cell**, undifferentiated ...

Cited by: 5**Author:** Wenbin Huang, Youcai Zhao, Jianhua Zh...**Publish Year:** 2010

[\(PDF\) Microscopic lesions of fallopian tubes in ...](#)

<https://www.researchgate.net/publication/236655009...>

We did not identify additional findings in 185 **uterine** endometrioid **carcinoma** cases, and neither endometriotic focus nor **adenomatoid tumor** was shown in the other lesions by the classical method.

[Cavernous haemangioma of the oviduct | Request PDF](#)

<https://www.researchgate.net/publication/47350419...>

One cases presented with a mixed **clear cell** and serous **endometrial carcinoma** and myometrial **invasion** of 85%. The fourth **case** presented with endometrioid adenocarcinoma of the **uterine** ...

[Fallopian Tube Cancer | GLOWM](#)

https://www.glowm.com/section_view/heading/fallopian-tube-cancer/item/261 ▾

Boet R, Lifshitz S: Primary **clear cell** adenocarcinoma of the fallopian tube: Light microscopic and ultrastructural findings. Int J Gynecol Pathol 1:292, 1982 : 38. Silva E, Robey S, Smith T et al: Ovarian carcinomas with transitional **cell carcinoma** pattern. Am J Clin Pathol 93:457, 1990 : 39

[Primary adenocarcinoma of fallopian tube - A case report](#)

<https://www.researchgate.net/publication/7023838...>

Download Citation | Primary adenocarcinoma of fallopian tube - **A case report** | Primary adenocarcinoma



ALL

IMAGES

VIDEOS

1,830 Results

Any time ▾

[Endometrioid carcinoma of the fallopian tube resembling an ...](#)

<https://www.sciencedirect.com/science/article/pii/S0344033809001290>

Mar 15, 2010 · Primary **carcinoma** of the fallopian tube is a rare **tumor**, accounting for 0.16–1.6% of the malignant tumors of the female reproductive tract , , , , , . It has an average annual incidence of 3.6 per 1 million women in the USA , and tends to occur in postmenopausal patients , , , , . Most of the reported cases are of serous type, followed by endometrioid, transitional **cell**, undifferentiated ...

Cited by: 5

Author: Wenbin Huang, Youcai Zhao, Jianhua Zhao,...

Publish Year: 2010

[\(PDF\) Microscopic lesions of fallopian tubes in ...](#)

<https://www.researchgate.net/publication/236655009...>

We did not identify additional findings in 185 **uterine endometrioid carcinoma** cases, and neither endometriotic focus nor **adenomatoid tumor** was shown in the other lesions by the classical method.

[Fallopian Tube Cancer | GLOWM](#)

[https://www.glowm.com/section_view/heading/Fallopian Tube Cancer/item/261](https://www.glowm.com/section_view/heading/Fallopian%20Tube%20Cancer/item/261) ▾

Boet R, Lifshitz S: Primary **clear cell** adenocarcinoma of the fallopian tube: Light microscopic and ultrastructural findings. *Int J Gynecol Pathol* 1:292, 1982 : 38. Silva E, Robey S, Smith T et al: Ovarian carcinomas with transitional **cell carcinoma** pattern. *Am J Clin Pathol* 93:457, 1990 : 39

[Cavernous haemangioma of the oviduct | Request PDF](#)

<https://www.researchgate.net/publication/47350419...>

One cases presented with a mixed **clear cell** and serous **endometrial carcinoma** and myometrial **invasion** of 85%. The fourth case presented with endometrioid adenocarcinoma of the **uterine** cervix and ...

[Primary adenocarcinoma of fallopian tube - A case report](#)

<https://www.researchgate.net/publication/7023838...>

Download Citation | Primary adenocarcinoma of fallopian tube - **A case report** | Primary adenocarcinoma of fallopian tube is the rarest gynecological malignancy of female genital system which is ...

[JAPANESE JOURNAL OF GYNECOLOGIC AND OBSTETRIC ...](#)

https://www.jstage.jst.go.jp/browse/jsgoe/26/0/_contents/-char/en ▾

Here we **report** two cases diagnosed as benign **uterine** tumors by laparoscopic surgery: the first is an **adenomatoid tumor** that was suspected preoperatively as a **uterine** leiomyoma; the second is a **uterine** leiomyoma that was suspected preoperatively as an **adenomatoid tumor**. Cases: **Case 1**: A 63 year-old woman presented to our hospital complaining of ...