

Hemosuccus pancreaticus caused by gastroduodenal artery pseu



ALL

IMAGES

VIDEOS

6,260 Results

Any time ▾

Hemosuccus Pancreaticus as a Rare Complication of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4891628>

Hemosuccus pancreaticus is usually caused by rupture of a **pseudoaneurysm** of a **peri-pancreatic artery**, often the **splenic artery**, in the setting of **pancreatitis**; other causes are very rare. In this report, for the first time to our knowledge, we present a case of **hemosuccus pancreaticus** that occurred as a complication of bariatric surgery.

Author: Edward Wolfgang Lee, Lucie Yang, ... **Publish Year:** 2007

[PDF] Hemosuccus pancreaticus: a rare cause of gastrointestinal ...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.1085.1450&rep=rep1&type=pdf

CASE REPORT Abstract Hemorrhage from the **pancreatic duct**, referred to as **hemosuccus pancreaticus** or **pseudohe-mobilis**, is a rare cause of **gastrointestinal (GI)** bleeding. This potentially life-threatening complication of **pancreatitis** may pose a significant diagnostic and therapeutic dilemma, especially

Hemosuccus Pancreaticus: A Rare Bleeding Pseudoaneurysm of ...

<https://www.hindawi.com/journals/cris/2018/2354169> ▾

< **Abstract** Introduction Case Report Discussion Disclosure >

Hemosuccus pancreaticus is a very rare cause of gastrointestinal bleeding and can be life-threatening if not managed appropriately. Still thought to be a surgical problem, advances in medical therapy now afford these patients the opportunity to undergo less-invasive angiography techniques to manage this illness when it occurs. Here, we present a case of hemosuccus pancreaticus safely managed with liquid N-butyl-2-cyanoacrylate embolization.

[See more on hindawi.com](#)

Author: Luke L. Wang, Zachary M. Bauman **Publish Year:** 2018

Hemosuccus Pancreaticus Associated with Severe Acute



ALL

IMAGES

VIDEOS

1,130 Results

Any time ▾

Hemosuccus Pancreaticus as a Rare Complication of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4891628>

Hemosuccus pancreaticus is usually **caused** by rupture of a **pseudoaneurysm** of a peri-pancreatic **artery**, often the splenic **artery**, in the setting of **pancreatitis**; other **causes** are very rare. In this **report**, for the first time to our knowledge, we present **a case of hemosuccus pancreaticus** that occurred as a complication of bariatric surgery.

Cited by: 1

Author: Edward Wolfgang Lee, Lucie Yang, Mark ...

Publish Year: 2007

Hemosuccus Pancreaticus: A Rare Bleeding Pseudoaneurysm ...

<https://www.hindawi.com/journals/cris/2018/2354169>



Abstract

Introduction

Case Report

Discussion

Disclosure



Hemosuccus pancreaticus is an especially rare cause of gastrointestinal bleeding. It is defined as bleeding into the duodenum from the Vater papilla through the route of the pancreatic duct, also known as Wirsungorrhagia [1 1. J. Ferreira, A. B. Tavares, E. Costa, and J. Maciel, "Hemosuccus pancreaticus: a rare complication of chronic pancreatitis," *BMJ Case Reports*, 2015. View at: Publisher Site| Google Scholar See in References –3 1. B. Han, Z.-F. Song, and B. Sun, "Hemosuccus pancreaticus: a rare ca...

See more on [hindawi.com](https://www.hindawi.com)

Author: Luke L. Wang, Zachary M. Bauman **Publish Year:** 2018

Hemosuccus Pancreaticus Associated with Severe Acute ...

<https://pancreas.imedpub.com/hemosuccus...>

Hemosuccus pancreaticus

Rare Cause

Hemosuccus pancreaticus is a rare cause of hemorrhage in the gastrointestinal tract. It is caused by a bleeding source in the pancreas, pancreatic duct, or structures adjacent to the pancreas, such as the splenic artery, that bleed into the pancreatic duct, which is connected with the bowel at the duodenum, the first part of the small intestine. Patients with hemosuccus may develop symptoms of gastrointestinal hemorrhage, such as blood in the stools, maroon stools, or melena, which is a dark, tarry stool caused by digestion of red blood cells. They may also develop abdominal pain. It is associated with pancreatitis, pancreatic cancer and aneurysms of the splenic artery. Hemosuccus may be identified with endoscopy, where fresh blood may be seen from the pancreatic duct. Alternatively, angiography may be used to inject the celiac axis to determine the blood vessel that is bleeding. This may also be used to treat hemosuccus, as embolization of the end vessel may terminate the hemorrhage. However, a distal pancreatectomy—surgery to remove of the tail of the pancreas—may be required to stop the hemorrhage.

 Wikipedia

Data from: Wikipedia

[Suggest an edit](#)

1
Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 59086

Manuscript Type: CASE REPORT

Hemosuccus pancreaticus caused by gastroduodenal artery pseudoaneurysm associated with chronic pancreatitis: A case report and review of literature

Cui HY *et al.* Hemosuccus pancreaticus and gastroduodenal artery pseudoaneurysm

Hai-Yu Cui, Cheng-Hang Jiang, Jie Dong, Yang Wen, You-Wei Chen

3
Hai-Yu Cui, Jie Dong, You-Wei Chen, Department of Gastroenterology, Zhejiang Provincial People's Hospital, People's Hospital of Hangzhou Medical College, Hangzhou 310014, Zhejiang Province, China

Cheng-Hang Jiang, Department of Emergency Medicine, Zhejiang Provincial People's

Match Overview

Match Number	Source	Words	Similarity
1	Internet	77 words crawled on 07-Oct-2020 f6publishing.blob.core.windows.net	2%
2	Internet	70 words crawled on 13-Aug-2020 www.wjgnet.com	2%
3	Internet	51 words crawled on 30-Jun-2019 molecular-cancer.biomedcentral.com	2%
4	Internet	19 words crawled on 20-Mar-2016 www.dovepress.com	1%
5	Internet	15 words crawled on 03-Jan-2020 www.thieme-connect.de	<1%
6	Internet	12 words crawled on 18-Jun-2016 www.hcplive.com	<1%
7	Internet	12 words crawled on 09-Feb-2018 scidoc.org	<1%
8	Internet	12 words crawled on 23-Jul-2020 www.hindawi.com	<1%



ALL

IMAGES

VIDEOS

5,640 Results

Any time ▾

[Hemosuccus Pancreaticus as a Rare Complication of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4891628>

Hemosuccus pancreaticus is usually caused by rupture of a pseudoaneurysm of a peri-pancreatic artery, often the splenic artery, in the setting of pancreatitis; other causes are very rare. In this report, for the first time to our knowledge, we present a case of hemosuccus pancreaticus that occurred as a complication of bariatric surgery.

Cited by: 1

Author: Edward Wolfgang Lee, Lucie Yang, Mark ...

Publish Year: 2007

[Hemosuccus Pancreaticus: A Rare Bleeding Pseudoaneurysm ...](#)

<https://www.hindawi.com/journals/cris/2018/2354169> ▾

Abstract

Introduction

Case Report

Discussion

Disclosure



Hemosuccus pancreaticus is an especially rare cause of gastrointestinal bleeding. It is defined as bleeding into the duodenum from the Vater papilla through the route of the pancreatic duct, also known as Wirsungorrhaghia [1 1. J. Ferreira, A. B. Tavares, E. Costa, and J. Maciel, "Hemosuccus pancreaticus: a rare complication of chronic pancreatitis," *BMJ Case Reports*, 2015. View at: Publisher Site| Google Scholar See in References –3 1. B. Han, Z.-F. Song, and B. Sun, "Hemosuccus pancreaticus: a rare ca...

[See more on hindawi.com](#)

Author: Luke L. Wang, Zachary M. Bauman

Publish Year: 2018

[Hemosuccus Pancreaticus Associated with Severe Acute ...](#)

<https://pancreas.imedpub.com/hemosuccus...> ▾

DISCUSSION. Lower and Farrell first described bleeding through the pancreatic duct due to the rupture of a splenic artery in 1931 [], but the term **hemosuccus pancreaticus** was coined by Sandblom in 1970 [].In his case reports, he described three cases of **hemosuccus pancreaticus**; in two cases, the source was a ruptured aneurysm of the common hepatic artery and, in one case, an aneurysm of the ...

Cited by: 13

Author: Sukanta Ray, Khaunish Das, Sujay Ray, ...

Publish Year: 2011

Start Date: Sep 24, 2020

[\(PDF\) Hemosuccus pancreaticus: A mini-review](#)