



ALL

IMAGES

VIDEOS

36,200 Results

Any time ▾

Paratesticular liposarcoma: a report of two cases and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2571740>

Paratesticular liposarcoma is extremely rare. Only 41 **cases** have been **reported** in the **literature**. This article **reports two cases, reviews the literature**, discusses the pathology, and proposes the use of combined surgery and radiation therapy in selected **cases**.

Cited by: 7

Author: J. F. Littles, R. C. Matter, G. Herman

Publish Year: 1992

Paratesticular Liposarcoma: A Case Report and Review of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3600269>

Liposarcoma is a rare pathological entity. By far it is the most common histological subtype of genitourinary sarcomas in adults. Approximately **two hundred cases** were **reported** in the **literature**. We are hereby presenting a **case** with a typical clinical scenario of **paratesticular liposarcoma**. **Case report**. A 75-year-old gentleman presented with a painless right hemiscrotal swelling that was progressively ...

Cited by: 9

Author: Haider Alyousef, Elsawi M. Osman, Moham...

Publish Year: 2013

Paratesticular liposarcoma: a case report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6815510>

Paratesticular liposarcomas (PLS) is a very uncommon pathology type of **paratesticular sarcomas**, with less 200 similar **cases reported** to date in the **English literature**. There are a few **cases** regarding giant **paratesticular liposarcoma** measuring over 10 cm.

Author: Karima Mouden, Soukaina Wakrim, Afaf... **Publish Year:** 2019

[Spermatic cord liposarcoma. Report of two cases and ...

Match Overview

1 **Crossref** 62 words
Naruhiko Ikoma, Christina L. Roland, Keila E. Torres, Yi-Ju Chiang et al. "Concomitant organ resection does not improve o

4%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 59101

Manuscript Type: CASE REPORT

Paratesticular liposarcoma: A report of two cases and literature review

Cases of Paratesticular Liposarcoma

Abstract

BACKGROUND

Paratesticular liposarcoma accounts for approximately 7% of scrotal tumors. They are rare lesions of the reproductive system with approximately 90% of the lesions originating from the spermatic cord. Surgery, with the goal of complete resection, is the mainstay for treatment of this disease. However, treatment consisting of extended resection to decrease local recurrence remains controversial.

CASE SUMMARY

Paratesticular liposarcoma: A report of two cases and literature revi



ALL

IMAGES

VIDEOS

75,200 Results

Any time ▾

Paratesticular liposarcoma: a report of two cases and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2571740>

Paratesticular liposarcoma is extremely rare. Only 41 **cases** have been **reported** in the **literature**. This article **reports two cases, reviews the literature**, discusses the pathology, and proposes the use of combined surgery and radiation therapy in selected **cases**.

Cited by: 7

Author: J. F. Littles, R. C. Matter, G. Herman

Publish Year: 1992

Paratesticular Liposarcoma: A Case Report and Review of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3600269>

Liposarcoma is a rare pathological entity. By far it is the most common histological subtype of genitourinary sarcomas in adults. Approximately **two hundred cases** were **reported** in the **literature**. We are hereby presenting a **case** with a typical clinical scenario of **paratesticular liposarcoma**. **Case report**. A 75-year-old gentleman presented with a painless right hemiscrotal swelling that was progressively ...

Cited by: 9

Author: Haider Alyousef, Elsayi M. Osman, Moham...

Publish Year: 2013

Paratesticular liposarcoma: a case report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6815510>

Paratesticular liposarcomas (PLS) is a very uncommon pathology type of **paratesticular sarcomas**, with less 200 similar **cases reported** to date in the **English literature**. There are a few **cases** regarding giant **paratesticular liposarcoma** measuring over 10 cm. We present an unusual **case** with a giant well differentiated PLS of the left testis extended to the pelvic cavity.

Author: Karima Mouden, Soukaina Wakrim, Afaf...

Publish Year: 2019

Paratesticular liposarcoma: Two case reports



Sign in



ALL

IMAGES

VIDEOS

192,000 Results

Any time ▾

Case Report: Paratesticular sarcomas: two cases with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4154016>

These reports show two cases of paratesticular sarcoma with very distinct evolutions. The first case concerns a patient with low-grade leiomyosarcoma that presented two local recurrences treated with surgery, and distance recurrence with cutaneous, subcutaneous, pulmonary and hepatic metastasis 30 years after surgery of the primary tumour.

Cited by: 2

Author: Margarida Matias, Miguel Carvalho, Luisa ...

Publish Year: 2014

Paratesticular Liposarcoma: A Case Report and Review of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3600269>

Liposarcoma is a rare pathological entity. By far it is the most common histological subtype of genitourinary sarcomas in adults. Approximately two hundred cases were reported in the literature. We are hereby presenting a case with a typical clinical scenario of paratesticular liposarcoma. Case report. A 75-year-old gentleman presented with a painless right hemiscrotal swelling that was progressively ...

Cited by: 9

Author: Haider Alyousef, Elsawi M. Osman, Moham...

Publish Year: 2013

Related searches

what is liposarcoma cancer

dedifferentiated liposarcoma survival rates

Search Tools

Turn off Hover Translation (关闭取词)

Paratesticular sarcomas: two cases with ... - BMJ Case Reports