

国内版 国际版

Endoscopic reduction of colonic intussusception due to metastatic r



ALL IMAGES VIDEOS

33,800 Results

Any time ▾

[An unusual presentation of metastatic malignant melanoma ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6233537>

Reported cases of **jejuno-jejunal intussusception due to malignant melanoma metastases** acting as a lead point are scarce. The clinical presentation of such cases is often unspecific, with **abdominal pain**, nausea, and **vomiting** being the most common symptoms. **Weight loss**, **melena**, or clinically relevant **anemia** are rarely seen in adults [1, 2].

Author: Mihajlo Đokić, David Badovinac, Miha... **Publish Year:** 2018

[Recurrent intussusception as initial manifestation of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4356935>

Mar 14, 2015 - **Metastatic malignant melanoma** of the small bowel has been reported as the leading point of enteric **intussusception**, with primary intestinal **melanoma** being present in only extremely rare cases. We present a **case** of a female adult patient with recurrent intestinal intussusceptions **due** to a primary **malignant melanoma** of the small bowel.

Cited by: 6 **Author:** Konstantinos Kouladouros, Daniel Gärtne...

Publish Year: 2015

[Intussusception on melanoma ... - Case Report Journal](#)

www.ijcasereportsandimages.com/archive/article-full-text/101132Z01I2020 ▾

Intussusception, which is most often secondary in adults, can occur on **melanoma metastasis**. Computed tomography (CT) is the test that confirms **intestinal obstruction due to intussusception**. Case Report: We report the case of a 47-year-old female patient, with history of **malignant scalp melanoma**.

Author: Fatima Zahra Iraqi, Hounayda Jerguig... **Publish Year:** 2020

ALL IMAGES VIDEOS

3,590 Results Any time

Recurrent intussusception as initial manifestation of ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4356935

Mar 14, 2015 - INTRODUCTION. Enteric intussusception is a rare case of intestinal obstruction in adults, and in most cases it is due to a benign tumor. Metastatic malignant melanoma of the small bowel has been reported as the leading point of enteric intussusception, with primary intestinal melanoma being present in only extremely rare cases.

Cited by: 6 Author: Konstantinos Kouladourous, Daniel Gärtne... Publish Year: 2015

Case Report: Intussusception: a rare complication in a ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5337644

Discussion. Intussusception is a process in which there is prolapse of a proximal bowel segment into a distal one. 8 Adult intussusception is a rare occurrence since ~95% of the cases occur in children. 9 10 Among all cases of bowel obstruction occurring in adults, intussusception is responsible for 1-5% of all cases. 8 10 11 The pathogenesis that leads to invagination is poorly understood ...

Cited by: 1 Author: Ayman Qasrawi, Mouhanna Abu Ghanim... Publish Year: 2017

Acute small bowel obstruction due to intussusception of ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4543357

Malignant melanoma is a common malignancy and cutaneous melanoma showed an unusual predilection to metastasise into the small intestine. At autopsy metastatic deposits found in 50-60%, but less than 2-4% of melanoma patients diagnosed to have gastrointestinal (GI) metastasis during the disease course and 4-8% GI melanoma had unknown primary melanoma which should be considered

Search Tools

Turn off Hover Translation (关闭取词)

Feedback

Name of Journal: *World Journal of Clinical Cases*
Manuscript NO: 59113
Manuscript Type: CASE REPORT

Endoscopic reduction of colocolonic intussusception due to metastatic malignant melanoma: A case report

Endoscopic reduction of colocolonic intussusception

Kengo Kasuga, Taku Sakamoto, Hiroyuki Takamaru, Masau Sekiguchi, Masayoshi Yamada, Naoya Yamazaki, Taiki Hashimoto, Toshio Uraoka, Yutaka Saito

Kengo Kasuga, Taku Sakamoto, Hiroyuki Takamaru, Masau Sekiguchi, Masayoshi Yamada, Yutaka Saito, Endoscopy Division, National Cancer Center Hospital, Tokyo 104-0045, Japan

Match Overview

1	Internet 63 words crawled on 14-Mar-2020 www.wjnet.com	4%
2	Internet 39 words www.nccl.nih.nih.gov	3%
3	Internet 30 words crawled on 12-Sep-2017 doiq.org	2%
4	Crossref 18 words Taku Sakamoto, Hiroyuki Takamaru, Masau Sekiguchi, Masayoshi Yamada, Takahisa Matsuda, Yutaka Saito. "Reliability of Ja	1%
5	Internet 14 words crawled on 28-Aug-2019 publishing.bkbb.core.windows.net	1%

国内版 国际版

Endoscopic reduction of colocolonic intussusception due to meta:



ALL IMAGES VIDEOS

22,900 Results Any time ▾

Recurrent intussusception as initial manifestation of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4356935>

Mar 14, 2015 · **Metastatic malignant melanoma** of the small bowel has been reported as the leading point of enteric **intussusception**, with primary intestinal **melanoma** being present in only extremely rare cases. We present a **case** of a female adult patient with recurrent intestinal intussusceptions **due** to a primary **malignant melanoma** of the small bowel.

Cited by: 6 **Author:** Konstantinos Kouladouros, Daniel Gärtner...

Publish Year: 2015

Case Report: Intussusception: a rare complication in a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5337644>

Discussion. **Intussusception** is a process in which there is prolapse of a proximal bowel segment into a distal one. 8 Adult **intussusception** is a rare occurrence since ~95% of the cases occur in children. 9 10 Among all cases of bowel obstruction occurring in adults, **intussusception** is responsible for 1–5% of all cases. 8 10 11 The pathogenesis that leads to invagination is poorly ...

Cited by: 1 **Author:** Ayman Qasrawi, Mouhanna Abu Ghanim...

Publish Year: 2017

A Rare Pathological Couplet of Colocolic Intussusception ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6289586>

Shah et al. recently published a **case** of splenic colocolic **intussusception** in a young man **due** to hamartomas of Peutz-Jeghers polyposis . When an **intussusception** does occur in a younger adult, it appears to be more related to a polyp disease than to a **malignant** tumor in older patients.

Author: Auerilius E Hamilton, Angad Singh, K... **Publish Year:** 2018

Adult Intussusception: A Retrospective Review

<https://www.ncbi.nlm.nih.gov/pmc/articles/pmid/25192846>

A **malignant** tumor was the etiology in 48 % of patients with **colocolonic intussusception** and in 17 % of those with enteric **intussusception** . We retrospectively reviewed 16 years of data from