

Match Overview

| | | |
|---|---|----|
| 1 | Internet 198 words crawled on 10-Apr-2019 link.springer.com | 5% |
| 2 | Internet 65 words crawled on 17-Jul-2020 f6publishing.blob.core.windows.net | 2% |
| 3 | Internet 55 words crawled on 13-May-2020 www.dovepress.com | 1% |
| 4 | Internet 34 words crawled on 20-Sep-2020 www.mdpi.com | 1% |
| 5 | Internet 20 words crawled on 07-Jul-2020 ar.iijournals.org | 1% |
| | Internet 15 words | 1% |

2 Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 59256

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Survival outcomes and prognostic indicators for peritoneum positive for carcinoma cells, but no peritoneal metastasis gastric cancer patients after radical gastrectomy

Wen-Zhe Kang, Yu-Xin Zhong, Fu-Hai Ma, Li-Yan Xue, Jian-Ping Xiong, Shuai Ma, Yang Li, Yi-Bin Xie, Xu Quan, Yan-Tao Tian

Survival outcomes and prognostic indicators for CY1P0 gastric car



ALL

IMAGES

VIDEOS

60,800 Results

Any time ▼

Outcome predictors for patients with stage II/III gastric ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5529945>

May 31, 2017 · Introduction. **Gastric cancer** (GC) is the fifth most common type of malignancy in the world, with 952,000 incident cases estimated to have occurred in 2012 ().The standard treatment for stage II/III GC in Japan is **gastrectomy** with extended (D2) lymphadenectomy plus postoperative tegafur/gimeracil/oteracil (S-1) adjuvant chemotherapy (ACT) for 1 year, according ...

Cited by: 3**Author:** Yoshinori Fujiwara, Shuichi Fukuda, Ma...**Publish Year:** 2017

Significance of the Glasgow Prognostic Score in Predicting ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6780196>

Sep 12, 2019 · The Taiwan National Cancer Register data showed that the 5-year survival rate ranged from 13.1% to **43.8%** in patients with locally advanced gastric cancer who received radical surgery . As radical surgery is the only curative strategy for gastric cancer, a predictive tool **identifying high risk patients prone to short-term operation complications and poor long-term survival would assist clinicians and patients in adopting appropriate treatment strategies.**

Cited by: 2**Author:** Shun-Wen Hsueh, Keng-Hao Liu, Chia-...**Publish Year:** 2019

Trends in clinical features, postoperative outcomes, and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4114092>

Background. The aim of the present study was to identify temporal trends in long-term **survival** and postoperative **outcomes** and to analyze **prognostic** factors influencing the **prognosis** of **patients** with **gastric cancer** (GC) treated in a 30-year interval in a tertiary referral Western institution.

Cited by: 18**Author:** Fausto Rosa, Sergio Alfieri, Antonio Pio ...**Publish Year:** 2014

Prognostic Impact of Increased Perioperative Platelet ...

<https://www.ncbi.nlm.nih.gov/pubmed/31125843>

国内版

国际版

Survival outcomes and prognostic indicators for peritoneum positive X



ALL

IMAGES

VIDEOS

58,300 Results

Any time ▾

Long-Term Results and Prognostic Factors of Gastric Cancer ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3353918>

Results. Microscopic **peritoneal** carcinomatosis was found in 121 **patients**. There were 85 males and 36 females (2.36:1). There was a higher incidence rate of large size tumor (≥ 5 cm) ($P = 0.045$), Borrmann IV ($P = 0.000$), and serosal invasion ($P = 0.000$) in **gastric cancer** with microscopic **peritoneal** carcinomatosis compared with the control group.

Cited by: 14

Author: Xiaowen Liu, Hong Cai, Weiqi Sheng, Ya...

Publish Year: 2012

Survival outcomes after cytoreductive surgery and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6386497>

Jun 01, 2016 · **Patients** with **peritoneal metastasis** have a worse prognosis than **patients** with metastatic disease at other sites . Without treatment, the median **survival** in **patients** with **peritoneal** carcinomatosis from **gastric cancer** is 1–3 months [3, 4]. Palliative chemotherapy is beneficial when compared to best supportive care.

Cited by: 3

Author: Claramae Shulyn Chia, Ramakrishnan Ay...

Publish Year: 2016

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

57,000 Results

Any time ▾

[Long-Term Results and Prognostic Factors of Gastric Cancer ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3353918>

Results. Microscopic **peritoneal** carcinomatosis was found in 121 **patients**. There were 85 males and 36 females (2.36:1). There was a higher incidence rate of large size tumor (≥ 5 cm) ($P = 0.045$), Borrmann IV...

Cited by: 14

Author: Xiaowen Liu, Hong Cai, Weiqi Sheng, Yanon...

Publish Year: 2012

[Survival outcomes after cytoreductive surgery and ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6386497>

Jun 01, 2016 · **Patients** with **peritoneal metastasis** have a worse prognosis than **patients** with metastatic disease at other sites . Without treatment, the median **survival** in **patients** with **peritoneal** carcinomatosi...

Cited by: 3

Author: Claramae Shulyn Chia, Ramakrishnan Aylo...

Publish Year: 2016

PEOPLE ALSO ASK

What is the prognosis for proximal gastric cancer? ▾

What is peritoneal metastasis? ▾

What is the survival rate of metastatic cancer? ▾

Feedback

[Cancers | Free Full-Text | Long Term Survival after ...](#)

<https://www.mdpi.com/2072-6694/12/1/116/htm> ▾

The present study demonstrated **prognostic** factors for long-term **survival** in **patients after a** comprehensive treatment (CHT) for **peritoneal metastasis** (PM) from **gastric cancer** (GC). Materials and...

Cited by: 3

Author: Yutaka Yonemura, Aruna Prabhu, Shouzou ...

Publish Year: 2020

[Neoadjuvant systemic and hyperthermic intraperitoneal ...](#)