

Match Overview

1	Crossref 42 words Yangsean Choi, So-Lyung Jung. "Efficacy and Safety of Thermal Ablation Techniques for the Treatment of Primary Papill...	2%
2	Crossref 20 words Roberto Cesareo, Claudio Maurizio Pacella, Valerio Pasqualini, Giuseppe Campagna et al. "Laser Ablation Versus Radiofr	1%
3	Internet 19 words crawled on 08-Jun-2020 www.liebertpub.com	1%
4	Internet 16 words crawled on 29-Sep-2020 www.wjgnet.com	1%
5	Crossref 13 words Zhang, Mingbo, Yukun Luo, Yan Zhang, and Jie Tang. "Efficacy and safety of ultrasound guided radiofrequency ablation fo...	1%
6	Internet 12 words crawled on 09-Nov-2019 www.e-ultrasonography.org	1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 59415

Manuscript Type: CASE REPORT

Residual tumor and central lymph node metastasis after thermal ablation of papillary thyroid carcinoma: A case report and review of literature

Hua Y *et al.* Thermal ablation of papillary thyroid carcinoma

Yu Hua, Jia-Wen Yang, Liu He, Hua Xu, Hai-Zhong Huo, Chen-Fang Zhu



ALL

IMAGES

VIDEOS

50,300 Results

Any time ▾

Case Report: Solid variant of papillary thyroid carcinoma ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3702920>

Background. **Papillary thyroid carcinoma** (PTC) is the most common type of malignant **thyroid tumour** constituting more than 70% of **thyroid malignancies**. 1 The common variant of PTC include classical, follicular and tall cell variant, whereas the uncommon variant include oncocytic, columnar cell, diffuse sclerosing and solid variant. 2 Solid variant is a distinct entity that has been rarely ...

Cited by: 5

Author: Wan Faiziah Wan Abdul Rahman, Mohd ...

Publish Year: 2013

Case Report: A rare association of ... - PubMed Central (PMC)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3962876>

Mar 13, 2014 · This was initially thought to represent **residual** active disease, but an ultrasound (US) scan and US-guided core biopsy of a cervical **lymph node** demonstrated metastatic **papillary thyroid** cancer rather than seminoma. A small (1 cm) primary **papillary tumour** in the **thyroid** ...

Author: Craig Barrington, Gianfilippo Bertelli, ...

Publish Year: 2014

Metastatic papillary thyroid carcinoma of the mandible ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6421918>

INTRODUCTION. Malignancy of the **thyroid** gland is the most common in the endocrine system and has been identified into different subtypes depending on the cells or growth pattern.[1,2] **Papillary thyroid carcinoma** (PTC), a well-differentiated tumor, is the most common histological subtype including 80%–90% of all **thyroid** cancer.[3,4]It is generally an asymptomatic, slow-growing nodule with ...

Author: Neda Kardouni Khoozestani, Farzane...

Publish Year: 2019

Surveillance Neck Sonography After Thyroidectomy for ...

<https://www.onlinelibrary.wiley.com/doi/10.7863/ultra.16.08086>

Apr 10, 2017 · Metastatic **lymph node** from **papillary thyroid carcinoma**. Color Doppler image from a different patient than in Figure 3 shows a mixed cystic and solid **lymph node** with anechoic cystic areas and echogenic solid areas that are markedly vascular. The appearance of these **lymph** nodes is characteristic of nodal **metastasis** from **papillary thyroid carcinoma**.

Cited by: 2

Author: Wynne Yuru Chua, Jill E. Langer, Lisa P. ...

Publish Year: 2017

ALL

IMAGES

VIDEOS

22,700 Results

Any time ▼

[Metastatic papillary thyroid carcinoma with absence of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3619041>

Case Report: We report a case of 31 years old female who presented with a left cervical mass and clinically normal thyroid gland. After inconclusive FANC, excision biopsy of her cervical lymph nodes revealed metastatic papillary thyroid carcinoma. The patient subsequently underwent total thyroidectomy with bilateral lymph node dissection.

Cited by: 10

Author: Anil Singh, Radu Butuc, Ricardo Lopez

Publish Year: 2013

[Ultrasound Elastic Parameters Predict Central Lymph Node ...](#)

<https://www.sciencedirect.com/science/article/pii/S0022480420301748>

Sep 01, 2020 · Introduction. Papillary thyroid carcinoma (PTC) is the most common type of thyroid cancer, and its incidence in the world is increasing in recent years. 1, 2 With the development of ultrasound technology, the different characteristics of thyroid nodules can be identified accurately. Lymph node metastasis (LNM) often occurs in PTC, and the most common location is the central ...

Author: Jun-nan Guo, Lian-hao Song, Ping-yang ...

Publish Year: 2020

[Unusual metastasis of papillary thyroid carcinoma to ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC166159>

Jun 22, 2003 · **Case Report.** A 41-year-old man underwent exploration of the neck for fine needle aspiration cytology (FNAC) proven papillary carcinoma thyroid. The attempt at thyroidectomy failed due to extensive extra thyroidal infiltration of the tumor and the patient was referred to cancer centre.

Cited by: 9

Author: Bipin T Varghese, Anitha Mathews, Manoj ...

Publish Year: 2003

[\(PDF\) Thermal Ablation for Small Papillary Thyroid Cancer ...](#)

<https://www.researchgate.net/publication/337345530...>

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

46,200 Results

Any time ▼

Metastatic papillary thyroid carcinoma with absence of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3619041>

Case Report: We report a case of 31 years old female who presented with a left cervical mass and clinically normal **thyroid** gland. After inconclusive FANC, excision biopsy of her cervical **lymph** nodes revealed metastatic **papillary thyroid carcinoma**. The patient subsequently underwent total thyroidectomy with bilateral **lymph node** dissection.

Cited by: 10**Author:** Anil Singh, Radu Butuc, Ricardo Lopez**Publish Year:** 2013

Ultrasound Elastic Parameters Predict Central Lymph Node ...

<https://www.sciencedirect.com/science/article/pii/S0022480420301748>

Sep 01, 2020 · Introduction. **Papillary thyroid carcinoma** (PTC) is the most common type of **thyroid** cancer, and its incidence in the world is increasing in recent years. 1, 2 With the development of ultrasound technology, the different characteristics of **thyroid** nodules can be identified accurately. **Lymph node metastasis** (LNM) often occurs in PTC, and the most common location is the **central** ...

Author: Jun-nan Guo, Lian-hao Song, Ping-ya...**Publish Year:** 2020

Unusual metastasis of papillary thyroid carcinoma to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC166159>

Jun 22, 2003 · **Case Report.** A 41-year-old man underwent exploration of the neck for fine needle aspiration cytology (FNAC) proven **papillary carcinoma thyroid**. The attempt at thyroidectomy failed due to extensive extra thyroidal infiltration of the **tumor** and the patient was referred to cancer centre.

Cited by: 9**Author:** Bipin T Varghese, Anitha Mathews, Manoj...**Publish Year:** 2003

(PDF) Thermal Ablation for Small Papillary Thyroid Cancer ...

https://www.researchgate.net/publication/337345530_Thermal_Ablation_for_Small...

Nov 18, 2019 · **Thermal Ablation** for Small **Papillary Thyroid** Cancer: A Systematic **Review** ... no patient experienced local **tumor** recurrence or distant **metastasis**, whereas two patients (0.4%) experienced **lymph node** ...