

**Name of Journal:** *World Journal of Gastroenterology*

**Manuscript NO:** 59668

**Manuscript Type:** CASE REPORT

**Spontaneous regression of gastric gastrinoma after resection of metastases to the lesser omentum: A case report and review of literature**

Takeshi Okamoto, Takaaki Yoshimoto, Nobuyuki Ohike, Aoi Fujikawa, Takayoshi Kanie, Katsuyuki Fukuda

## Abstract

### BACKGROUND

Gastric gastrinoma and spontaneous tumor regression are both very rarely encountered. We report the first case of spontaneous regression of gastric gastrinoma.

## Match Overview

There are no matching sources for this report.

Spontaneous regression of primary gastric gastrinoma after lapar



ALL

IMAGES

VIDEOS

29,000 Results

Any time ▼

## Primary Hepatic Gastrinoma | Request PDF

[https://www.researchgate.net/publication/10608458\\_Primary\\_Hepatic\\_Gastrinoma](https://www.researchgate.net/publication/10608458_Primary_Hepatic_Gastrinoma)

As the liver is a common site **of metastases** from **gastrinoma**, **primary** liver **gastrinoma** has not yet been reported with MEN 1. ... to be a **primary** liver **gastrinoma** (PLG). **After resection** of ...

## Long-term follow-up of a child with primary lymph node ...

<https://www.sciencedirect.com/science/article/pii/S002234681100114X>

May 01, 2011 · The criteria for the diagnosis **of primary** lymph node **gastrinoma** include (1) presence of **gastrinoma** in a solitary or multiple lymph nodes in the absence of tumor in the pancreaticoduodenal region, (2) a normal fasting serum gastrin level **after** excision, and (3) absence of symptoms or recurrence **after** a follow-up of 10 years , .

**Cited by:** 6

**Author:** Zafar Nazir

**Publish Year:** 2011

## Zollinger-Ellison syndrome: Recent advances and ...

[europepmc.org/articles/PMC5555311](http://europepmc.org/articles/PMC5555311)

Nov 01, 2013 · Pathology, classification, and molecular pathogenesis. In the original description of ZES[] and in most early studies, it was thought that the **gastrinoma** was pancreatic in location(non- $\beta$ -cell-tumor)[18,37], however recent surgical series[14,38–41] show 40–90% of gastrinomas are duodenal, in both patients with/without MEN1.This change is due to the fact that duodenal ...

**Cited by:** 59

**Author:** Tetsuhide Ito, Hisato Igarashi, Robert T....

**Publish Year:** 2013

## Laparoscopic vs open resection of gastric stromal tumors ...

[https://www.researchgate.net/publication/11372621\\_Laparoscopic\\_vs\\_open\\_resection\\_of...](https://www.researchgate.net/publication/11372621_Laparoscopic_vs_open_resection_of...)

The management of **gastric** fundus tumors near cardia has been a tough problem as the risk of **gastric** inlet deformity or stenosis was high **after laparoscopic** wedge **resection** [19, 20]. In ...



Spontaneous regression of gastric gastrinoma after resection of m



ALL

IMAGES

VIDEOS

34,300 Results

Any time ▾

## [Spontaneous regression in alveolar soft part sarcoma: case ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2703639)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2703639>

This means that it can be considered the first **case** of this origin type to be reported in the **literature**.

**Spontaneous regression** is a term that is used interchangeably with **spontaneous** remission. ... with **spontaneous regression** (of pulmonary **metastases**) has been published. ... of alveolar soft-part sarcoma: **A case report and review** of the ...

Cited by: 16

Author: Mohammed N. BaniHani, Abdel Rahman A....

Publish Year: 2009

## [Gastrinoma of the Stomach: A Case Report | Request PDF](https://www.researchgate.net/publication/7650890...)

<https://www.researchgate.net/publication/7650890...>

**Resection** of apparent LN primary **gastrinoma** is warranted, because 43% of those who underwent **resection** had no evidence of disease, with a median follow-up period of 5.3 years. View Show abstract

## [Spontaneous regression in alveolar soft part sarcoma: Case ...](https://www.researchgate.net/publication/26281442...)

<https://www.researchgate.net/publication/26281442...>

**Spontaneous regression** in alveolar soft part sarcoma: **Case report** and **literature review** ... **Case report** and **literature review**.pdf. ... and most patients die within 4 years of developing **metastases** ...

## [Spontaneous regression in alveolar soft part sarcoma: case ...](https://europepmc.org/article/MED/19515237)

<https://europepmc.org/article/MED/19515237> ▾

Jun 10, 2009 · This means that it can be considered the first **case** of this origin type to be reported in the **literature**. **Spontaneous regression** is a term that is used interchangeably with **spontaneous** remission. ... with **spontaneous regression** (of pulmonary **metastases**) has been published. ... **metastases** of alveolar soft-part sarcoma: **A case report and review** ...

Cited by: 16

Author: Mohammed N. BaniHani, Abdel Rahman A....

Publish Year: 2009

## [Rapid regression of enterochromaffinlike cell gastric ...](https://www.sciencedirect.com/science/article/pii/001650859290787Y)

<https://www.sciencedirect.com/science/article/pii/001650859290787Y>

Apr 01, 1992 · Recent **case** reports suggest that normalization of serum gastrin concentration by the **lesser** surgical procedure of antrectomy could produce **regression** of **gastric** carcinoids<sup>4,25</sup> but was of limited value once **metastases** had occurred.<sup>21</sup> In two cases significant but incomplete **regression** after



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

34,400 Results

Any time ▾

### [Spontaneous regression in alveolar soft part sarcoma: case ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2703639>

This means that it can be considered the first **case** of this origin type to be reported in the **literature**. **Spontaneous regression** is a term that is used interchangeably with **spontaneous** remission. ... with **spontaneous regression** (of pulmonary **metastases**) has been published. ... of alveolar soft-part sarcoma: **A case report and review** of the ...

Cited by: 16

Author: Mohammed N. BaniHani, Abdel Rahman A....

Publish Year: 2009

### [Gastrinoma of the Stomach: A Case Report | Request PDF](#)

<https://www.researchgate.net/publication/7650890...>

**Resection** of apparent LN primary **gastrinoma** is warranted, because 43% of those who underwent **resection** had no evidence of disease, with a median follow-up period of 5.3 years. View Show abstract

### [Isolated gastric recurrence from ovarian carcinoma: A case ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4315010>

Introduction. Ovarian metastasis secondary to **gastric** cancer (Krukenberg tumor) has been extensively described in the **literature** (1,2); however, **gastric** metastasis from ovarian carcinoma has rarely been reported. An isolated parenchymal **gastric** metastasis from ovarian carcinoma without any other sites of recurrence is an extremely rare event, with only two cases reported in China (3,4).

Cited by: 1

Author: Qian Liu, Qian-Qian Yu, Hao Wu, Zhi-Hong ...

Publish Year: 2015

### [Spontaneous regression in alveolar soft part sarcoma: case ...](#)

<https://europepmc.org/article/MED/19515237> ▾

Jun 10, 2009 · This means that it can be considered the first **case** of this origin type to be reported in the **literature**. **Spontaneous regression** is a term that is used interchangeably with **spontaneous** remission. ... with **spontaneous regression** (of pulmonary **metastases**) has been published. ... **metastases** of alveolar soft part sarcoma: **A case report and review**