

Combined cesarean delivery and repair of acute type A aortic dissec



ALL IMAGES VIDEOS

56,900 Results Any time

Management of acute type A aortic dissection during COVID ...

<https://onlinelibrary.wiley.com/doi/10.1111/jocs.15041>

Sep 16, 2020 · For patients with TAAD during pregnancy and postpartum, the surgical approach is mainly based on the weeks of gestation. 15, 16 If the pregnancy was over 28 gestational weeks, cesarean delivery and aortic repair would be performed during a single stage. After delivery, the neonate would be transferred to an isolated incubator for monitoring and ...

Author: Chen-Han Zhang, Wei-Guo Ma, Yong-... Publish Year: 2020

Anesthesia for simultaneous cesarean section and acute ...

<https://www.sciencedirect.com/science/article/pii/S1053077094902887>

Aug 01, 1994 · A report details anesthetic care given to a young male MFS patient undergoing ascending aortic dissection repair,35 and there are numerous references to cardiac surgery being performed during pregnancy.36,37 In the nonanesthesia literature, Katz et al reported a late third trimester pregnancy complicated by acute ascending aortic dissection ...

Cited by: 18 Author: Mark L. Pinosky, Richard A. Hopkins, Th...

Publish Year: 1994

(PDF) Acute Aortic Dissection in Third Trimester Pregnancy ...

<https://www.researchgate.net/publication/221728450...>

(3) the most common type of Stanford type A aortic dissection (77.3%, n ¼ 58); (4) the mean aortic root size of type A and B of 53 mm and 42 mm, respectively in antepartum period and 61 mm, and ...

Acute type A aortic dissection complicated by stroke: Can ...

<https://www.researchgate.net/publication/6657963...>

We report a case of a patient with an acute right middle cerebral artery stroke due to an acute aortic dissection (Stanford Type A) who was treated with full dose IV r-tpa resulting in a good outcome.

Cesarean Delivery: Overview, Preparation, Technique

<https://emedicine.medscape.com/article/263424-overview>

< Definition Prevention Purpose Medical uses Reproduction >

Cesarean delivery is defined as the delivery of a fetus through surgical incisions made through the abdominal wall (laparotomy) and the uterine wall (hysterotomy).

ALL IMAGES VIDEOS

7,330 Results Any time ▾

Acute type A aortic dissection in a 36-week pregnant ...

europepmc.org/articles/PMC3679768

May 28, 2013 · 1. Introduction. **Aortic dissection** is a rare complication of pregnancy with significant morbidity and mortality for both the mother and infant. In the general population, **aortic dissection** has an estimated incidence of 2.9 per 100,000 person years [1]. In pregnancy, acute type A **aortic dissection** has an overall incidence of 0.4 cases per 100,000 person years [2].

2020 ACC/AHA Guideline for the Management of Patients With ...

<https://www.ahajournals.org/doi/full/10.1161/CIR.0000000000000923>

4.1. **Acute Aortic Regurgitation.** **Acute aortic regurgitation (AR)** may result from abnormalities of the valve, most often endocarditis, or abnormalities of the aorta, primarily **aortic dissection.** **Acute AR** may also occur as an iatrogenic complication of a transcatheter procedure or after blunt chest trauma.

Cited by: 18 Author: Catherine M. Otto, Rick A. Nishimura, Robe...

Publish Year: 2021

Factors affecting the mortality of patients with COVID-19 ...


<https://www.thelancet.com/journals/eclinm/article/...>

Anesthetic management of patients undergoing **aortic dissection repair** with suspected severe **acute respiratory syndrome COVID-19 infection.** ... Safety and efficacy of different anesthetic regimens for parturients with **COVID-19** undergoing **Cesarean delivery: a case series** of 17 patients. ... **Acute type A aortic dissection during COVID-19 outbreak** ...

Cited by: 1 Author: Kim Won Chon, Huihui Wu, Bin Yu, Ranhu

Search Tools

Turn on Hover Translation (开启悬停)



Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 59964

Manuscript Type: CASE REPORT

Combined cesarean delivery and repair of acute aortic dissection at 34 wk of pregnancy during COVID-19 outbreak: A case report

Liu LW *et al.* Treatment for pregnancy combined with ATAAD

Li-Wei Liu, Lan Luo, Lu Li, Yu Li, Mu Jin, Jun-Ming Zhu

Abstract

BACKGROUND

Since the outbreak of the coronavirus disease 2019 (COVID-19) pandemic, the exclusion of a patient from COVID-19 should be performed before surgery. However, patients with type A acute aortic dissection (AAD) during pregnancy can seriously endanger the

Match Overview

1 match

1	Crossref 64 words Liu LW, Lu Li, Lan Luo, Mu Jin. "Combined cesarean delivery and repair of acute type A aortic dissection at advanced	4%
2	Crossref 51 words Jiang Tong, Ning Wang, Yu Li, Mu Jin. "Successful surgical treatment of a type A acute aortic dissection during advanced	3%
3	Internet 21 words crawled on 08-Feb-2021 www.cureus.com	1%
4	Crossref 19 words Adam D. Lichtman, Klaus Kjaer. "Combined Cesarean Delivery and Repair of Acute Ascending and Aortic Arch Dissec	1%
5	Internet 19 words crawled on 22-Dec-2020 www.wjnet.com	1%

国内版 国际版

Combined cesarean delivery and repair of acute aortic dissection at



ALL IMAGES VIDEOS

35,600 Results Any time ▾

Factors affecting the mortality of patients with COVID-19 ...

[https://www.thelancet.com/journals/eclinm/article/PIIS2589-5370\(20\)30356-4/fulltext](https://www.thelancet.com/journals/eclinm/article/PIIS2589-5370(20)30356-4/fulltext)

COVID-19 patients, in particular those with severe respiratory complications, may have high postoperative mortality. Medical staff in close contact with infected patients is suggested to take high level personal protective equipment (PPE).

Cited by: 1 Author: Kun Wang, Changshuai Wu, Jian Xu, Bao...
Publish Year: 2020

TUESDAY • OCTOBER 26, 1993 - CHEST

[https://journal.chestnet.org/article/S0012-3692\(16\)61342-9/fulltext](https://journal.chestnet.org/article/S0012-3692(16)61342-9/fulltext)

Only one case of aortic dissection occurred in 4575 diagnostic coronary angiograms (0.0002%) and 2 cases in 2733 percutaneous coronary angioplasties (0.0007%). All dissections occurred during RCA angiography prior to intervention with standard preformed Judkins right (2) or Amplatz left (1) catheters.

Learning Lab | NEJM Resident 360

<https://resident360.nejm.org/category/clinical-pearls-morning-reports> ▾

In a randomized trial comparing induction of labor with expectant management at 39 weeks in low-risk nulliparous women, induction did not result in a significantly lower frequency of adverse perinatal outcomes, but it did result in a lower frequency of cesarean delivery.

Research Publications - Duke Anesthesiology

https://anesthesiology.duke.edu/?page_id=477041 ▾

A randomized trial of phenylephrine infusion versus bolus dosing for nausea and vomiting during Cesarean delivery in obese women. Can J Anaesth. 2018 ...

Diseases and Conditions - Mayo Clinic

<https://www.mayoclinic.org/diseases-conditions/index> ▾

Schedule your appointment now for safe in-person care. Learn more: Mayo Clinic facts about coronavirus disease 2019 (COVID-19) Our COVID-19 patient and visitor guidelines, plus trusted health information Latest on COVID-19 vaccination by site: Arizona patient vaccination updates Arizona, Florida patient vaccination updates Florida, Rochester patient vaccination updates Rochester and Mayo ...

UpToDate