



60215_Auto_Edited.docx

 Quotes Excluded
 Bibliography Excluded

 8%
 SIMILAR

9
Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 60215

Manuscript Type: MINIREVIEWS

Liver injury in the era of COVID-19

Cichoż-Lach H *et al.* Liver and COVID-19

Halina Cichoż-Lach, Agata Michalak

Match Overview

1	Internet 126 words crawled on 06-Nov-2020 www.wjgnet.com	2%
2	Crossref 47 words Cecilia Napodano, Krizia Pocino, Annunziata Stefanile, Mariapaola Marino et al. "COVID-19 and hepatic involvement ..."	1%
3	Internet 37 words www.ncbi.nlm.nih.gov	1%
4	Crossref 27 words M. Isabel Fiel, Siraj M. El Jamal, Alberto Paniz-Mondolfi, Ronald E. Gordon et al. "Findings of Severe Hepatic SARS ..."	<1%
5	Crossref 21 words B. Joseph Elmunzer, Rebecca L. Spitzer, Lydia D. Foster, Ambreen A. Merchant et al. "Digestive Manifestations in I ..."	<1%
6	Crossref 19 words Ashmita Dey, Sagnik Sen, Ujjwal Maulik. "Unveiling COV ..."	<1%

国内版

国际版

Microsoft Bing

Liver injury in the era of COVID-19



ALL

IMAGES

VIDEOS

106,000,000 Results

Any time ▾

[Liver injury in COVID-19: management and challenges - The ...](https://www.thelancet.com/journals/langas/article/PIIS2468-1253(20)30057-1/fulltext)

[https://www.thelancet.com/journals/langas/article/PIIS2468-1253\(20\)30057-1/fulltext](https://www.thelancet.com/journals/langas/article/PIIS2468-1253(20)30057-1/fulltext)

In addition, immune-mediated inflammation, such as cytokine storm and pneumonia-associated hypoxia, might also contribute to liver injury or even develop into liver failure in patients with COVID-19 who are critically ill. Liver damage in mild cases of COVID-19 is often transient and can return to normal without any special treatment.

Cited by: 639

Author: Chao Zhang, Lei Shi, Fu-Sheng Wang

Publish Year: 2020

[Liver injury in COVID-19: The current evidence - Saleh A ...](https://journals.sagepub.com/doi/full/10.1177/2050640620924157)

<https://journals.sagepub.com/doi/full/10.1177/2050640620924157>

May 26, 2020 · Abstract. Patients with novel coronavirus disease 2019 (COVID-19) experience various degrees of liver function abnormalities. Liver injury requires extensive work-up and continuous surveillance and can be multifactorial and heterogeneous in nature. In the context of COVID-19, clinicians will have to determine whether liver injury is related to an underlying liver disease, drugs used for the ...

Cited by: 18

Author: Saleh A Alqahtani, Jörn M Schattenberg

Publish Year: 2020

Liver injury in the era of COVID-19



ALL

IMAGES

VIDEOS

109,000,000 Results

Any time ▾

[Impact of liver injury on the severity of COVID-19 ...](#)

<https://pubmed.ncbi.nlm.nih.gov/33267597>

Patients showing **liver injury** had **significantly higher risks of** developing severe COVID-19 compared to those with normal **liver function tests at** admission. We should include the assessment of AST, ALT, and total bilirubin routinely in patients affected by SARS-CoV-2 in order to anticipate those at r ...

Author: Javier Ampuero, Yolanda Sánchez-T... **Publish Year:** 2020

[Liver injury in COVID-19: The current evidence - Saleh A ...](#)

<https://journals.sagepub.com/doi/full/10.1177/2050640620924157>

May 26, 2020 · Abstract. Patients with novel **coronavirus disease** 2019 (COVID-19) experience various degrees of liver function abnormalities. **Liver injury** requires extensive work-up and continuous surveillance and can be multifactorial and heterogeneous in nature. In the context of **COVID-19**, clinicians will have to determine whether **liver injury** is related to an underlying **liver disease**, drugs used for the treatment of **COVID-19**, ...

Cited by: 22 **Author:** Saleh A Alqahtani, Jörn M Schattenberg

Publish Year: 2020

[Liver injury in COVID-19: management and challenges - The ...](#)

[https://www.thelancet.com/journals/langas/article/PIIS2468-1253\(20\)30057-1/fulltext](https://www.thelancet.com/journals/langas/article/PIIS2468-1253(20)30057-1/fulltext)

In addition, immune-mediated inflammation, such as **cytokine storm** and **pneumonia-associated hypoxia**, might also contribute to liver injury or even develop into liver failure in patients with COVID-19 who are critically ill. Liver damage in mild cases of COVID-19 is often transient and can return to normal without any special treatment.

Cited by: 712 **Author:** Chao Zhang, Lei Shi, Fu-Sheng Wang

Publish Year: 2020

[Coagulopathy of COVID-19 correlates with liver injury](#)

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

108,000,000 Results

Any time ▾



[Coagulopathy of COVID-19 correlates with liver injury.](https://www.healio.com/news/hepatology/20201123/...)

<https://www.healio.com/news/hepatology/20201123/...> ▾

Nov 23, 2020 · The **coagulopathy of COVID-19 driven by endothelial Factor VIII correlated with liver injury**, according to a presenter at The **Liver Meeting Digital Experience**. "Our study illuminates a ...

[Liver injury in COVID-19: The current evidence - Saleh A ...](https://journals.sagepub.com/doi/full/10.1177/2050640620924157)

<https://journals.sagepub.com/doi/full/10.1177/2050640620924157>

May 26, 2020 · Abstract. Patients with novel **coronavirus disease 2019 (COVID-19)** experience various degrees of liver function abnormalities. **Liver injury** requires extensive work-up and continuous...

Cited by: 22

Author: Saleh A Alqahtani, Jörn M Schattenberg

Publish Year: 2020

[Liver injury in COVID-19: management and challenges - The ...](https://www.thelancet.com/journals/langas/article/...)

<https://www.thelancet.com/journals/langas/article/...>

In addition, immune-mediated inflammation, such as **cytokine storm** and **pneumonia-associated hypoxia**, might also contribute to liver injury or even develop into liver failure in patients with COVID-19 who are...

Cited by: 712

Author: Chao Zhang, Lei Shi, Fu-Sheng Wang

Publish Year: 2020

[Acute Liver Injury in COVID-19: Prevalence and Association ...](https://aasldpubs.onlinelibrary.wiley.com/doi/10.1002/hep.31404)

<https://aasldpubs.onlinelibrary.wiley.com/doi/10.1002/hep.31404>

May 30, 2020 · **Coronavirus disease 2019 (COVID-19)** has been **associated with acute liver injury (ALI) manifested by increased liver enzymes in reports worldwide**. Prevalence of liver injury and associated...

Cited by: 51

Author: Meaghan M. Phipps, Luis H. Barraza, Elijah ...

Publish Year: 2020

[Liver Injury in Patients With COVID-19 - Full Text View ...](#)