

Match Overview

1	Crossref 151 words Marcus Fernando Kodama Pertille Ramos, Marina Alessandra Pereira, Andre Roncon Dias, Evandro Sobroza de M	4%
2	Internet 77 words crawled on 12-May-2019 www.scielo.br	2%
3	Crossref 66 words Alberto Di Leo, Corrado Pedrazzani, Maria Bencivenga, Arianna Coniglio et al. "Gastric Stump Cancer After Distal	2%
4	Internet 62 words crawled on 09-May-2019 www.revistaabcd.com.br	1%
5	Crossref 60 words Hideaki Shimada, Takeo Fukagawa, Yoshio Haga, Koji Obata. "Does remnant gastric cancer really differ from primary	1%
6	Crossref 50 words Wilson Luiz da Costa, Felipe J. F. Coimbra, Héber S. C. Ribeiro, Alessandro L. Diniz et al. "Total Gastrectomy for G	1%
7	Crossref 47 words Marcus Fernando Kodama Pertille Ramos, Marina Alessandra Pereira, Andre Roncon Dias, Osmar Kenji Yagi et al.	1%
8	Crossref 38 words Irina, Tomoyuki, Naoki Hiki, Manabu Ohashi, Souya Nuno, Masanori Tokunaga, Takeshi Sano, and Toshiharu Ya	1%

22

Name of Journal: *World Journal of Gastrointestinal Surgery***Manuscript NO:** 60663**Manuscript Type:** ORIGINAL ARTICLE**Retrospective Study**

Remnant gastric cancer: An ordinary primary adenocarcinoma or a tumor with its own pattern?

Ramos MFKP *et al.* Remnant gastric cancer

4

Marcus Fernando Kodama Pertille Ramos, Marina Alessandra Pereira, Andre Roncon Dias, Anna Carolina Batista Dantas, Daniel Jose Szor, Ulysses Ribeiro Jr, Bruno Zilberstein, Ivan Cecconello

Abstract**BACKGROUND**

1

Remnant gastric cancer (RGC) has been defined as a tumor that develops in the stomach

[国内版](#)[国际版](#)[ALL](#)[IMAGES](#)[VIDEOS](#)

32,800 Results

Any time ▼

[Surgical management of gastric stump cancer: a report of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1390757>

Carcinoma developed in the **gastric** stump after subtotal gastrectomy for **gastric cancer** ten years before should also be taken into account (Tanigawa et al., 2002). Due to **its** lack of specific clinical manifestation in the early stage and relatively low surgical resection rate, GSC is still termed as a poor prognosis disease.

Cited by: 20**Author:** Li Chen, Hua Tian, Jian Chen, Zhi-gang ...**Publish Year:** 2005

[Surgical principles for optimal treatment of ...](#)

<https://onlinelibrary.wiley.com/doi/full/10.1002/ags3.12268>

Jun 11, 2019 · 1 INTRODUCTION. The incidence of esophageal **adenocarcinoma** (EAC) has increased both in the West and in Asia. 1, 2 It has been estimated that the rate of esophageal **adenocarcinoma** increased sixfold between 1975 and 2000 in both Europe and the USA. 3, 4 Improved medical and surgical treatments over the past 40 years have increased survival from 5% to 19%. 5 Surgical ...

Cited by: 1**Author:** Tamar Nobel, Tamar Nobel, Daniela Molena**Publish Year:** 2019

Remnant gastric cancer: An ordinary primary adenocarcinoma or a



Sign in



Add the Give with Bing extension

ALL IMAGES VIDEOS

60,900 Results Any time

Gastric cancer - AMBOSS

https://www.amboss.com/us/knowledge/Gastric_cancer

Apr 24, 2020 · Remnant carcinoma is a complication associated with the remnant stomach ... Kasi A. Cancer, Krukenberg Tumor. StatPearls. 2019 ... bed to bench. 2017; 10 (3): p.168-172. Ohira M, Toyokawa T, Sakurai K, et al. Current status in remnant gastric cancer after distal gastrectomy. World journal of gastroenterology ...

[PDF] Comparison between gastric and esophageal classification ...

https://link.springer.com/content/pdf/10.1007/s10120-018-0890-2.pdf

the distal gastric adenocarcinoma, AEG might have its own heterogeneity and issued in a relatively worse prognosis [8]. Due to the distinguishing anatomic location, the classification of AEG had been always in debate during the past decades. As we all know, a rigorous and coherent staging

Cited by: 5 Author: Kai Liu, Fan Feng, Xin-zu Chen, Xin-yi Zhou, ... Publish Year: 2019

PEOPLE ALSO ASK

- How early can gastric cancer be diagnosed?
- What is the treatment for gastric cancer?
- How is gastric outlet obstruction diagnosed?
- What are the risk factors of gastric cancer?

Feedback

Synchronous and metachronous primary gastric lymphoma and ...

https://onlinelibrary.wiley.com/doi/full/10.1002...

Sep 28, 2000 · Gastric adenocarcinoma is one of the most common malignancies, whereas primary gastric lymphoma is relatively uncommon, occurring in only 1-7% of all malignant neoplasms of the stomach. 1 The occurrence of both malignant gastric lymphoma and adenocarcinoma in the same patient is very rare, and little is known regarding the clinicopathologic characteristics of such cases. 2 - ...

Cited by: 138 Author: Shotaro Nakamura, Kunihiko Aoyagi, Shin-i... Publish Year: 1997

Prognosis in the Cancer of the Stomach | IntechOpen

https://www.intechopen.com/books/gastric-carcinoma...

Apr 20, 2012 · The 5-year survival rates according to tumor size were 94.3% in cases of tumors of less than 2 cm, 75.1% in cases of tumors of 2-7 cm, and 26.3% in cases of tumors of more than 7 cm. Multivariate analysis revealed that the prognosis of gastric cancer patients was affected most by depth of invasion, followed by lymph node metastasis and tumor ...

Cited by: 1 Author: Okan Akturk, Cemal Ulusoy Publish Year: 2013

Variants of Gastric Carcinoma: Morphologic and Theranostic ...

https://www.intechopen.com/books/gastric-carcinoma...

May 17, 2012 · Variants of gastric cancer account for approximately 5% of all carcinomas of the stomach. Some variant carcinomas, such as lymphoepithelioma-like carcinoma, hepatoid carcinoma with or without α-fetoprotein (AFP) production, small cell or neuroendocrine carcinoma, adenosquamous and squamous carcinoma, choriocarcinoma, sarcomatoid carcinoma, parietal cell or oncocytic carcinoma, ...

Cited by: 4 Author: Sun-Mi Lee, Kyoung-Mee Kim, Jae Y. Ro Publish Year: 2013

Gastric stump carcinoma after distal subtotal gastrectomy ...

https://www.sciencedirect.com/science/article/pii/S0002961014003791

Jun 01, 2015 · Gastric stump carcinoma (GSC) has recently been re-evaluated as a separate cancer when diagnosed after subtotal gastrectomy performed not only for benign lesions but also for neoplastic disease.1, 2, 3 Numerous studies have been published on patients treated for benign gastric disease, and gastric resection is considered to be a risk factor for GSC even 15 to 20 years after surgical treatment ...

Gastric cancer: Pathology and molecular pathogenesis ...

https://www.uptodate.com/contents/gastric-cancer...

Jul 24, 2020 · Gastric adenocarcinomas represent a clinically, biologically, genetically, and microscopically heterogeneous group of malignant epithelial tumors resulting from various environmental and genetic causes. This topic will discuss the pathology and molecular pathogenesis of gastric cancer.

[PDF] Combined yolk sac tumor and adenocarcinoma in a gastric ...

https://acsjournals.onlinelibrary.wiley.com/doi...

ogeneously during its own natural history. Those authors suggested that neoplastic cells of single cases of advanced gastric carcinoma, even though they may be present with a heterogeneous histology, appear to be derived from a single cellular clone. In this report, we describe a case of combined yolk sac tumor and adenocarcinoma arising in a ...

Characteristics of Epstein-Barr virus-associated gastric ...

https://jeccr.biomedcentral.com/articles/10.1186/1756-9966-28-14

Feb 03, 2009 · Epstein-Barr virus (EBV) has been shown to be associated with gastric cancer. However, inconsistent findings have been reported regarding the distribution of EBV infected cells (in normal gastric epithelium vs. intestinal metaplastic cells vs. in neoplastic cells) and the characteristics of EBV-associated gastric cancer. Lymph node positive EBV-associated gastric cancer has not been ...

Isamu Kino's research works | Hamamatsu University School ...

https://www.researchgate.net/scientific-contributions/Isamu-Kino-39967308

The surface of cancerous mucosa in 30 surgically resected cases of early gastric cancer (22 differentiated and 8 undifferentiated adenocarcinoma) was observed through a video microscope.



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

57,400 Results

Any time ▾

Open links in new tab



[Epstein–Barr virus and gastric carcinoma: virus–host ...](#)

<https://onlinelibrary.wiley.com/doi/full/10.1111/j.1349-7006.2008.00888.x>

Aug 21, 2008 · Epstein–Barr virus (EBV)-associated **gastric carcinoma** (GC) is a distinct subgroup of GC, comprising 10% of all cases of GC. EBV-associated **carcinoma** is the monoclonal growth ...

Cited by: 176

Author: Masashi Fukayama, Rumi Hino, Hiroshi...

Publish Year: 2008

[\(PDF\) Adenocarcinoma developed from remnant cystic duct ...](#)

<https://www.researchgate.net/publication/266624714...>

The presence of a **carcinoma** in situ lesion in the **remnant** cystic duct suggested the **remnant** cystic duct as the **primary** site of the **tumor**. **Primary** cystic duct **cancer** is a ...

[\(PDF\) AFP-producing hepatoid adenocarcinoma of the stomach ...](#)

<https://www.researchgate.net/publication/40900317...>

Dec 09, 2009 · Hepatoid **adenocarcinoma** of the **stomach** (HAS) is a rare type of **gastric carcinoma**, which has its unique clinicopathological features and poorer prognosis than that of...

[The journal of the Japanese Practical Surgeon Society](#)

https://www.jstage.jst.go.jp/browse/ringe1963/54/12/_contents ▾

Fifty-five resected cases of **cancer** of the **remnant stomach** were divided into those undergoing distal gastrectomy for benign gastroduodenal lesion (group I; n=23) and those for **gastric cancer**...

[Epstein-Barr Virus and Gastric Carcinoma – Viral ...](#)

europepmc.org/articles/PMC2480567

The proportion of EBV involvement is 27–42% in **gastric remnant cancer** after a **primary** gastrectomy for benign **gastric** diseases [27–29], which is significantly higher than 10% in de no...

[Sentinel lymph node biopsy in patients with papillary ...](#)

<https://acsjournals.onlinelibrary.wiley.com/doi/10...>

Nov 27, 2001 · The mean (\pm standard deviation) size of the **primary tumor** was 13.0 mm \pm 7.6 mm (Table 1). All patients were diagnosed correctly with papillary **carcinoma** before surgery using...