

5 **Name of Journal:** *World Journal of Gastroenterology*

Manuscript NO: 60854

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Comparative Study of the ICG-R15, Child-Pugh Score and MELD Score for the Prediction of HE after TIPS

A Comparative Study of the ICG-R15, CPS and MELD score in predicting post-TIPS HE

9 Zhong Wang, Yi-Fan Wu, Zhen-Dong Yue, Hong-Wei Zhao, Lei wang, Zhen-Hua Fan, Yu Zhang, Fu-Quan Liu

Match Overview

1	Internet 85 words crawled on 16-Oct-2020 link.springer.com	2%
2	Internet 72 words crawled on 15-Mar-2019 www.wjgnet.com	2%
3	Crossref 70 words Heng Zou, Xin Yang, Qing-Long Li, Qing-Xiang Zhou, Li Xiong, Yu Wen. "A Comparative Study of Albumin-Bilirubin	2%
4	Crossref 65 words Søren Møller, Else Cour Sibbesen, Jan Lysgård Madsen, Flemming Bendtsen. "Indocyanine green retention test in	2%
5	Internet 36 words crawled on 06-Oct-2019 f6publishing.blob.core.windows.net	1%
6	Crossref 28 words Yan-Yan Wang, Xin-Hua Zhao, Liang Ma, Jia-Zhou Ye, Fei-Xiang Wu, Juan Tang, Xue-Mei You, Bang-De Xiang, Le-	1%

ALL

IMAGES

VIDEOS

9,640 Results

Any time ▾

Child-Pugh Versus MELD Score for the Assessment of ...

<https://journals.lww.com/md-journal/Fulltext/2016/...>

Introduction

Methods

Results

Discussion

Liver cirrhosis has a high morbidity and mortality, which is the 14th most common cause of death all over the world and the 4th in central Europe. It leads to 1.03 million deaths per year in the world,¹ and 170,000 deaths per year in Europe.² The prevalence of liver cirrhosis may be underestimated, because patients at the early phase of liver cirrhosis are often asymptomatic, and most of patients with liver cirrhosis are admitted due to its related complications. The 1-year mortality of liver cirrhosis varies greatly from 1% t...

See more on journals.lww.com

Child-Pugh Versus MELD Score for the Assessment of ...

<https://europepmc.org/articles/PMC4779019>

Feb 01, 2016 · **Child-Pugh score** had a higher summary sensitivity than **MELD score**, but **MELD score** had a higher summary specificity than **Child-Pugh score**. Four studies were eligible for the subgroup meta-analysis to compare the diagnostic accuracy of **Child-Pugh** versus **MELD score** in patients with UGIB. 84, 94, 109, 117 The mean AUSROC of **MELD score** was ...

Search Tools

Turn on Hover Translation (开启取词)



ALL

IMAGES

VIDEOS

17,200 Results

Any time ▾

Child-Pugh Versus MELD Score for the Assessment of ...

<https://journals.lww.com/md-journal/Fulltext/2016/...>

Introduction

Methods

Results

Discussion

Liver cirrhosis has a high morbidity and mortality, which is the 14th most common cause of death all over the world and the 4th in central Europe. It leads to 1.03 million deaths per year in the world,¹ and 170,000 deaths per year in Europe.² The prevalence of liver cirrhosis may be underestimated, because patients at the early phase of liver cirrhosis are often asymptomatic, and most of patients with liver cirrhosis are admitted due to its related complications. The 1-year mortality of liver cirrhosis varies greatly from 1% t...

[See more on journals.lww.com](https://journals.lww.com)

Child-Pugh Versus MELD Score for the Assessment of ...

<https://europepmc.org/articles/PMC4779019>

Feb 01, 2016 · Child-Pugh score had a higher summary sensitivity than MELD score, but MELD score had a higher summary specificity than Child-Pugh score. Four studies were eligible for the subgroup meta-analysis to compare the diagnostic accuracy of Child-Pugh versus MELD score in patients with UGIB. 84, 94, 109, 117 The mean AUSROC of MELD score was ...

 Add the Give with Bing extension >



Make a difference for a nonprofit,
simply by searching on Bing

MAYBE LATER

YES

Search

Turn on H

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

25,000 Results

Any time ▾



Indocyanine green retention test as a noninvasive marker ...

<https://aasldpubs.onlinelibrary.wiley.com/doi/10.1002/hep.26700>

Aug 26, 2013 · Heng Zou, Xin Yang, Qing-Long Li, Qing-Xiang Zhou, Li Xiong, Yu Wen, A **Comparative Study of Albumin-Bilirubin Score with Child-Pugh Score, Model for End-Stage Liver Disease Score** and...

Cited by: 81

Author: Andrea Lisotti, Francesco Azzaroli, Federic...

Publish Year: 2014

Clinical application of Albumin-Bilirubin (ALBI) score ...

<https://www.sciencedirect.com/science/article/pii/S1479666X19301167>

Jun 01, 2020 · Chronic **liver disease** is very common worldwide. **Alcoholic liver disease**, **fatty liver**, **non-alcoholic fatty liver** and **chronic viral hepatitis** have different epidemiological factors and morbidity in...

Author: Min Deng, Sally Wing Yan Ng, Siu Tim C...

Publish Year: 2020

Thieme E-Journals - Digestive Disease Interventions / Abstract

<https://www.thieme-connect.com/products/ejournals/...> ▾

A **comparative study** of albumin-bilirubin score with **Child-Pugh score**, **Model for End-Stage Liver Disease score** and **indocyanine green R15** in predicting posthepatectomy **liver** failure for hepatocellular...

Author: Dustin Carpenter, Peter Liou, Abhishek ...

Publish Year: 2020

: The AMEDEO Literature Guide

<https://www.amedeo.com/medicine/lid/digdis.htm>

A **Comparative Study** of Albumin-Bilirubin Score with **Child-Pugh Score**, **Model for End-Stage Liver Disease Score** and **Indocyanine Green R15** in Predicting Posthepatectomy **Liver** Failure for Hepatocellul...

[PDF] Effect of liver volume in morbidity and mortality after ...

<https://core.ac.uk/download/pdf/81954321.pdf>

Background: To **study** the effect of **liver** volume (LV) in the morbidity and mortality **after** elective

See results for

Model for End-Stage Liver Disease

The Model for End-Stage Liver Disease, or MELD, is a scoring system for assessing the severity of chronic liver disease. It was initially developed t...

Transjugular intrahepatic portosystemic shunt

Transjugular intrahepatic portosystemic shunt is an artificial channel within the liver that establishes communication between the inflow porta...