

Name of Journal: *World Journal of Clinical Cases*

Manuscript Type: CASE REPORT

Spontaneous small bowel perforation secondary to *Vibrio parahaemolyticus* infection: A case report

Chien *et al.* Small bowel perforation

Shih-Chun Chien, Chih-Chung Chang, Shih-Chao Chien

Match Overview

1	Internet 30 words crawled on 07-Jun-2020 www.wjgnet.com	2%
2	Internet 17 words crawled on 13-Sep-2015 www.cdc.gov	1%
3	Internet 13 words crawled on 21-Dec-2017 udspace.udel.edu	1%
4	Internet 12 words crawled on 31-Oct-2020 www.science.gov	1%

Spontaneous small bowel perforation secondary to *Vibrio parahaemolyticus*



ALL

IMAGES

VIDEOS

58,500 Results

Any time ▾

Genetic analysis of *Vibrio parahaemolyticus* intestinal ...

<https://www.pnas.org/content/113/22/6283> ▾

May 31, 2016 · A spontaneous streptomycin-resistant mutant of *V. parahaemolyticus* RIMD 2210633, *V. parahaemolyticus* Sm R, was used for all experiments, and mutations were constructed in the Sm R background except when specified otherwise. Strains were cultured at 37 °C in LB or on LB-agar plates unless otherwise specified.

Cited by: 51

Author: Troy P Hubbard, Michael C Chao, Söre...

Publish Year: 2016

Functional Characterization of Two Type III Secretion ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC523034>

Vibrio parahaemolyticus, one of the human-pathogenic vibrios, is a gram-negative halophilic bacterium that naturally inhabits marine and estuarine environments. The organism causes three major types of clinical illness: gastroenteritis (the most common illness), wound **infections**, and septicemia (4, 7, 10, 16). Almost all of the clinical *V. parahaemolyticus* isolates from diarrheal patients show ...

The Hydrophilic Translocator for *Vibrio parahaemolyticus* ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3434562>

Typically, **infection** of the gastrointestinal tract with *V. parahaemolyticus* manifests as acute, self-limited watery diarrhea, which is often accompanied by abdominal pain and **vomiting**. Additionally, **intestinal biopsy samples** from patients have revealed disruption of the intestinal epithelium and the presence of an acute inflammatory response .

Cited by: 12

Author: Xiaohui Zhou, Jennifer M. Ritchie, Hirota...

Publish Year: 2012

Vibrio vulnificus Diarrhea in a Child with Respiratory ...

<https://www.researchgate.net/publication/51614724...>

Bowel perforation due to norovirus **infection** is rare. We **report a case** of **small bowel**



ALL

IMAGES

VIDEOS

57,900 Results

Any time ▾

[Genetic analysis of *Vibrio parahaemolyticus* intestinal ...](https://www.pnas.org/content/113/22/6283)

<https://www.pnas.org/content/113/22/6283> ▾

May 31, 2016 · A spontaneous streptomycin-resistant mutant of *V. parahaemolyticus* RIMD 2210633, *V. parahaemolyticus* Sm R, was used for all experiments, and mutations were constructed in the Sm R background except when specified otherwise. Strains were cultured at 37 °C in LB or on LB-agar plates unless otherwise specified.

Cited by: 51

Author: Troy P Hubbard, Michael C Chao, Sören Ab...

Publish Year: 2016

[Genetic analysis of *Vibrio parahaemolyticus* intestinal ...](https://europepmc.org/articles/PMC4896720)

<https://europepmc.org/articles/PMC4896720> ▾

May 16, 2016 · A spontaneous streptomycin-resistant mutant of *V. parahaemolyticus* RIMD 2210633, *V. parahaemolyticus* Sm R, was used for all experiments, and mutations were constructed in the Sm R background except when specified otherwise. Strains were cultured at 37 °C in LB or on LB-agar plates unless otherwise specified.

Cited by: 51

Author: Troy P Hubbard, Michael C Chao, Sören Ab...

Publish Year: 2016

Search Tools

Turn on Hover Translation (开启取词)

[ALL](#)[IMAGES](#)[VIDEOS](#)[MAPS](#)[NEWS](#)[SHOPPING](#)

58,000 Results

Any time ▾

[Genetic analysis of Vibrio parahaemolyticus intestinal ...](#)

<https://www.pnas.org/content/113/22/6283> ▾

May 31, 2016 · A spontaneous streptomycin-resistant mutant of *V. parahaemolyticus* RIMD 2210633, *V. parahaemolyticus* Sm R, was used for all experiments, and mutations were constructed in the Sm R background except when specified otherwise. Strains were cultured at 37 °C in LB or on LB-agar plates unless otherwise specified.

Cited by: 52

Author: Troy P Hubbard, Michael C Chao, Sören Ab...

Publish Year: 2016

[Genetic analysis of Vibrio parahaemolyticus intestinal ...](#)

<https://europepmc.org/articles/PMC4896720> ▾

May 16, 2016 · A spontaneous streptomycin-resistant mutant of *V. parahaemolyticus* RIMD 2210633, *V. parahaemolyticus* Sm R, was used for all experiments, and mutations were constructed in the Sm R background except when specified otherwise. Strains were cultured at 37 °C in LB or on LB-agar plates unless otherwise specified.

Cited by: 52

Author: Troy P Hubbard, Michael C Chao, Sören Ab...

Publish Year: 2016

[The Hydrophilic Translocator for Vibrio parahaemolyticus ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3434562>

Typically, infection of the gastrointestinal tract with *V. parahaemolyticus* manifests as acute, self-limited watery diarrhea, which is often accompanied by abdominal pain and vomiting. Additionally, **intestinal** biopsy samples from patients have revealed disruption of the **intestinal** epithelium and the presence of an acute inflammatory response .

Cited by: 12

Author: Xiaohui Zhou, Jennifer M. Ritchie, Hirotaka ...

Publish Year: 2012

[Vibrio vulnificus Diarrhea in a Child with Respiratory ...](#)