

4
Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 60951

Manuscript Type: CASE REPORT

Management protocol for Fournier's Gangrene in sanitary regime caused by SARS-CoV-2 pandemic - case report.

Fournier's Gangrene – case report.

Abstract

BACKGROUND

Fournier's gangrene (FG) is a serious, aggressive and often deadly polymicrobial infection of the soft tissues of the perineum, the rectum and the external genital organs. It is an anatomical subcategory of necrotizing fasciitis, which has a similar etiology and treatment strategy.

CASE SUMMARY

Match Overview

1	Crossref 17 words Amr Ehab El-Qushayri, Khalid Muhammad Khalaf, Abdullah D ahy, Abdalla Reda Mahmoud et al. "Fournier's gangrene mo...	1%
2	Internet 15 words bj.a.oupjournals.org	1%
3	Internet 14 words crawled on 07-Dec-2020 kclpure.kcl.ac.uk	1%
4	Internet 14 words crawled on 05-Oct-2019 f6publishing.blob.core.windows.net	1%
5	Internet 12 words crawled on 28-May-2019 veterinaryophthalmicconsulting.com	1%



ALL

IMAGES

VIDEOS

58,400 Results

Any time ▼

Strategies and recommendations for the management of ...

<https://academic.oup.com/gastro/article/8/3/167/5867078> ▼

Jul 03, 2020 · **Fournier's gangrene** has a low incidence, but a high mortality rate of 25%–73% , thereby requiring immediate diagnosis and surgical intervention. In the **case** of proctology procedures **during** the **pandemic**, outpatient procedures and local anesthesia should be favored. Recommendations on perioperative infection prevention

Cited by: 1

Author: Jia Ke, Nan Lan, Ting Wang, Jin-Jie Wu, ...

Publish Year: 2020

case of Fournier's gangrene in a young immunocompetent ...

<https://academic.oup.com/jscr/article/2016/4/rjw058/2412831> ▼

Apr 22, 2016 · A **case** of **Fournier's gangrene** in a young immunocompetent male patient resulting from a delayed diagnosis of appendicitis ... Journal of Surgical **Case Reports**, Volume 2016, Issue 4, April 2016, rjw058, <https://doi.org> ... diagnosis and operative **management** of de Garengeot hernia without appendectomy **during** the COVID-19 **pandemic** . Laryngeal ...

Cited by: 2

Author: Michael Wanis, Shady Nafie, John Kilian ...

Publish Year: 2016

Management protocol for Fournier's Gangrene in sanitary regime ca



ALL

IMAGES

VIDEOS

11,300 Results

Any time ▼

[XLS] [Centers for Disease Control and Prevention](#)

https://www.cdc.gov/library/docs/covid19/ONLY_New... · [Web view](#)

There are numerous **case** reports and a handful of single(1-5) center studies reporting on COVID-19 in kidney transplant recipients. Most reports arise from the epicenters of where the **SARS-CoV-2** virus was first detected such as New York City(1,2,5) and Europe(3,4) .

(PDF) A randomised controlled trial comparing eusol and ...

<https://www.researchgate.net/publication/24002503...>

Material and Methods: Thirty patients admitted with the diagnosis of **Fournier's gangrene** were randomly allocated to two groups, one group treated by honey dressing and the other by Eusol dressing.

Isolation Precautions | Guidelines Library | Infection ...

<https://www.cdc.gov/infectioncontrol/guidelines/isolation> ▼

In long-term care and other residential settings, make decisions regarding patient placement on a **case-by-case** basis after considering infection risks to other patients in the room and available alternatives: II: V.C.2.c. In ambulatory settings, place patients who require Droplet Precautions in an examination room or cubicle as soon as possible ...

gangrenous cholecystitis treated: Topics by Science.gov

<https://www.science.gov/topicpages/g/gangrenous+cholecystitis+treated> ▼

Jun 27, 2018 · Triple antibiotic combined with radical debridement is the mainstay of treatment. There have been many advances in management of Fournier gangrene including use of **vaccum assisted closure and hyperbaric oxygen therapy**. With introduction of newer devices like Flexi-Seal, fecal diversion can be done, avoiding colostomy.

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

11,200 Results

Any time ▾



[XLS] [Centers for Disease Control and Prevention](#)

https://www.cdc.gov/library/docs/covid19/ONLY_New... · Web view

There are numerous **case** reports and a handful of single(1-5) center studies reporting on COVID-19 in kidney transplant recipients. Most reports arise from the epicenters of where the **SARS-CoV-2** virus was first detected such as New York City(1,2,5) and Europe(3,4) .

Medscape | Eur J Ophthalmol - Publication Information

<https://www.medscape.com/viewpublication/4112> ▾

Mar 24, 2020 · Identification of **SARS-CoV-2** RNA in the conjunctival swab of an Italian pediatric patient affected with COVID-19: **A case report**. ... due to deep venous thrombosis concomitant to **Fournier gangrene** ...

Isolation Precautions | Guidelines Library | Infection ...

<https://www.cdc.gov/infectioncontrol/guidelines/isolation> ▾

In long-term care and other residential settings, make decisions regarding patient placement on a **case-by-case** basis after considering infection risks to other patients in the room and available alternatives: II: V.C.2.c. In ambulatory settings, place patients who require Droplet Precautions in an examination room or cubicle as soon as possible ...

(PDF) A randomised controlled trial comparing eusol and ...

<https://www.researchgate.net/publication/24002503...>

Material and Methods: Thirty patients admitted with the diagnosis of **Fournier's gangrene** were randomly allocated to two groups, one group treated by honey dressing and the other by Eusol dressing.

Yen-Chieh Cheng - Publications

<https://academictree.org/math/publications.php?pid=...> ▾

Incorporating Simplified **Fournier's Gangrene** Severity Index with early surgical intervention can maximize survival in high-risk **Fournier's gangrene** patients. International Journal of Urology : Official Journal of the