

Match Overview

1

Crossref 58 words

Masahide Fukuda, Hirohito Ishigaki, Mitsushige Sugimoto, ...
en-Ichi Mukaisho et al. "Histological analysis of fundic gland

2%

Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 61028

Manuscript Type: MINIREVIEWS

Sporadic fundic gland polyps with dysplasia or carcinoma: Clinical and endoscopic characteristics

Sano W *et al.* FGP with dysplasia or carcinoma

Wataru Sano, Fumihiko Inoue, Daizen Hirata, Mineo Iwatate, Santa Hattori, Mikio



Sporadic fundic gland polyps with dysplasia or carcinoma: Clinical a



ALL

IMAGES

VIDEOS



Add the Give with Bing extension >

39,200 Results

Any time ▾

[Sporadic Fundic Gland Polyps With Low-Grade Dysplasia: A ...](https://academic.oup.com/ajcp/article/144/4/592/1766663)

<https://academic.oup.com/ajcp/article/144/4/592/1766663> ▾**Abstract**

Materials and Methods

Results

Discussion

Conclusion

Fundic gland polyps (FGPs) are the most common type of gastric polyp.^{1,2} They typically occur in the body and fundus of the stomach and are composed of cystically dilated oxyntic glands lined by attenuated chief, parietal, and mucous neck cells. The polyp surface is lined by gastric foveolar epithelium. FGPs occur in two different clinical settings, sporadic and syndromic (familial adenomatous polyposis, or FAP). Sporadic FGPs have been reported in 0.8% to 1.9% of patients who undergo upper endoscopy.^{3,4} The...

[See more on academic.oup.com](https://academic.oup.com/ajcp/article/144/4/592/1766663)

Cited by: 13

Author: Mary D. Levy, Baishali Bhattacharya

Publish Year: 2015

Published: Jan 10, 2015

See results for

Polyp (Medical Condition)

An abnormal clump of cells that grow inside the body.

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

Sporadic fundic gland polyps with dysplasia or carcinoma: Clinical &



ALL

IMAGES

VIDEOS

40,200 Results

Any time ▾

[Sporadic Fundic Gland Polyps With Low-Grade Dysplasia: A ...](https://academic.oup.com/ajcp/article/144/4/592/1766663)

<https://academic.oup.com/ajcp/article/144/4/592/1766663> ▾

Abstract

Materials and Methods

Results

Discussion

Conclusion

Fundic gland polyps (FGPs) are the most common type of gastric polyp.^{1,2} They typically occur in the body and fundus of the stomach and are composed of cystically dilated oxyntic glands lined by attenuated chief, parietal, and mucous neck cells. The polyp surface is lined by gastric foveolar epithelium. FGPs occur in two different clinical settings, sporadic and syndromic (familial adenomatous polyposis, or FAP). **Sporadic FGPs** have been reported in 0.8% to 1.9% of patients who undergo upper e...

[See more on academic.oup.com](https://academic.oup.com)

Cited by: 13

Author: Mary D. Levy, Baishali Bhattacharya

Publish Year: 2015

Estimated Reading Time: 8 mins

[Sporadic Fundic Gland Polyposis: A Clinical, Histological ...](https://www.nature.com/articles/3880596)

<https://www.nature.com/articles/3880596>

Jul 01, 2002 · Many **fundic gland polyps** are **sporadic** and single, but cases with multiple **fundic gland polyps** have been reported as **fundic gland polyposis** in patients without FAP or ...

Cited by: 95

Author: Michael Torbenson, Jae Hyuk Lee, Marcia ...

Publish Year: 2002

Estimated Reading Time: 8 mins

40,300 Results Any time ▾

A Clinicopathologic Evaluation of Incidental Fundic Gland ...

<https://www.ncbi.nlm.nih.gov/pubmed/28462913>

Based on retrospective data, FGPs with dysplasia (FGPDs) are thought to be a strong marker for familial adenomatous polyposis (FAP), although sporadic, non-syndromic FGPDs also occur. Owing to the...

Cited by: 5 Author: Isaac E Lloyd, Wendy K Kohlmann, Keith Gli...
Publish Year: 2017

Sporadic Fundic Gland Polyps With Low-Grade Dysplasia: A ...

<https://academic.oup.com/ajcp/article/144/4/592/1766663> ▾

Abstract	Materials and Methods	Results	Discussion	Conclusion
----------	-----------------------	---------	------------	------------

Fundic gland polyps (FGPs) are the most common type of gastric polyp.^{1,2}They typically occur in the body and fundus of the stomach and are composed of cystically dilated oxyntic glands lined by attenuated chief, parietal, and mucous neck cells. The polyp surface is lined by gastric foveolar epithelium. FGPs occur in two different clinical settings, sporadic and syndromic (familial adenomatous polyposis, or FAP). **Sporadic FGPs** have been reported in 0.8% to 1.9% of patients who undergo upper e...

[See more on academic.oup.com](#)

Cited by: 13 Author: Mary D. Levy, Baishali Bhattacharya
Publish Year: 2015 Estimated Reading Time: 8 mins

People also ask

- Are there any sporadic fundic gland polyps (FGPs)? ▾
- How to tell if you have fundic gland dysplasia? ▾
- Can a fundic gland polyp cause upper gastrointestinal cancer? ▾
- Can a fundic gland polyp increase surface epithelial density? ▾

Feedback

High-grade dysplasia in sporadic fundic gland polyps ...

Fundic gland polyposis

Medical Syndrome

- Symptoms
- Diagnosis
- Causes
- Treatments
- >

Fundic gland polyposis is a medical syndrome where the fundus and the body of the stomach develop many fundic gland polyps. The condition has been described both in patients with familial adenomatous polyposis and attenuated variants, and in patients in whom it occurs sporadically.

 [Wikipedia](#)

Data from: [Wikipedia](#)

[Suggest an edit](#)