

**7**  
**Name of Journal:** *World Journal of Gastroenterology*

**Manuscript NO:** 61074

**Manuscript Type:** CASE REPORT

**Septic shock due to Granulicatella adiacens after endoscopic ultrasound-guided biopsy of a splenic mass: A case report**

Sepsis after EUS-FNB

## Abstract

### BACKGROUND

Endoscopic ultrasound-guided fine needle aspiration or biopsy (EUS-FNA or FNB) has become a popular method for diagnosing various lesions of the gastrointestinal tract and surrounding tissue due to the accuracy and safety. To the best of our knowledge, no case report of severe infection after EUS-FNB of a solid lesion in the spleen has been described. Herein, we report a rare case of septic shock after EUS-FNB of a splenic mass.

## Match Overview

1	Internet 39 words crawled on 13-Mar-2020 <a href="http://worldwidescience.org">worldwidescience.org</a>	1%
2	Internet 25 words crawled on 09-Jan-2021 <a href="http://www.e-neurospine.org">www.e-neurospine.org</a>	1%
3	Internet 23 words crawled on 24-Jul-2020 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
4	Internet 16 words crawled on 31-May-2017 <a href="http://www.casereports.in">www.casereports.in</a>	1%
5	Internet 15 words crawled on 26-Aug-2014 <a href="http://kjim.org">kjim.org</a>	1%
6	Crossref 14 words "Pediatric Body MRI", Springer Science and Business Media LLC, 2020	<1%
7	Internet 12 words crawled on 20-Aug-2020 <a href="http://f6publishing.blob.core.windows.net">f6publishing.blob.core.windows.net</a>	<1%





ALL

IMAGES

VIDEOS

12,200 Results

Any time ▼

## [A Lethal Complication of Endoscopic Therapy: Duodenal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4677192>

3. Discussion. Duodenal intramural hematoma is an unusual condition in adults []. Blunt abdominal trauma is involved in the etiology of most of the cases (more than 80%) []. Nontraumatic DIHs usually result from anticoagulant treatment, blood dyscrasia, pancreatic diseases, intestinal arterial aneurysm rupture, and **endoscopic** procedures on the duodenal mucosa [].

**Cited by:** 2

**Author:** Turan Calhan, Abdurrahman Sahin, Resu...

**Publish Year:** 2015

## [Endoscopic ultrasound-guided transmural drainage for ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5921389>

Apr 27, 2018 · **Endoscopic ultrasound-guided** transmural drainage for subphrenic abscess: **report** of two cases and a literature review ... followed by **septic shock** with a potentially fatal outcome [1, 2].

Therefore, prompt and adequate treatment is needed. The ... Zoller WG. Mediastinitis **after EUS-FNA** in a patient with sarcoidosis - **case report** with ...

**Cited by:** 3

**Author:** Shinichi Morita, Kenya Kamimura, Takes...

**Publish Year:** 2018



Septic shock due to Granulicatella adiacens after endoscopic ultras



ALL

IMAGES

VIDEOS

12,200 Results

Any time ▼

## A Lethal Complication of Endoscopic Therapy: Duodenal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4677192>

3. Discussion. Duodenal intramural hematoma is an unusual condition in adults [].Blunt abdominal trauma is involved in the etiology of most of the cases (more than 80%) [].Nontraumatic DIHs usually result from anticoagulant treatment, blood dyscrasia, pancreatic diseases, intestinal arterial aneurysm rupture, and **endoscopic** procedures on the duodenal mucosa [].

Cited by: 2

Author: Turan Calhan, Abdurrahman Sahin, Resul K...

Publish Year: 2015

## Reoperation following Pancreaticoduodenectomy

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3447361>

**Endoscopic ultrasound** was selectively used in those patients with a negative **biopsy** and no evidence of a **mass** lesion on CT scan. A preoperative **endoscopic** biliary drainage procedure with stenting was carried out in those patients with cholangitis, high preoperative bilirubin (>15 mg/dL), or poor nutritional status and surgery was then performed ...

Cited by: 14

Author: J. R. Reddy, R. Saxena, R. K. Singh, B. Potta...

Publish Year: 2012

## Images of Septic Shock Due to Granulicatella Adiacens After Endo...

<bing.com/images>





ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

WORK

12,200 Results

Any time ▾

Open links in new tab



## [Severe acute pancreatitis after EUS-FNA ... - BMJ Case Reports](#)

<https://casereports.bmj.com/content/2015/bcr-2015-209442>

May 11, 2015 · We **report a case** of a previously healthy 59-year-old woman who suffered severe acute pancreatitis **after EUS-FNA** of a pancreatic cyst, requiring admission to the intensive care unit (ICU). Development of infected pancreatic necrosis and, successively, bowel ...

**Cited by:** 4

**Author:** Els F Jonkman, Bas A C van Tuyl, Floris B ...

**Publish Year:** 2015

## [Endoscopic ultrasound-guided transmural drainage for ...](#)

[https://bmcgastroenterol.biomedcentral.com/...](https://bmcgastroenterol.biomedcentral.com/)

Apr 27, 2018 · An intra-abdominal abscess can sometimes become serious and difficult to treat. The current standard treatment strategy for intra-abdominal abscess is percutaneous imaging-guided drainage. However, in cases of subphrenic abscess, it is important to avoid passing the drainage route through the thoracic cavity, as this can lead to respiratory complications.

**Cited by:** 3

**Author:** Shinichi Morita, Kenya Kamimura, Takeshi ...

**Publish Year:** 2018

## [Urology Case Reports | Vol 31, July 2020 | ScienceDirect ...](#)

<https://www.sciencedirect.com/journal/urology-case-reports/vol/31/suppl/C>

A rare **case** of double kidney stones and Emphysematous Pyelonephritis presenting with **septic shock**. Wubin Tan, Tieqiu Li, Ke Yang, Zheng Mao, Jiahui Li ... select article **Endoscopic** ultrasound-guided trans-duodenal **biopsy** of a renal **mass**: **Case report** and literature review ... **Case report** Open access **Endoscopic** ultrasound-guided trans-duodenal ...

## [American Journal of Case Reports - ResearchGate](#)

<https://www.researchgate.net/journal/American-Journal-of-Case-Reports-1941-5923>

**Case report:** A 44-year-old female was referred to our hospital **due** to renal dysfunction in March 2012. **After** admission, her symptoms improved spontaneously without medication within 2 weeks.

## [T cell/histiocyte rich B-cell lymphoma: A difficult ...](#)

<https://www.sciencedirect.com/science/article/pii/S2666621920300417>

Dec 15, 2020 · The patient was prepped for surgery **due** to profound **septic shock** in the setting of a gastro-**splenic** abscess. He was taken to the operating room for an exploratory laparotomy, splenectomy,