

3
Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 61201

Manuscript Type: CASE REPORT

Metachronous pulmonary and pancreatic metastases arising from sigmoid colon cancer: A case report

Pulmonary and pancreatic metastases of CRC

Abstract

BACKGROUND

Metachronous pulmonary and pancreatic metastases from colorectal cancer are rare. Diagnosis of pancreatic metastases is difficult and predominantly relies on computed tomography, pathology and immunohistochemistry. Here, we describe the use of next-generation sequencing (NGS) for determination of the origin of metastasis and prognostic prediction of colorectal cancer.

Match Overview

1	Internet 35 words crawled on 31-Oct-2019 www.wjgnet.com	2%
2	Internet 21 words crawled on 10-Nov-2020 pancreas.imedpub.com	1%
3	Internet 14 words crawled on 27-Oct-2020 f6publishing.blob.core.windows.net	1%

Metachronous pulmonary and pancreatic metastases arising from si



ALL

IMAGES

VIDEOS

59,000 Results

Any time ▾

Open links in new tab



[A Case of Long-Term Survival of Resected Pancreatic ...

<https://www.ncbi.nlm.nih.gov/pubmed/28133354>

The tumor stained negatively for cytokeratin 7 and positively for cytokeratin 20, resulting in a diagnosis of pancreatic metastatic cancer from sigmoid colon cancer. The patient is alive 3 years and 4 months after distal pancreatectomy. This suggests that curative resection is effective for metastasis of colorectal cancer to the pancreas, similarly to metastases to the liver and lung. ...

Author: Shinji Tokuyama, Shinichi Yoshioka, ... Publish Year: 2016

Synchronous Distal Pancreatic Metastatic Lesion Arising ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4317154>

Solitary metastatic pancreatic lesions comprise 0.5% to 3% of all pancreas neoplasms. 1 These tumors arise most commonly from primary tumors of the kidney, lung, or colon. 2 Other primary tumors associated with metastatic pancreatic lesions include breast cancer, skin melanomas, soft tissue sarcomas, and gastrointestinal tumors. Following detection of the primary tumor, most cases of ...

Cited by: 2 Author: Lowell Su, Jessica Wernberg

Publish Year: 2014

Pancreatic Adenocarcinoma With Synchronous Colonic ...

<https://journals.lww.com/acgcr/Fulltext/2020/01000/...>

Pancreatic cancer with colonic metastasis is a rare entity, with only 6 cases being reported to date in the literature of which 3 were metachronous lesions. 4–9 We present a man who was diagnosed to have adenocarcinoma on colonic biopsies, which was later proved to be a metastatic ...

Colon Cancer Metastatic to the Pancreas Presenting as of ...

<https://journals.lww.com/acgcr/Fulltext/2020/10000/...>

The prognosis in patients with pancreatic metastases is correlated directly with the type of primary malignancy. Metastatic renal cell carcinoma, breast cancer, and colon cancer have higher survival rates than metastatic sarcoma and lung cancer. 5. Colon cancer is the third leading cause of cancer ...

Pancreatic metastases to the colon: an ... - BMJ Case Reports

<https://casereports.bmj.com/content/12/11/e228578> ▾

Nov 01, 2019 The incidence of carcinomas metastasising to the pancreas is low with autopsy series suggesting that metastatic disease represents 2% of malignant pancreatic tumours. 1 Common primary

Metachronous pulmonary and pancreatic metastases arising from :



ALL

IMAGES

VIDEOS

59,300 Results

Any time ▼

[A Case of Long-Term Survival of Resected Pancreatic ...

<https://www.ncbi.nlm.nih.gov/pubmed/28133354>

We report a case of long-term survival after resection of **metachronous metastasis** to the **pancreas** from primary **sigmoid colon cancer**. A 50-year-old female patient underwent a **sigmoid colon** resection and bilateral salpingo-oophorectomy for **sigmoid colon cancer** and metastatic ovarian cancer in 2007. She underwent partial lung resection for **metastatic lung cancer** twice.

Author: Shinji Tokuyama, Shinichi Yoshioka, Mu... **Publish Year:** 2016

Long-term survival of a patient with metachronous rectal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4014137>

reported single **cases** of rectal **metastasis** from cancer of the **sigmoid colon**, and this is the first **report**, as per our knowledge, of rectal **metastasis** from cecal cancer. In our patient, **metachronous** rectal **metastasis** originated from cecal **cancer** resected 2 years back. We suspect a hematogenous metastatic pathway for the following reasons.

Cited by: 2 **Author:** Jiro Shimazaki, Takeshi Nakachi, Takanobu...

Publish Year: 2014

Metachronous colonic metastasis from pancreatic cancer ...

<https://www.researchgate.net/publication/236090977...>

Colonic **metastasis** from other organs is very rare. Here we **report** the **case** of a 62-year-old man with a history of pancreatoduodenectomy for stage IIB **pancreatic** head **cancer** performed seven years back.

Colorectal Cancer With Multiple Metachronous Metastasis ...

<https://meridian.allenpress.com/international...> ▼

Here, we **report a case** of a 63-year-old man with **sigmoid colon cancer** in whom complete remission was

ALL

IMAGES

VIDEOS

59,900 Results

Any time ▾

Open links in new tab



[\[A Case of Long-Term Survival of Resected Pancreatic ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/28133354>

We report a case of long-term survival after resection of **metachronous metastasis** to the **pancreas** from primary **sigmoid colon cancer**. A 50-year-old female patient underwent a **sigmoid colon** resection and bilateral salpingo-oophorectomy for **sigmoid colon cancer** and metastatic ovarian cancer in 2007. She underwent partial lung resection for **metastatic lung cancer** twice.

Author: Shinji Tokuyama, Shinichi Yoshioka, Mu... **Publish Year:** 2016

[Pancreatic metastasis from squamous cell lung cancer ...](#)

<https://europepmc.org/article/PMC/PMC7924000> ▾

Background. **Metastatic** lesions to the pancreas are uncommon and are estimated to account for up to 3% to 5% of all **pancreatic** lesions. 1,2 When **metastasis** does occur, the most common primary tumor is renal cell carcinoma, followed by **lung cancer**, **colorectal cancer**, and sarcoma. 3 The most frequent sites of **lung cancer metastases** are the liver, bones, brain, and adrenal gland, whereas the ...

[Long-term survival of a patient with metachronous rectal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4014137>

reported single **cases** of rectal **metastasis** from cancer of the **sigmoid colon**, and this is the first **report**, as per our knowledge, of rectal **metastasis** from cecal cancer. In our patient, **metachronous** rectal **metastasis** originated from cecal **cancer** resected 2 years back. We suspect a hematogenous metastatic pathway for the following reasons.

Cited by: 2 **Author:** Jiro Shimazaki, Takeshi Nakachi, Takanobu...

Publish Year: 2014

[Pancreatic Adenocarcinoma With Synchronous Colonic ...](#)

<https://journals.lww.com/acgcr/Fulltext/2020/01000/...>

Pancreatic cancer with colonic **metastasis** is a rare entity, with only 6 cases being reported to date in the literature of which 3 were **metachronous** lesions. 4–9 We present a man who was diagnosed to have adenocarcinoma on colonic biopsies, which was later proved to be a **metastatic** lesion originating from the pancreas. **CASE REPORT**

[Metachronous colonic metastasis from pancreatic cancer ...](#)

<https://www.researchgate.net/publication/236090977...>

Colonic **metastasis** from other organs is very rare. Here we **report** the **case** of a 62-year-old man with a history of pancreatoduodenectomy for stage IIB **pancreatic** head **cancer** performed seven years back.

[Colorectal Cancer With Multiple Metachronous Metastasis ...](#)

Search Tools

Turn off Hover Translation (关闭取词)