

Match Overview

- 1** **Crossref** 18 words
"Small Intestine/Unclassified", The American Journal of Gastroenterology, 2015. <1%
- 2** **Internet** 15 words
crawled on 29-Oct-2020
link.springer.com <1%
- 3** **Internet** 12 words
crawled on 02-Nov-2020
insights.ovid.com <1%

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 61335

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Non-responsive celiac disease in children on a gluten free diet

Veeraraghavan G *et al.* Non-Responsive Celiac Disease in Children

Abstract

BACKGROUND

Non-responsive celiac disease (NRCD) is defined as the persistence of symptoms in individuals with celiac disease (CeD) despite being on a gluten-free diet (GFD). There is scant literature about NRCD in the pediatric population.

AIM

To determine the incidence, clinical characteristics and underlying causes of NRCD in

Non-Responsive Celiac Disease in Children on a Gluten Free Diet



ALL

IMAGES

VIDEOS

3,250,000 Results

Any time ▼

Non-responsive celiac disease is the medical term used to describe those with celiac disease who have continued symptoms after the **first 6 to 12 months** on the gluten-free diet or who have a relapse of symptoms after being well for a long stretch of time.

When Diagnosis Doesn't Help: Non-Responsive Celiac Disease ...

 www.glutenfreeliving.com/gluten-free/celiac-disease/when-diagnosis-doesnt-he...

Was this helpful?



PEOPLE ALSO ASK

What is non-responsive celiac disease?



Can gluten free diet help with celiac disease?



Can kids with celiac disease stay healthy?



How is celiac disease diagnosed?



Feedback

A Guide to the Gluten-Free Diet for Kids | BeyondCeliac.org

<https://www.beyondceliac.org/.../overview/a-guide-to-the-gluten-free-diet-for-kids> ▼

A **gluten-free diet** excludes all products containing these ingredients. Those who are **gluten-free** can still enjoy a healthy diet filled with fruits, vegetables, meats, poultry, fish, beans, legumes and most dairy products. Such ingredients are naturally **gluten-free**, and safe for individuals who do not have allergies to

ALL IMAGES VIDEOS

2,950,000 Results Any time ▾ Open links in new tab ☒

Non-responsive celiac disease is the medical term used to describe those with celiac disease who have continued symptoms after the **first 6 to 12 months** on the gluten-free diet or who have a relapse of symptoms after being well for a long stretch of time.



[When Diagnosis Doesn't Help: Non-Responsive Celiac Disease ...](#)

www.glutenfreeliving.com/gluten-free/celiac-disease/when-diagnosis-doesnt-he...

Was this helpful? 👍 👎

PEOPLE ALSO ASK

What is non-responsive celiac disease? ▾

Can gluten free diet help with celiac disease? ▾

Can kids with celiac disease stay healthy? ▾

How is celiac disease diagnosed? ▾

Feedback

[Coeliac disease not responding to a gluten-free diet in ...](#)

<https://pubmed.ncbi.nlm.nih.gov/26384116>

In severe cases of **childhood coeliac disease** not responding to a **gluten free diet**, autoimmune enteropathy and refractory **coeliac disease** must be taken into account.

Cited by: 1 Author: Janczyk W, de Roo Jh, Schweizer J, So...

Publish Year: 2015

[Non-Responsive and Refractory Celiac Disease ...](#)

<https://www.beyondceliac.org/celiac-disease/...>

Non-responsive celiac disease is defined as continuing to have persistent symptoms, elevated antibodies or small intestinal damage even after following a strict **gluten-free diet** for six to 12...

Estimated Reading Time: 3 mins

[A Guide to the Gluten-Free Diet for Kids | BeyondCeliac.org](#)

<https://www.beyondceliac.org/.../overview/a-guide-to-the-gluten-free-diet-for-kids>

Celiac Disease

Medical Condition

A chronic immune mediated disorder triggered by gluten ingestion.

📊 Common (More than 200,000 cases per year in US)

🩺 Often requires lab test or imaging

💊 Treatments can help manage condition, no known cure

🕒 Can be lifelong

Caused due to the immune reaction against gluten Symptoms include vomiting, appetite loss, bloating and constipation The best approach is to follow gluten free diet.

Symptoms

The signs and symptoms may vary between children and adults. Mild cases do not show any symptoms.

Some of the common typical signs and symptoms of celiac disease include -

- Vomiting
- Poor appetite
- Bloating
- Flatulence
- Abdominal pain
- Diarrhea
- Constipation
- Weight loss
- Irritability
- Short stature
- Changes in mood such as anxiety
- Tingling numbness in the hands and feet
- Seizures
- Irregular periods, infertility or recurrent miscarriage
- Canker sores inside the mouth
- Thinning hair and dull skin

Most of the adults have symptoms unrelated to the digestive system such as -

- Anemia
- Osteoporosis (or) osteomalacia
- Blisters and skin rashes that itch
- Damage to the dental enamel