



61592_Auto_Edited.docx

Quotes Excluded
Bibliography Excluded

3%
SIMILAR

Name of Journal: *World Journal of Gastroenterology*
Manuscript NO: 61592
Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study
Perioperative blood transfusion decreases long-term survival in pediatric living donor liver transplantation

Perioperative transfusion decreases long-term survival in PLDLT

Karina Gordon, Estela Regina Ramos Figueira, Joel Avancini Rocha Filho, Luiz Antonio Mondadori, Eduardo Henrique Giroud Joaquim, Joao Seda - Neto, Eduardo Antunes da Fonseca, Renata P. Sustovitch Pugliese, Agustin Moscoso Vintimilla, Iose Otavio Costa

Match Overview

1	Internet 27 words crawled on 23-Sep-2020 www.researchsquare.com	<1%
2	Crossref 26 words Shintaro Kuroda, Hirotaka Tashiro, Tsuyoshi Kobayashi, Akihiko Oshita, Hironobu Amano, Hideki Ohdan. "No Imp	<1%
3	Internet 25 words crawled on 30-Oct-2010 www.em-consulte.com	<1%
4	Internet 22 words crawled on 23-Jan-2021 repository.unej.ac.id	<1%
5	Internet 19 words crawled on 04-Apr-2017 repub.eur.nl	<1%
6	Internet 17 words hdl.handle.net	<1%
	Crossref 15 words	

激活 Windows
转到“设置”以激活 Windows。



Perioperative blood transfusion decreases long-term survival in p



ALL

IMAGES

VIDEOS

42,500 Results

Any time ▾

Intraoperative Massive Transfusion Decreases Survival ...

<https://www.researchgate.net/publication/5397815...>

Background: Although many previous studies have confirmed that **perioperative blood transfusion** is associated **with** poor outcomes after **liver transplantation (LT)**, few studies described the ...

Intraoperative blood loss in orthotopic liver ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4478560>

Jun 27, 2015 · Excessive blood loss and **transfusion** during orthotopic **liver transplant** are correlated with diminished graft **survival** and **increased** septic episodes and prolonged ICU stay. With improvements in surgical skills, anesthetic technique, graft preservation, use of intraoperative cell savers and overall **perioperative** management, orthotopic **liver transplant** is now associated with **decreased** ...

Cited by: 20

Author: Chandra Kant Pandey, Anshuman Singh,...

Publish Year: 2015

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

PEOPLE ALSO ASK

Can liver transplant cause blood loss?





ALL

IMAGES

VIDEOS

Add the Give with Bing extension >

44,300 Results

Any time ▾

Long-term outcome of pediatric liver transplantation for ...

<https://aasldpubs.onlinelibrary.wiley.com/doi/full/10.1002/lt.20358>

Jan 21, 2005 · In the univariate analysis, significantly lower rates of **survival** after OLT were associated with the following factors: indication for OLT, especially acute liver necrosis ($P = .007$); recipient's age under 1 year ($P = .002$); donor's age over 25 years ($P = .02$) or 40 years ($P = .006$); urgency of OLT ($P = .0005$); **perioperative** surgical complications, including gut perforation, hemorrhage (intraabdominal ...

Cited by: 188

Author: Virginie Fouquet, Arnaud Alves, Sophie B...

Publish Year: 2005

Outcomes of Pediatric Liver Transplantation: Deceased ...

<https://www.sciencedirect.com/science/article/pii/S0041134518306055>

Dec 01, 2018 · Xia et al. showed that the rates of 1-year cumulative survival after **pediatric living donor liver transplantation** with a weight greater and less than 7.55 kg were 91.2% and 68.0%, respectively. Recipients with a low body weight and thrombophilia may benefit from arterial reconstruction with a conduit to **decrease the** risk of vascular thrombosis [15] .

Cited by: 1

Author: Rui Zhang, Zhi-Jun Zhu, Li-Ying Sun, Lin ...

Publish Year: 2018

Search Tools

Turn off Hover Translation (关闭取词)

激活 Windows

转到“设置”以激活 Windows。

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

44,800 Results

Any time ▾

Intraoperative Massive Transfusion Decreases Survival ...

<https://www.researchgate.net/publication/5397815...>

Background: Although many previous studies have confirmed that **perioperative blood transfusion** is associated with poor outcomes after **liver transplantation (LT)**, few studies described the ...

Assessing Influences of Perioperative Transfusion on Early ...

<https://www.thefreelibrary.com/Assessing...> ▾

Oct 01, 2018 · 1. Zheng W, Zhao KM, Luo LH, Yu Y, Zhu SM. **Perioperative** single-donor platelet apheresis and red **blood cell transfusion** impact on 90-day and overall **survival** in **living donor liver transplantation**. Chin Med J 2018;131:426-34. doi: 10.4103/0366-6999.225049. 2. Jadowiec CC, Taner T. **Liver transplantation**: Current status and challenges.

Outcomes of Pediatric Liver Transplantation: Deceased ...

<https://www.sciencedirect.com/science/article/pii/S0041134518306055>

Dec 01, 2018 · Xia et al. showed that the rates of 1-year cumulative survival after **pediatric living donor liver transplantation** with a weight greater and less than 7.55 kg were 91.2% and 68.0%, respectively. Recipients with a low body weight and thrombophilia may benefit from arterial reconstruction with a conduit to **decrease the** risk of vascular thrombosis [15] .

Cited by: 1

Author: Rui Zhang, Zhi-Jun Zhu, Li-Ying Sun, Lin We...

Publish Year: 2018

Pediatric Living Donor Liver Transplantation | Request PDF

<https://www.researchgate.net/publication/301268562...>

Pediatric living-donor liver transplantation (LDLT) has progressed remarkably, owing to developments in surgical techniques, immunosuppression, and **perioperative** management.

Perioperative Single-Donor Platelet Apheresis and Red ...

<https://www.thefreelibrary.com/Perioperative...> ▾

Apr 01, 2018 · In conclusion, this study found that **perioperative** apheresis **platelet transfusion** was associated with lower 90-day **survival** and high **preoperative platelet** count was a protective factor for **LDLT** recipients. However, platelets had no effect on overall survival.

Thromboelastography-Guided Transfusion Decreases