

Impact of preprocedure simethicone on adenoma detection ...

<https://pubmed.ncbi.nlm.nih.gov/28985630>

Patients in the PEG plus simethicone group showed better bowel cleansing efficacy: BBPS ≥ 6 in 88.3 % vs. 75.2 % ($P < 0.001$) and bubble scores of 1.00 ± 1.26 vs. 3.98 ± 2.50 ($P < 0.001$). **Abdominal bloating** was reported less frequently in the PEG plus simethicone group (7.8 % vs. 19.7 %, $P < 0.001$) than in the PEG alone group.

Cited by: 19 Author: Yu Bai, Jun Fang, Jun Fang, Sheng-Bing Zh...

Publish Year: 2017

Effect of Simethicone on Bowel Preparation for Colonoscopy ...

<https://clinicaltrials.gov/ct2/show/NCT02548403> ▾

Sep 14, 2015 · The effectiveness of adding simethicone as an antifoaming agent to **improve bowel cleansing** for colonoscopy was evaluated in terms of bowel preparation scale and bubble score, and the compliance of both patients and endoscopists was also investigated using a questionnaire. Condition or disease. Intervention/treatment.

PEOPLE ALSO ASK

- Is Simethicone good for colonoscopy? ▾
- Is Simethicone used for endoscopy? ▾
- What are the recommendations for simethicone? ▾
- Can simethicone be cleared? ▾

Feedback

Aluminum citrate plus simethicone reduces cecal intubation

Impact of simethicone on bowel cleansing during colonoscopy in th



ALL IMAGES VIDEOS

131,000 Results Any time ▾

Impact of preprocedure simethicone on adenoma detection ...

<https://pubmed.ncbi.nlm.nih.gov/28985630>

Patients in the PEG plus simethicone group showed better **bowel cleansing efficacy**: BBPS ≥ 6 in 88.3 % vs. 75.2 % ($P < 0.001$) and bubble scores of 1.00 ± 1.26 vs. 3.98 ± 2.50 ($P < 0.001$). **Abdominal bloating** was reported less frequently in the PEG plus simethicone group (7.8 % vs. 19.7 %, $P < 0.001$) than in the PEG alone group.

Cited by: 19 Author: Yu Bai, Jun Fang, Jun Fang, Sheng-Bing Zh...
Publish Year: 2017

Effect of Simethicone on Bowel Preparation for Colonoscopy ...

<https://clinicaltrials.gov/ct2/show/NCT02548403> ▾

Sep 14, 2015 · The effectiveness of **adding simethicone** as an antifoaming agent to **improve bowel cleansing for colonoscopy** was evaluated in terms of **bowel preparation scale and bubble score**, and the compliance of both **patients and endoscopists** was also investigated using a questionnaire. Condition or disease. Intervention/treatment.

PEOPLE ALSO ASK

- Is Simethicone good for colonoscopy? ▾
- What are the recommendations for simethicone? ▾
- Is Simethicone used for endoscopy? ▾
- Can simethicone be cleared? ▾

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 61752

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Impact of simethicone on bowel cleansing during colonoscopy in the Chinese patients

Impact of simethicone on bowel cleansing

Abstract

BACKGROUND

Four-liter polyethylene glycol (PEG) solutions are effective for bowel cleansing, but their large volume might hinder patient compliance. Due to the unique features of Asians, 4 L PEG might be a suboptimal bowel preparation in predominantly ethnically Asian countries. In view of this, a balance should be achieved between the volume and effectiveness. The ideal bowel cleansing regimen for a colonoscopy has not to be

Match Overview

Rank	Source	Words	Percentage
1	Internet	115 words crawled on 25-Jul-2020 www.researchsquare.com	3%
2	Internet	69 words crawled on 13-Oct-2020 journals.lww.com	2%
3	Crossref, Crossref Posted Content	19 words Hu Zhang, Jing Liu, Lin Song Ma, Heng Zhang, "Effect of ... ntifoaming Agent on Colorectal Benign Tumours in Colonos	1%
4	Internet	18 words crawled on 27-Nov-2019 www.dovepress.com	1%
5	Crossref	13 words "Poster - Poster", <i>Journal of Gastroenterology and Hepatology</i> , 2014.	<1%
6	Crossref	13 words Dina Kuo, Eoin Lallier, Gopal Sandha, Richard N Fedorak e l al. "A Randomized Controlled Trial of Four Precolonosc...	<1%
7	Crossref	13 words Xiaoyu Kang, Lina Zhao, Zhiyong Zhu, Felix Leung et al. "Same-Day Single Dose of 2 Liter Polyethylene Glycol is N	<1%
8	Crossref	12 words "UEG Week 2013 Poster Presentations", <i>United European Gastroenterology Journal</i> , 2013.	<1%

Impact of simethicone on bowel cleansing during colonoscopy in th



ALL IMAGES VIDEOS

138,000 Results Any time ▾

Effect of Simethicone on Bowel Preparation for Colonoscopy ...

<https://clinicaltrials.gov/ct2/show/NCT02548403> ▾

Sep 14, 2015 · The effectiveness of adding simethicone as an antifoaming agent to improve bowel cleansing for colonoscopy was evaluated in terms of bowel preparation scale and bubble score, and the compliance of both patients and endoscopists was also investigated using a questionnaire. Condition or disease. Intervention/treatment.

Impact of preprocedure simethicone on adenoma detection ...

<https://pubmed.ncbi.nlm.nih.gov/28985630>

Patients in the PEG plus simethicone group showed better bowel cleansing efficacy: BBPS ≥ 6 in 88.3 % vs. 75.2 % ($P < 0.001$) and bubble scores of 1.00 ± 1.26 vs. 3.98 ± 2.50 ($P < 0.001$). Abdominal bloating was reported less frequently in the PEG plus simethicone group (7.8 % vs. 19.7 %, $P < 0.001$) than in the PEG alone group.

Cited by: 19 Author: Yu Bai, Jun Fang, Jun Fang, Sheng-Bing ...
Publish Year: 2017

PEOPLE ALSO ASK

Is Simethicone good for colonoscopy? ▾

What are the recommendations for simethicone? ▾

Is Simethicone used for endoscopy? ▾

Can simethicone be cleared? ▾

Feedback

Simethicone use during gastrointestinal endoscopy ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/jgh.14757>

Jun 26, 2019 · Published studies have shown simethicone use during gastroscopy improves mucosal visibility 8-12 and may reduce procedure time. 9, 12 A recently published meta-analysis of seven randomized controlled trials involving 1099 patients undergoing gastroscopy for diagnostic indications demonstrated that pre-procedure simethicone \pm N-acetylcysteine improves mucosal visualization and ...

Cited by: 2 Author: Benedict M Devereaux. Andrew C F Tavlo...