

Match Overview

1

Internet 51 words
crawled on 08-Aug-2020
www.wjgnet.com

2%

2

Internet 14 words
hdl.handle.net

1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 61776

Manuscript Type: CASE REPORT

Pancreatic cancer secondary to intraductal papillary mucinous neoplasm with collision between gastric cancer and B-cell lymphoma: Case report

Running title: Multiple gastrointestinal tumors in follow-up of IPMN

Yuhong Ma, Tatsuya Yamaguchi, Tomoki Yasumura, Toru Kuno, Shoji Kobayashi, Takashi Yoshida, Takeshi Ishida, Yasuaki Ishida, Shinya Takaoka, JL Fan, Nobuyuki Enomoto

Pancreatic cancer secondary to intraductal papillary mucinous neo



Sign in



ALL

IMAGES

VIDEOS

56,200 Results

Any time ▼

Pancreatic intraductal papillary mucinous neoplasm with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2823681>

Jan 14, 2010 · A 60-year-old Caucasian male underwent a total pancreatectomy for a mixed type **pancreatic intraductal papillary mucinous neoplasm** (IPMN) arising in the main and **secondary pancreatic** ducts. During surgery, a subserosal polypoid mass was noted at the greater curvature of the **gastric** antrum and was enucleated.

Cited by: 12**Author:** Dimitrios Tsapralis, Alexandros Charalabop...**Publish Year:** 2010

Cystic Neoplasms of the Pancreas - BCM

<https://www.bcm.edu/.../pancreatic-cancer/cystic-neoplasms-of-the-pancreas> ▼

Intraductal papillary mucinous neoplasms (IPMNs) usually occur within the head of the **pancreas** and arise within the **pancreatic** ducts. The **ductal** epithelium forms a **papillary** projection into the duct and mucin production causes intraluminal cystic dilation of the **pancreatic** ducts.

PEOPLE ALSO ASK

What is intraductal papillary mucinous neoplasm? ▼

Intraductal papillary mucinous neoplasm

Intraductal papillary mucinous neoplasm is a type of tumor that can occur within the cells of the pancreatic duct. IPMN tumors produce mucus, and this mucus can form pancreatic cysts. Although intraductal papillary mucinous neoplasms are benign tumors, they can progress to pancreatic cancer. As such IPMN is viewed as a precancerous condition. Once an intraductal papillary mucinous neoplasm has been found, the management options include close monitoring and pre-emptive surgery.



Wikipedia

People also search for

[Pancreatic mucinous cystic neoplasm](#)[Pancreatic serous cystadenoma](#)

Pancreatic cancer secondary to intraductal papillary



Sign in



ALL

IMAGES

VIDEOS

55,700 Results

Any time ▾

Open links in new tab



Intraductal Papillary Mucinous Tumors of the Pancreas ...

<https://theoncologist.onlinelibrary.wiley.com/doi/...>

Pancreatic intraductal papillary mucinous neoplasms (IPMNs) rank among the most common cystic **tumors** of the **pancreas**. For a long time they were misdiagnosed as **mucinous** cystadenocarcinoma, **ductal** adenocarcinoma in situ, or chronic pancreatitis.

Cited by: 116

Author: Robert Grützmann, Marco Niedergethm...

Publish Year: 2010

Intestinal phenotype is maintained by Atoh1 in the cancer ...

<https://onlinelibrary.wiley.com/doi/10.1111/cas.14755>

Intraductal papillary mucinous neoplasm (IPMN) is a precancerous lesion of **pancreatic cancer**. Although there are 4 types of IPMN, among which intestinal-type IPMN is likely to progress into invasive **cancer** known as colloid carcinoma, no information regarding the involvement of the intestinal phenotype in the carcinogenesis of IPMN exists.

PEOPLE ALSO ASK

What is intraductal papillary mucinous neoplasm?



Intraductal papillary mucinous neoplasm

Intraductal papillary mucinous neoplasm is a type of tumor that can occur within the cells of the pancreatic duct. IPMN tumors produce mucus, and this mucus can form pancreatic cysts. Although intraductal papillary mucinous neoplasms are benign tumors, they can progress to pancreatic cancer. As such IPMN is viewed as a precancerous condition. Once an intraductal papillary mucinous neoplasm has been found, the management options include close monitoring and pre-emptive surgery.



Wikipedia

People also search for

[Pancreatic mucinous cystic neoplasm](#)

[Pancreatic serous cystadenoma](#)

[Pancreatic Cancer](#)

激活 Windows
转到“设置”以激活 Windows。

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

|

WORK

35,700 Results

Any time ▾

Open links in new tab



Cystic Neoplasms of the Pancreas

<https://www.bcm.edu/.../pancreatic-cancer/cystic-neoplasms-of-the-pancreas> ▾

Intraductal papillary mucinous neoplasms (IPMNs) usually occur within the head of the pancreas and arise within the **pancreatic** ducts. The ductal epithelium forms a **papillary** projection into the duct and mucin production causes intraluminal cystic dilation of the **pancreatic** ducts.

A Resected Case of Intraductal Tubulopapillary Neoplasm of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4337443>

Intraductal tubulopapillary neoplasms (ITPN) were first reported in 2009 by Yamaguchi et al 1 and were adopted by the WHO classification revised in 2010, as a subclass of **intraductal** neoplasms of the pancreas, along with **intraductal papillary mucinous neoplasm** (IPMN). **Intraductal** tubulopapillary neoplasms are rare, accounting for less than 1% of all **pancreatic** exocrine neoplasms, and are ...

Cited by: 7

Author: Kazuhiko Kitaguchi, Yuichiro Kato, Motohir...

Publish Year: 2015

Pancreatic Cancer Types | Johns Hopkins Medicine

<https://www.hopkinsmedicine.org/health/conditions...> ▾

Cysts and other benign tumors can form in the pancreas, and some can be precursors to **pancreatic cancer**, including **intraductal papillary-mucinous** neoplasms (IPMNs). Often, IPMNs and other benign lesions are found when a patient is being scanned for an unrelated medical reason.

PEOPLE ALSO ASK

What is intraductal papillary mucinous neoplasm? ▾

What is exocrine pancreatic carcinoma? ▾

What is the prognosis of pancreatic cancer? ▾

Is pancreatic cancer nonendocrine? ▾

Feedback

[PDF] [Pancreatic intraductal papillary mucinous neoplasm in a ...](#)