

Match Overview

1	Internet 24 words crawled on 26-Feb-2020 jtd.amegroups.com	1%
2	Internet 12 words crawled on 27-Dec-2020 www.annalscts.com	1%
3	Internet 10 words crawled on 24-Jan-2021 www.vjgnet.com	<1%
4	Crossref 9 words "2008 Scientific Session of the Society of American Gastrointestinal and Endoscopic Surgeons (SAGES) Philadelphia, ...	<1%
5	Crossref 8 words "International Federation for the Surgery of Obesity and metabolic disorders, XIV World Congress", Obesity Surgery, 200	<1%
6	Crossref 8 words "14th World Congress of Endoscopic Surgery and 22nd International Congress of the European Association for Endosc...	<1%
7	Crossref 8 words Surgery of the Upper Gastrointestinal Tract, 1994.	<1%
8	Crossref 6 words "2014 Scientific Session of the Society of American Gastrointestinal and Endoscopic Surgeons (SAGES), Salt Lake City,	<1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 61850

Manuscript Type: CASE REPORT

Successful management of therapy-refractory pseudoachalasia after Ivor Lewis esophagectomy by bypassing colonic pull-up: A case report

Flemming S *et al.* Esophageal surgery by secondary colonic pull-up

Sven Flemming, Johan F Lock, Mohammed Hankir, Stanislaus Reimer, Bernhard Petritsch, Christoph-Thomas Germer, Florian Seyfried

Abstract

BACKGROUND

Gastric pull-up after esophagectomy is still a demanding surgical procedure and associated with considerable morbidity such as anastomotic leaks, fistulas or stenoses. These complications are usually managed by endoscopy, but in extreme cases

ALL

IMAGES

VIDEOS

Add the Give with Bing extension >

644 Results

Any time ▾

Anastomotic Leakage after Esophagectomy for Cancer: A ...

https://www.researchgate.net/publication/5544650_Anastomotic_Leakage_after...

After Ivor Lewis esophagectomy, leakage was from the actual anastomosis in two-thirds of patients or from the gastric conduit in the remaining one-third. Prompt reoperation is recommended for ...

Fluoroscopically Guided Balloon Dilation for Benign ...

<https://www.researchgate.net/publication/7398721...>

Fluoroscopically guided balloon dilation is a safe and successful treatment modality for benign anastomotic stricture after Ivor-Lewis esophagectomy. Discover the ...

Management of anastomotic leaks after esophagectomy and ...

<https://jtd.amegroups.com/article/view/35705/html> ▾

Various novel approaches are being explored for management of anastomotic leak after esophagectomy. A thick AlloDerm patch (Lifecell, Branchburg, New Jersey, USA) consisting of human acellular dermis capable of cellular regeneration has been shown to salvage dehiscd conduits after esophagectomy in a case report of 3 patients . In each of these ...

Cited by: 1

Author: Amber Famiglietti, John F Lazar, Hayley He...

Publish Year: 2020

Upper GI endoscopy (E-Videos) - eRef, Thieme

<https://eref.thieme.de/cockpits/clEVideoEndoscopy0002/0/coEVideo00014/0> ▾

Reflux after Ivor Lewis esophagectomy has a deleterious effect on anastomotic wound healing and is a risk for pulmonary aspiration []. We report endoscopic negative pressure therapy, using a novel double-lumen open-pore film drainage method, for prevention of postoperative reflux.

Pylorus drainage procedures in thoracoabdominal ...

<https://www.europepmc.org/articles/PMC5831596> ▾

Mar 01, 2018 · Background. Thoracoabdominal esophagectomy for esophageal cancer has been associated with high rates of morbidity and mortality in the past. Until the 1980s, postoperative in-hospital death rates were reported to range around 30% [1, 2].Due to significant improvements in surgery, anesthesiology, and intensive care management, a reduction in mortality to less than 10% has been ...

Cited by: 10

Author: Stefan Fritz, Katharina Feilhauer, André Sch...

Publish Year: 2018

Pylorus drainage procedures in thoracoabdominal ...

<https://bmcsurg.biomedcentral.com/articles/10.1186/s12893-018-0347-x> ▾

Mar 01, 2018 · Thoracoabdominal esophagectomy for esophageal cancer has been associated with high rates of morbidity and mortality in the past. Until the 1980s, postoperative in-hospital death rates were reported to range around 30% [1, 2].Due to significant improvements in surgery, anesthesiology, and intensive care management, a reduction in mortality to less than 10% has been achieved in the last ...

Sodbrennen-Welt.de Science 2007

<https://www.sodbrennen-welt.de/excerpt/2007/index.html>

Inkwelling increases benign stricture formation after Ivor Lewis esophagogastrectomy. Risk of upper gastrointestinal complications among users of traditional NSAIDs and COXIBs in the general population. Balloon-based, circumferential, endoscopic radiofrequency ablation of Barrett's esophagus: 1-year follow-up of 100 patients.

Options for Esophageal Replacement - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/B9780323402323000418>

Jan 01, 2019 · Milestones in Surgery for Esophageal Carcinoma. 1877—V. Czerny: first successful resection of the cervical esophagus for carcinoma 1. 1913—F. Torek: first successful transthoracic resection of the esophagus 2. 1913—W. Denk: cadaver and experimental animal studies on the transhiatal resection of the esophagus 3. 1933—T. Ohsawa: first report on transthoracic esophageal resection ...

(PDF) Lee J. Skandalakis Surgical Anatomy and Technique ...

<https://www.academia.edu/26061392> ▾

Academia.edu is a platform for academics to share research papers.

ALL

IMAGES

VIDEOS

647 Results

Any time ▾

Fluoroscopically Guided Balloon Dilation for Benign ...

<https://www.researchgate.net/publication/7398721...>

Fluoroscopically guided balloon dilation is a safe and **successful** treatment modality for benign anastomotic stricture **after Ivor-Lewis esophagectomy**. Discover the ...

Reflux after esophagectomy | Request PDF

https://www.researchgate.net/publication/8887617_Reflux_after_esophagectomy

After Ivor-Lewis esophagectomy, normal proximal esophagus is juxtaposed to gastric mucosa without an intervening sphincter mechanism thereby allowing acid and duodenal fluid to reflux onto naive ...

Upper GI endoscopy (E-Videos) - eRef, Thieme

<https://eref.thieme.de/cockpits/cIEVideoEndoscopy0002/0/coEVideo00014/0> ▾

Reflux **after Ivor Lewis esophagectomy** has a deleterious effect on anastomotic wound healing and is a risk for pulmonary aspiration []. We **report** endoscopic negative pressure therapy, using a novel double-...

Management of anastomotic leaks after esophagectomy and ...

<https://jtd.amegroups.com/article/view/35705/html> ▾

Various novel approaches are being explored for **management** of anastomotic leak **after esophagectomy**. A thick AlloDerm patch (Lifecell, Branchburg, New Jersey, USA) consisting of human acellular dermis...

Cited by: 1 **Author:** Amber Famiglietti, John F Lazar, Hayley He...

Publish Year: 2020

Pylorus drainage procedures in thoracoabdominal ...

<https://www.europepmc.org/articles/PMC5831596> ▾

Mar 01, 2018 · Background. Thoracoabdominal **esophagectomy** for esophageal cancer has been associated with high rates of morbidity and mortality in the past. Until the 1980s, postoperative in-...

Cited by: 10 **Author:** Stefan Fritz, Katharina Feilhauer, André Sch...

Publish Year: 2018

Pylorus drainage procedures in thoracoabdominal ...

<https://bmcsurg.biomedcentral.com/articles/10.1186/s12893-018-0347-x> ▾

Mar 01, 2018 · Thoracoabdominal **esophagectomy** for esophageal cancer has been associated with high rates of morbidity and mortality in the past. Until the 1980s, postoperative in-hospital death rates were...

Sodbrennen-Welt.de Science 2007

<https://www.sodbrennen-welt.de/excerpt/2007/index.html>

See results for

Esophagectomy

Esophagectomy or oesophagectomy is the surgical removal of all or parts of the esophagus.

Search Tools

Turn off Hover Translation (关闭取词)