

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 62026

Manuscript Type: MINIREVIEWS

Prevention of late complications with coverage agents in endoscopic resection of colorectal lesions: current landscape in gastrointestinal endoscopy

Lorenzo-Zúñiga V *et al.* Coverage agents

Vicente Lorenzo-Zúñiga, Marco Bustamante-Balén, Vicente Pons-Beltrán

Abstract

Endoscopic removal of large (≥ 20 mm) non-pedunculated colorectal lesions (LNPCLs) might result in major adverse events, such as delayed bleeding (DB) and delayed perforation (DP), despite closing the mucosal defects with clips.

Topical application of a coverage agent refers to create a shield with a

Match Overview

1	Crossref 98 words Yu Sik Myung, Bong Min Ko, Jae Pil Han, Su Jin Hong, Seong Ran Jeon, Jin Oh Kim, Jong Ho Moon, Moon Sung	4%
2	Crossref 74 words Gennaro Martines, Arcangelo Picciariello, Rigers Dibra, Giuseppe Trigiante et al. "Efficacy of cyanoacrylate in the pr	3%
3	Crossref 59 words Yorimasa Yamamoto, Daisuke Kikuchi, Yasuaki Nagami, Kouichi Nonaka et al. "Management of adverse events rel	3%
4	Crossref 55 words Akira Dobashi, Kazuki Sumiyama, Christopher J. Gosto... "Simplified prophylaxis of mucosal resection site defects".	3%
5	Crossref 48 words Heiko Pohl, Ian S. Grimm, Matthew T. Moyer, Muhammad K. Hasan et al. "Clip Closure Prevents Bleeding After Er ...	2%
6	Crossref 45 words Eduardo Albéniz, Marco Antonio Álvarez, Jorge C. Espinosa, Oscar Nogales et al. "Clip Closure After Resection of ...	2%
7	Crossref 40 words "UEG Week 2017 Poster Presentations", United European Gastroenterology Journal, 2017	2%
8	Internet 30 words crawled on 09-Mar-2017 www.thieme-connect.com	1%



ALL

IMAGES

VIDEOS

11,200 Results

Any time ▾

Clinicopathological features, diagnosis, and treatment of ...

<https://onlinelibrary.wiley.com/doi/10.1111/jgh.14752>

Endoscopic resection of relatively large serrated lesions remains challenging because of its technical difficulty and high complication rate. 70, 71 Endoscopic mucosal resection (EMR) is a useful therapeutic technique for flat polyps of the colorectum. Most SSA/Ps can ...

Cited by: 5

Author: Takashi Murakami, Naoto Sakamoto, Aki...

Publish Year: 2019

JGES guidelines for colorectal endoscopic submucosal ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/den.12456>

THE AIM OF follow up after colorectal ESD/EMR is early detection of local residual/recurrence, metastasis, and metachronous lesions. 133, 134 Some studies have reported that endoscopic treatment for colorectal tumors decreased the incidence of colorectal carcinoma and the risk of mortality. 135, 136 Surveillance after surgical resection for ...

Cited by: 412

Author: Shinji Tanaka, Hiroshi Kashida, Yutaka S...

Publish Year: 2015

PEOPLE ALSO ASK

Should endoscopy be performed in patients with cirrhosis? ▾

What is gastrointestinal endoscopy? ▾

What is endoscopic ultrasonography? ▾

What is an EGD/upper endoscopy? ▾

[Feedback](#)

Comprehensive management of full-thickness luminal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4501966>

Jul 10, 2015 · Core tip: Endoscopic methods are replacing surgical options as the first line therapy for a wide array of gastrointestinal tract defects. Here we will review the available endoscopic modalities, their appropriate applications and their respective success rates. The fusion of standard surgical principles with flexible, intra-luminal modalities is likely to be the key to the successful ...

11,700 Results

Any time ▾

Comprehensive management of full-thickness luminal defects: ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4501966>

Jul 10, 2015 · Core tip: **Endoscopic** methods are replacing surgical options as the first line therapy for a wide array of **gastrointestinal** tract defects. Here we will review the available **endoscopic** modalities, their appropriate applications and their respective success rates. The fusion of standard surgical principles with flexible, intra-luminal modalities is likely to be the key to the ...

Cited by: 18

Author: Joshua S Winder, Eric M Pauli

Publish Year: 2015

Clinical Gastrointestinal Endoscopy | ScienceDirect

<https://www.sciencedirect.com/book/9780323415095>

Endoscopic resection (ER) of DA and PA is quickly becoming the **treatment** of choice for noninvasive **lesions**, even when they are very extensive. Although no systematic comparative data exist, due to the lower risks of morbidity, mortality, and long-term digestive dysfunction, ER is considered preferable to surgery.

PEOPLE ALSO ASK

Should endoscopy be performed in patients with cirrhosis? ▾

What is gastrointestinal endoscopy? ▾

What is an EGD/upper endoscopy? ▾

Feedback

Tu1542 Factors Affecting the Technical Difficulty and Clinical ...

<https://www.researchgate.net/publication/262578853...>

Background: **Endoscopic** mucosal **resection** (EMR) in piecemeal technique is the **treatment** standard for larger flat or sessile **colorectal lesions**. The ...

Current opinions for endoscopic submucosal dissection for ...

<https://www.researchgate.net/publication/224869001...>

Endoscopic submucosal dissection (ESD) was first applied in the **resection** of large **colorectal** tumors 10 years ago. Frequent **complications** and technical difficulties were ...

1

2

3

4

5

>

[ALL](#)
[IMAGES](#)
[VIDEOS](#)
[MAPS](#)
[NEWS](#)
[SHOPPING](#)

10,800 Results

Any time ▾

[Clinicopathological features, diagnosis, and treatment of ...](#)

<https://onlinelibrary.wiley.com/doi/full/10.1111/jgh.14752>

Endoscopic resection of relatively large serrated **lesions** remains challenging because of its technical difficulty and high **complication** rate. 70, 71 **Endoscopic** mucosal **resection** (EMR) is a useful therapeutic technique for flat polyps of the colorectum. Most SSA/Ps can be successfully eradicated using EMR.

Cited by: 6

Author: Takashi Murakami, Naoto Sakamoto, Akihito...

Publish Year: 2019

[Clinical Gastrointestinal Endoscopy | ScienceDirect](#)

<https://www.sciencedirect.com/book/9780323415095>

Endoscopic resection (ER) of DA and PA is quickly becoming the **treatment** of choice for noninvasive **lesions**, even when they are very extensive. Although no systematic comparative data exist, due to the lower risks of morbidity, mortality, and long-term digestive dysfunction, ER ...

PEOPLE ALSO ASK

Should endoscopy be performed in patients with cirrhosis? ▾

What are the complications of Oncology? ▾

What is gastrointestinal endoscopy? ▾

What is an EGD/upper endoscopy? ▾

[Feedback](#)

[JGES guidelines for colorectal endoscopic submucosal ...](#)

<https://onlinelibrary.wiley.com/doi/full/10.1111/den.12456>

THE AIM OF follow up after **colorectal** ESD/EMR is early detection of local residual/recurrence, metastasis, and metachronous **lesions**. 133, 134 Some studies have reported that **endoscopic treatment** for **colorectal** tumors decreased the incidence **of colorectal** carcinoma and the risk of mortality. 135, 136 Surveillance after surgical **resection** for ...

Cited by: 423

Author: Shinji Tanaka, Hiroshi Kashida, Yutaka Saito...

Publish Year: 2015