

Match Overview

1	Internet 84 words crawled on 20-Feb-2021 www.hindawi.com	4%
2	Internet 21 words crawled on 28-Jul-2015 www.smw.ch	1%
3	Crossref 20 words David B Huang, Herbert L DuPont. "Problem pathogens: e... a-intestinal complications of Salmonella enterica serotype Ty	1%
4	Internet 18 words crawled on 04-Feb-2020 link.springer.com	1%
5	Internet 18 words crawled on 01-Apr-2014 antimicrobe.org	1%
6	Internet 9 words crawled on 03-Jul-2014 icjr.net	<1%
7	Crossref 6 words Sven Putnis, Thomas Neri, Samuel Grasso, James Linklater, Brett Fritsch, David Parker. "ACL hamstring grafts fixed usin	<1%

Name of Journal: *World Journal of Orthopedics*

Manuscript NO: 62179

Manuscript Type: CASE REPORT

***Salmonella* infection after anterior cruciate ligament reconstruction: A case report**

Neri T *et al.* *Salmonella* infection after ACLR

Thomas Neri, Margaux Dehon, Elisabeth Botelho-Nevers, Celine Cazorla, Sven Putnis,
Remi Philippot, Frederic Farizon, Bertrand Boyer

Abstract

BACKGROUND

Infections after anterior cruciate ligament reconstruction (ACLR) are rare. No cases of *salmonella* infection have been described to our knowledge.

CASE SUMMARY

Salmonella infection after anterior cruciate ligament reconstruction:



ALL

IMAGES

VIDEOS

60,000 Results

Any time ▾

[Mycobacterium Fortuitum Infection After Anterior Cruciate ...](#)

<https://pubmed.ncbi.nlm.nih.gov/19744856>

We report a case of pretibial sinus and abscess after anterior cruciate ligament reconstruction using a polylactic acid tricalcium phosphate bioabsorbable screw for tibial fixation. Mycobacterium fortuitum was identified as the pathogen after specific mycobacterial cultures were obtained from operative specimens.

Cited by: 10

Author: Horng Lii Oh, Darren B. Chen, Bradley G....

Publish Year: 2010

[Mycobacterium fortuitum infection after anterior cruciate ...](#)

<https://www.sciencedirect.com/science/article/pii/S0968016009001367>

Mar 01, 2010 · Abstract We report a case of pretibial sinus and abscess after anterior cruciate ligament reconstruction using a polylactic acid tricalcium phosphate bioabsorbable screw for tibial fixation. Mycobacterium fortuitum was identified as the pathogen after specific mycobacterial cultures were obtained from operative specimens.

Cited by: 10

Author: Horng Lii Oh, Darren B. Chen, Bradley G....

Publish Year: 2010

[Recurrent surgical site infection after anterior cruciate ...](#)

<https://www.wjgnet.com/2218-5836/full/v10/i6/255.htm> ▾

Surgical site infections following anterior cruciate ligament (ACL) reconstruction are an uncommon but potentially devastating complication. In this study, we present an unusual case of recurrent infection of the knee after an ACL reconstruction, and discuss the importance of accurate diagnosis and appropriate management, including the issue of ...

Author: Don Koh, Shi Ming Tan, Andrew Hwee...

Publish Year: 2019

[Delayed Tibial Osteomyelitis after Anterior Cruciate ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/29163995>

Osteomyelitis following arthroscopically assisted anterior cruciate ligament (ACL) reconstruction has rarely been reported in the literature. We report a case of a 20-year-old female who had delayed tibial osteomyelitis and a pretibial cyst with culture-positive, oxacillin sensitive Staphylococcus epidermidis 15 months after an ACL ...

Cited by: 3

Author: Kevin S. Weiss, Justin M. Weatherall, Je...

Publish Year: 2017



Recurrent surgical site infection after anterior cruciate ...

<https://pubmed.ncbi.nlm.nih.gov/31259149>

Recurrent surgical site infection after anterior cruciate ligament reconstruction: A case report.

Background: Surgical site **infections following anterior cruciate ligament (ACL) reconstruction** are an uncommon but potentially devastating complication. In this study, we present an unusual case of **recurrent infection** of the knee after an **ACL reconstruction**, and discuss the importance of accurate ...

Author: Don Koh, Shi Ming Tan, Andrew Hwee C... **Publish Year:** 2019

Mycobacterium Fortuitum Infection After Anterior Cruciate ...

<https://pubmed.ncbi.nlm.nih.gov/19744856>

To our knowledge, this is the first **case report** of a non-tuberculous **mycobacterial infection** associated with a bioabsorbable implant. This case illustrates that post-operative **Mycobacterium infection** can occur as a complication of **ACL reconstruction** with bioabsorbable screw fixation and should be considered in the differential diagnosis of post-operative periprosthetic infection.

Cited by: 10 **Author:** Horng Lii Oh, Darren B. Chen, Bradley G. Se...

Publish Year: 2010

Recurrent surgical site infection after anterior cruciate ...

<https://www.wjgnet.com/2218-5836/full/v10/i6/255.htm> ▾

Surgical site **infections following anterior cruciate ligament (ACL) reconstruction** are an uncommon but potentially devastating complication. In this study, we present an unusual case of recurrent infection of the knee after an **ACL reconstruction**, and discuss the importance of accurate diagnosis and appropriate management, including the issue of graft preservation versus removal.

Author: Don Koh, Shi Ming Tan, Andrew Hwee C... **Publish Year:** 2019

Recurrent surgical site infection after anterior cruciate ...

<https://www.wjgnet.com/2218-5836/coretip/v10/i6/255.htm> ▾

Core tip: Chronic surgical site **infections** following **anterior cruciate ligament (ACL) reconstructions** are rare. Most **infections** occur in the acute or subacute post-operative periods. Astute clinic judgement and patient involvement are key when managing recurrent **infections** post-**ACL reconstruction**.

Author: Don Koh, Shi Ming Tan, Andrew Hwee C... **Publish Year:** 2019

Mycobacterium fortuitum infection after anterior cruciate ...

<https://www.sciencedirect.com/science/article/pii/S0968016009001367>

Mar 01, 2010 · We **report a case** of pretibial sinus and abscess **after anterior cruciate ligament reconstruction** using a polylactic acid tricalcium phosphate bioabsorbable screw for tibial fixation. Mycobacterium fortuitum was identified as the pathogen **after** specific mycobacterial cultures were obtained from operative specimens.

Cited by: 10 **Author:** Horng Lii Oh, Darren B. Chen, Bradley G. Se...

Publish Year: 2010

Anterior cruciate

The anterior cruciate ligame... human knee. The 2 ligaments are also called cruciform ligaments, as they are arranged in a crossed formation. In the quadruped stifle joint, based on its anatomical position, it is also referred to as the cranial cruciate ligament. The term cruciate translates to cross. This name is fitting because the ACL crosses the posterior cruciate ligament to form an “X”. It is composed of strong fibrous material and assists in controlling excessive motion. This is done by limiting mobility of the joint. The anterior cruciate ligament is one of the four main ligaments of the knee, providing 85% of the restraining force to anterior tibial displacement at 30 degrees and 90 degrees of knee flexion. The ACL is the most injured ligament of the four located in the knee.

Wikipedia

People also search for: Posterior cruciate ligament · Medial collateral ligament · Knee · Fibular collateral ligament · Patellar ligament · Patella +

Data from: Wikipedia

Suggest an edit

Search Tools

Turn off Hover Translation (关闭取词)

ALL IMAGES VIDEOS

68,500 Results Any time ▾

Recurrent surgical site infection after anterior cruciate ...

<https://pubmed.ncbi.nlm.nih.gov/31259149>

Recurrent surgical site infection after anterior cruciate ligament reconstruction: A case report.

Background: Surgical site infections following anterior cruciate ligament (ACL) reconstruction are an...

Author: Don Koh, Shi Ming Tan, Andrew Hwee C... Publish Year: 2019

Mycobacterium Fortuitum Infection After Anterior Cruciate ...

<https://pubmed.ncbi.nlm.nih.gov/19744856>

To our knowledge, this is the first case report of a non-tuberculous mycobacterial infection associated with a bioabsorbable implant. This case illustrates that post-operative Mycobacterium infection can...

Cited by: 10 Author: Horng Lii Oh, Darren B. Chen, Bradley G. Se...

Publish Year: 2010

Recurrent Surgical Site Infection after Anterior Cruciate ...

<https://www.docwirenews.com/abstracts/rheumatology...> ▾

Jul 03, 2019 · Recurrent Surgical Site Infection after Anterior Cruciate Ligament Reconstruction: A Case Report. July 3, 2019. BACKGROUND: Surgical site infections following anterior cruciate ligament (ACL)...

Mycobacterium fortuitum infection after anterior cruciate ...

<https://www.sciencedirect.com/science/article/pii/S0968016009001367>

Mar 01, 2010 · We report a case of pretibial sinus and abscess after anterior cruciate ligament reconstruction using a polylactic acid tricalcium phosphate bioabsorbable screw for tibial fixation....

Cited by: 10 Author: Horng Lii Oh, Darren B. Chen, Bradley G. Se...

Publish Year: 2010

Recurrent surgical site infection after anterior cruciate ...

<https://www.wjgnet.com/2218-5836/full/v10/i6/255.htm> ▾

Surgical site infections following anterior cruciate ligament (ACL) reconstruction are an uncommon but potentially devastating complication. In this study, we present an unusual case of recurrent infection of...

Author: Don Koh, Shi Ming Tan, Andrew Hwee C... Publish Year: 2019

[PDF] Prolonged infection at the tibial bone tunnel after ...

https://www.jstage.jst.go.jp/article/fms/63/2/63_2017-02/_pdf/-char/en

The incidence of postoperative infection after ACL reconstruction is reported to be 0.4 to 0.9%^{1,2)}. Early debridement and complete removal of the arti-ficial implant have been reported to be very impor-tant for...

Anterior cruciate ligament

The anterior cruciate ligament is one of a pair of cruciate ligaments in the human knee. The 2 ligaments are also called cruciform ligaments, as they are arranged in a crossed formation. In the quadruped stifle joint, based on its anatomical position, it is also referred to as the cranial cruciate ligament. The term cruciate translates to cross. This name is fitting because the ACL crosses the posterior cruciate ligament to form an "X". It is composed of strong fibrous material and assists in controlling excessive motion. This is done by limiting mobility of the joint. The anterior cruciate ligament is one of the four main ligaments of the knee, providing 85% of the restraining force to anterior tibial displacement at 30 degrees and 90 degrees of knee flexion. The ACL is the most injured ligament of the four located in the knee.



People also search for: Posterior cruciate ligament · Medial collateral ligament · Knee · Fibular collateral ligament · Patellar ligament · Patella +

Data from: Wikipedia

[Suggest an edit](#)

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)