

Match Overview

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 62191

Manuscript Type: SYSTEMATIC REVIEWS

Anatomic Variations of the Intra-Hepatic Biliary Tree in the Caribbean: A Systematic Review

Cawich *et al.* Intra-Hepatic Biliary Tree Variants

Abstract

BACKGROUND

In the classic descriptions of the human liver, the common hepatic duct forms at the confluence of left and right hepatic ducts. Many authors have documented variations in the intra-hepatic ductal system, but to the best of our knowledge there has been no report on bile duct variations in Caribbean populations.

AIM

This study evaluated the variations in bile duct anatomy using magnetic resonance

There are no matching sources for this report.



ALL

IMAGES

VIDEOS

36,500 Results

Any time ▼

Surgical and Radiologic Anatomy of the Liver, Biliary ...

<https://www.researchgate.net/publication/286561934...>

The anatomical pattern **of the** intrahepatic **biliary tree** was ... We evaluated the **biliary anatomy** and **variations** of 12 living liver donors with 3-D contrast-enhanced ultrasonic cholangiography (3-D ...

Congenital anomalies and variations of the bile and ...

<https://www.researchgate.net/publication/5259594...>

The **anatomy** of **biliary tree** is complex and is characterized by the frequent presence of anatomical **variations** of either the intrahepatic or extrahepatic bile ducts, which can be found in~50% of ...

Re: Variants of hepatic arterial supply in a Caribbean ...

<https://www.researchgate.net/publication/258042451...>

Anatomic variations in the hepatic arteries were studied in donor livers that were used for orthotopic transplantation. ... **biliary tree** and hepatic veins were dissected out and recorded in detail ...

Corrigendum to: Variants of hepatic arterial supply in a ...

<https://www.researchgate.net/publication/236918936...>

The anatomical **variations** were described according to a conventional classification proposed by Michels et al. Results: In this **Caribbean** population, the majority of patients had conventional ...

Variants of hepatic arterial supply in a Caribbean ...

<https://www.sciencedirect.com/science/article/pii/S0009926013001281>

Aug 01, 2013 · Results. In this **Caribbean** population, the majority of patients had conventional Michels' type 1 vascular **anatomy** (63.4%). However, a statistically significantly greater incidence of Michels' type 2 **variations** (20.4%) were found than that reported in the international literature and a lower incidence of

ALL

IMAGES

VIDEOS

38,800 Results

Any time ▾

Including results for **anatomical** variations of the **intrahepatic** biliary tree in the caribbean a systematic review.

Do you want results only for Anatomic variations of the intra-hepatic biliary tree in the Caribbean: A systematic review?

Search Tools

Turn off Hover Translation (关闭取词)

Congenital anomalies and variations of the bile and ...

<https://www.researchgate.net/publication/5259594...>

The **anatomy** of **biliary tree** is complex and is characterized by the frequent presence of anatomical **variations** of either the intrahepatic or extrahepatic bile ducts, which can be found in~50% of ...

Surgical and Radiologic Anatomy of the Liver, Biliary ...

<https://www.researchgate.net/publication/286561934...>

The anatomical pattern of the intrahepatic **biliary tree** was ... We evaluated the **biliary anatomy** and **variations** of 12 living liver donors with 3-D contrast-enhanced ultrasonic cholangiography (3-D ...

Estimated Reading Time: 11 mins

Re: Variants of hepatic arterial supply in a Caribbean ...

<https://www.researchgate.net/publication/258042451...>

Anatomic variations in the hepatic arteries were studied in donor livers that were used for orthotopic transplantation. ... **biliary tree** and hepatic veins were dissected out and recorded in detail ...

Corrigendum to: Variants of hepatic arterial supply in a ...

<https://www.researchgate.net/publication/236918936...>

The anatomical **variations** were described according to a conventional classification proposed by Michels et al. Results: In this **Caribbean** population, the majority of patients had conventional ...

(PDF) Hepatic Embryonic Development and Anomalies of the Liver

<https://www.researchgate.net/publication/258404091...>

Results: In this **Caribbean** population the majority of patients had conventional hepatic surface **anatomy** (88%). However, we found a greater incidence of hepatic surface grooves (12%) than reported ...

Variants of hepatic arterial supply in a Caribbean ...

<https://www.sciencedirect.com/science/article/pii/S0009926013001281>

Aug 01, 2013 · In this **Caribbean** population, the majority of patients had conventional Michels' type 1 vascular **anatomy** (63.4%). However, a statistically significantly greater incidence of Michels' type 2 **variations** (20.4%) were found than that reported in the international literature and a lower incidence of type 3 (5.2%), type 6 (0.6%), and type 9 (0) patterns than previously reported.