

### Colonic Lymphangiomas Associated with Protein-Losing ...

<https://www.researchgate.net/publication/7627116...>

This report documents a case of cystic lymphangioma of the sigmoid colon in a 35-year-old woman who presented with symptoms of a protein-losing enteropathy. This case was unique in that it ...

### Colonic Lymphangiomas Associated with Protein-Losing ...

<https://link.springer.com/article/10.1007/s10620-005-2929-6>

Colonic Lymphangiomas Associated with Protein-Losing Enteropathy. ... Masamune O: Disseminated intra-abdominal cystic lymphangiomas with severe intestinal bleeding. A case report. J Clin ... Nakamura S, Matsuda T: Management of disseminated intra-abdominal lymphangiomas with protein-losing enteropathy and intestinal bleeding. ...

Cited by: 14

Author: Jinbae Kim, Dongsoo Han, Cheol-Ho Hon...

Publish Year: 2005

### [PDF] Intestinal lymphangiomas presenting with protein ...

<akademik.tgv.org.tr/journal/46/pdf/585.pdf>

were asymptomatic. In our case, the main symptom was abdominal distension and pain (10). Protein-losing enteropathy is an uncommon presentation of abdominal lymphangioma, which is already a rare disorder. One case reported a 32-year-old woman with hypoalbuminemia and colonic lymphangiomas. Another case report showed

### Colonic Lymphangiomas Associated with Protein-Losing ...

<https://www.deepdyve.com/lp/springer-journals/...>

Jan 01, 2005 · Most reported cases of lymphangioma in Disseminated intra-abdominal cystic lymphangiomas with se- the abdomen have mesenteric and/or retroperitoneal le- vere intestinal bleeding. A case report. J Clin Gastroenterol 25:383- sions when they present with protein- losing enteropathy 386, 1997 (12, 17, 18).

### [PDF] Systemic generalised lymphangiomas: unknown ...

<https://casereports.bmj.com/content/bmjcr/14/1/e237331.full.pdf>

giomas are asymptomatic. Few case reports describe adult patients with lymphangiomas, gastrointes- tinal bleeding and hypoproteinaemia, that may be life- threatening. Intestinal lymphangiectasia is one of the reasons of protein-losing enteropathy.6-9 Since the condition is rare there is no uniform

ALL IMAGES VIDEOS

74,200 Results Any time

Colonic Lymphangiomatosis Associated with Protein-Losing ...

https://www.researchgate.net/publication/7627116... This report documents a case of cystic lymphangiomyoma of the sigmoid colon in a 35-year-old woman who presented with symptoms of a protein-losing enteropathy. This case was ...

Colonic Lymphangiomatosis Associated with Protein-Losing ...

https://link.springer.com/article/10.1007/s10620-005-2929-6 • Colonic Lymphangiomatosis Associated with Protein-Losing Enteropathy. ... Masamune O; Disseminated intra-abdominal cystic lymphangiomatosis with severe intestinal bleeding. A case report. J Clin ... Nakamura S, Matsuda T; Management of disseminated intra-abdominal lymphangiomatosis with protein-losing enteropathy and intestinal bleeding ... Cited by: 14 Author: Jinbae Kim, Dongsoo Han, Cheol-Ho H... Publish Year: 2005

PDF Systemic generalised lymphangiomatosis ... - BMJ Case Reports

https://casereports.bmj.com/content/bmjcr/14/1/e237331.full.pdf Case report mortality. Indeed, abdominal lymphangiomatosis can result in severe protein losing enteropathy and gastrointestinal bleeding due to the presence of diffuse intestinal lymphatic abnormalities, as described in the present case report 6-9 The lymphopenia as observed in the present case is, however, exceptional and rarely reported. Author: Tess Van Meerhaeghe, Frederik Van... Publish Year: 2021

Colonic Lymphangiomatosis Associated with Protein-Losing ...

https://www.deepdyve.com/lp/springer-journals/... Jan 01, 2005 Most reported cases of lymphangioma in Disseminated intra-abdominal cystic lymphangiomatosis with se- the abdomen have mesenteric and/or retroperitoneal le- vere intestinal bleeding. A case report. J Clin Gastroenterol 25:383- sions when they present with protein-losing enteropathy 386, 1997 (12, 17, 18).

Systemic generalised lymphangiomatosis: unknown aetiology ...

https://casereports.bmj.com/content/14/1/e237331 • Jan 01, 2021 - Indeed, abdominal lymphangiomatosis can result in severe protein losing enteropathy and gastrointestinal bleeding due to the presence of diffuse intestinal lymphatic abnormalities, as described in the present case report 6-9. The lymphopenia as observed in the present case is, however, exceptional and rarely reported. Author: Tess Van Meerhaeghe, Frederik Van... Publish Year: 2021

1 2 3 4 5 >

Search Tools Turn off Hover Translation

Add the Give with Bing extension > Make a difference for a nonprofit, simply by searching on Bing. MAYBE LATER YES

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 62453

Manuscript Type: CASE REPORT

**Lymphangiomatosis associated with protein losing enteropathy: A case report**

Ding XL *et al.* Lymphangiomatosis associated with protein losing enteropathy

Xue-Li Ding, Xiao-Yan Yin, Ya-Nan Yu, Yun-Qing Chen, Wei-Wei Fu, Hua Liu

**Abstract**

**BACKGROUND**

Lymphangiomatosis is a multisystem disorder that is rarely localized to the gastrointestinal tract. Lymphangiomatosis usually has no specific clinical presentation and is easily misdiagnosed. A review of a case report and literature on lymphangiomatosis associated with protein-losing enteropathy will help to improve the overall understanding of this disease.

**Match Overview**

1	Crossref 79 words Guifang Lu, Hongxia Li, Yuanxuan Li. "Lymphangiomatosis of the sigmoid colon - a rare cause of febrile gastroenteropathy", <i>World J Clin Cases</i> 2019; 10(12): 2019-2021	4%
2	Crossref 71 words Ruo-Yang Lin. "Abdominal lymphangiomatosis in a 38-year-old female: Case report and literature review", <i>World J Clin Cases</i> 2019; 10(12): 2019-2021	4%
3	Crossref 67 words Antonio Giuliani, Lucia Romano, Gino Coletti, Mohammad Walid A Falayer <i>et al.</i> "Lymphangiomatosis of the ileum: A case report and literature review", <i>World J Clin Cases</i> 2019; 10(12): 2019-2021	4%
4	Internet 31 words created on 21-Sep-2020 www.wjnet.com	2%
5	Internet 25 words created on 07-Aug-2020 worldwidescience.org	1%
6	Internet 24 words created on 10-Mar-2020 www.mysciencework.com	1%
7	Crossref 20 words Jinbae Kim, Dongsoo Han, Cheol-Ho Hong, Hang-Lak Lee, Jong-Pyo Kim, Joo-Hyun Sohn, Joou-Do Hahn. "Clinical features of abdominal lymphangiomatosis: A case report and literature review", <i>World J Clin Cases</i> 2019; 10(12): 2019-2021	1%
8	Crossref 13 words Francine Biel. "Lymphangiomatosis: Clinical Overview", <i>Lymphatic Research and Biology</i> , 12/2011	1%

国内版 国际版

Lymphangiomas associated with protein losing enteropathy: A c



ALL

IMAGES

VIDEOS

74,400 Results

Any time ▾

### Colonic Lymphangiomas Associated with Protein-Losing ...

<https://www.researchgate.net/publication/7627116...>

This report documents a case of cystic lymphangioma of the sigmoid colon in a 35-year-old woman who presented with symptoms of a protein-losing enteropathy. This case ...

### Colonic Lymphangiomas Associated with Protein-Losing ...

<https://link.springer.com/article/10.1007/s10620-005-2929-6> ▾

Colonic Lymphangiomas Associated with Protein-Losing Enteropathy. ... Masamune O: Disseminated intra-abdominal cystic lymphangiomas with severe intestinal bleeding. A case report. J Clin ... Nakamura S, Matsuda T: Management of disseminated intra-abdominal lymphangiomas with protein-losing enteropathy and intestinal bleeding. ...

Cited by: 14

Author: Jinbae Kim, Dongsoo Han, Cheol-Ho Hon...

Publish Year: 2005

### [PDF] Systemic generalised lymphangiomas ... - BMJ Case ...

<https://casereports.bmj.com/content/bmjcr/14/1/e237331.full.pdf>

Case report mortality. Indeed, abdominal lymphangiomas can result in severe protein losing enteropathy and gastrointestinal bleeding due to the presence of diffuse intestinal lymphatic abnormalities, as described in the present case report.6–9 The lymphopenia as observed in the present case is, however, exceptional and rarely reported.

Author: Tess Van Meerhaeghe, Frederik Vand...

Publish Year: 2021

### Colonic Lymphangiomas Associated with Protein-Losing ...

<https://www.deepdyve.com/lp/springer-journals/...> ▾

Jan 01, 2005 · Most reported cases of lymphangioma in Disseminated intra-abdominal cystic lymphangiomas with se- the abdomen have mesenteric and/or retroperitoneal le- vere intestinal bleeding. A case report. J Clin Gastroenterol 25:383– sions when they present with protein-losing enteropathy 386, 1997 (12, 17, 18).

### Systemic generalised lymphangiomas: unknown ...

<https://casereports.bmj.com/content/14/1/e237331> ▾

Jan 01, 2021 · Indeed, abdominal lymphangiomas can result in severe protein losing enteropathy and gastrointestinal bleeding due to the presence of diffuse intestinal lymphatic abnormalities, as