

Frequently Asked Questions: COVID-19 and ...

<https://www.diabetes.org/coronavirus-covid-19/how...> ▾

A: People with diabetes are more likely to have serious complications from COVID-19. In general, people with diabetes are more likely to have more severe symptoms and complications when infected with any virus. Your risk of getting very sick from COVID-19 is likely to be lower if your diabetes ...



Obesity, Race/Ethnicity, and COVID-19 | Overweight ...

<https://www.cdc.gov/obesity/data/obesity-and-covid-19.html> ▾

Having obesity may triple the risk of hospitalization due to a COVID-19 infection. Obesity is linked to impaired immune function. 2,3; Obesity decreases lung capacity and reserve and can make ventilation more difficult. 4; A study of COVID-19 cases suggests that ...



Obesity and Hypertension in the Time of COVID-19 ...

<https://jamanetwork.com/journals/jama/fullarticle/2770253> ▾

Sep 22, 2020 · The presence of obesity, type 2 diabetes, chronic kidney disease, or cardiovascular disease are known risk factors for severe illness from COVID-19 in persons of any age. 10 Black, Hispanic/Latino, American Indian/Alaska Native, and Pacific Islander individuals also have increased rates of infection and disproportionately poor outcomes from COVID-19, including higher risk of death than non-Hispanic White individuals...



Cited by: 5

Author: Griffin P. M. D. Rodgers, Gary H. ...

Publish Year: 2020

Diabetes and Coronavirus (COVID-19) | ADA

<https://www.diabetes.org/coronavirus> ▾

People living with diabetes are at a higher risk of developing complications due to COVID-19. Find answers to your questions and resources to help.

1,210,000 Results Any time ▾

Obesity, Race/Ethnicity, and COVID-19 | Overweight ...<https://www.cdc.gov/obesity/data/obesity-and-covid-19.html> ▾

Obesity Worsens Outcomes from COVID-19. Adults with excess weight are at even greater risk during the COVID-19 pandemic. Having obesity increases the risk of severe illness from COVID-19. People who are overweight may also be at increased risk. Havin...

Frequently Asked Questions: COVID-19 and Diabetes | ADA<https://www.diabetes.org/coronavirus-covid-19/how...> ▾

Based on what the CDC is reporting at this time, people with type 1 or gestational diabetes might be at an increased risk for severe illness from COVID-19. Because COVID-19 is a new disease, we don't know as much as we'd like to about how underlying medic...

Certain Medical Conditions and Risk for Severe COVID-19 ...<https://www.cdc.gov/coronavirus/2019-ncov/need...> ▾

Estimated Reading Time: 9 mins

- Cancer. Having cancer can make you more likely to get severely ill from COVID-19. Treatments for ...
- Chronic kidney disease. Having chronic kidney disease of any stage can make you more likely to get ...
- Chronic lung diseases, including COPD (chronic obstructive pulmonary disease), asthma (moderate ...
- Dementia or other neurological conditions. Having neurological conditions, such as dementia, can ...

[See full list on cdc.gov](#)**Updates: Coronavirus and diabetes | Diabetes UK**https://www.diabetes.org.uk/about_us/news/coronavirus ▾

Coronavirus (Covid-19) and diabetes updates We've created this information for people living with diabetes and their families. We hope you find it useful and it answers some of your questions. We'll keep updating this page and you can find all our other coronavirus news stories in our News Hub. All the information below applies to the whole of the UK, unless specified.

Estimated Reading Time: 9 mins

Some results are removed in response to a notice of local law requirement. For more information, please see [here](#).

1 2 3 4 5 >


Search Tools

Turn off Hover Translation (关闭翻译)

30-May-2021 01:55PM

4674 words • 96 matches • 37 sources

FAQ



62893_Auto_EditedC.docx

Quotes Included
Bibliography Included

27%
SIMILAR

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 62893

Manuscript Type: REVIEW

Obesity in people with diabetes in COVID-19 times: Important considerations and precautions to be taken

Alberti A *et al.* Obesity in people with diabetes in COVID-19

Adriano Alberti, Fabiana Schuelter-Trevisol, Betine Moehlecke Iser, Eliane Traebert, Viviane Freiberger, Leticia Ventura, Gislaïne Tezza Rezin, Bruna Becker, Fabiana Meneghetti Dallacosta, Leoberto Grigollo, Paula Dias, Gracielle Fin, Josiane Aparecida De Jesus, Fabiane Pertille, Carina Rossoni, Ben Hur Soares, Rudy José Nodari Júnior, Clarissa Martinelli Comim

Abstract

At the end of 2019, a new disease with a pandemic potential appeared in China. It was a new coronavirus called coronavirus disease-2019 (COVID-19). Later, in the first quarter

Match Overview

9 matches

1

Internet 165 words
crawled on 09-May-2021
covid19dataportal.es

3%

2

Crossref 133 words
Yue Zhou, Jingwei Chi, Wenshan Lv, Yangang Wang, "O
besity and diabetes as high-risk factors for severe coro...

3%

3

Internet 113 words
crawled on 10-Dec-2020
elifesciences.org

2%

4

Internet 88 words
www.ncbi.nlm.nih.gov

2%

5

Internet 74 words
crawled on 12-Dec-2020
www.frontiersin.org

1%

6

Internet 72 words
crawled on 18-Dec-2020
www.cdc.gov

1%

7

Internet 68 words
crawled on 26-Nov-2020
pubmed.ncbi.nlm.nih.gov

1%

8

Crossref 58 words
Aline Haas de Mello, Ana Beatriz Costa, Jéssica Della C...
ustina Engel, Gislaïne Tezza Rezin, "Mitochondrial dysfun

1%

Crossref 38 words

4.0%

PAGE: 1 OF 15

Text-Only Report

国内版 国际版

Obesity in people with diabetes in COVID-19 times: Important consi



ALL IMAGES VIDEOS

5,400,000 Results

Any time ▾

Obesity, Race/Ethnicity, and COVID-19 | Overweight ...

<https://www.cdc.gov/obesity/data/obesity-and-covid-19.html> ▾



Obesity Worsens Outcomes from COVID-19. Adults with excess weight are at even greater risk during the COVID-19 pandemic: Having **obesity** increases the risk of severe illness from COVID-19. People who are overweight may also be at increased risk. Havi...

Frequently Asked Questions: COVID-19 and Diabetes | ADA

<https://www.diabetes.org/coronavirus-covid-19/how...> ▾



A: People with diabetes are more likely to have serious complications from COVID-19. In general, **people with diabetes** are more likely to have more severe symptoms and complications when infected with any virus. Your risk of getting very sick from COVID-1...

Obesity and Hypertension in the Time of COVID-19 | Health ...

<https://jamanetwork.com/journals/jama/fullarticle/2770253> ▾



Sep 22, 2020 · The presence of **obesity**, type 2 diabetes, chronic kidney disease, or cardiovascular disease are known risk factors for severe illness from COVID-19 in persons of any age. 10 Black, Hispanic/Latino, American Indian/Alaska Native, and...

Cited by: 8

Author: Griffin P. M. D. Rodgers, Gary H. ...

Publish Year: 2020

Estimated Reading Time: 11 mins

Diabetes and Coronavirus (COVID-19) | ADA

<https://www.diabetes.org/coronavirus> ▾

People living with diabetes are at a higher risk of developing complications due to COVID-19. Find answers to your questions and resources to help.

What You Should Know About COVID-19 Vaccines and ...

<https://diatribe.org/what-to-know-covid-vaccine-diabetes> ▾



Why Get The Vaccine?

Vaccine Safety

Getting The Vaccine

Aft ▸