

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 63129

Manuscript Type: CASE REPORT

Cyclophosphamide-associated enteritis presenting with severe protein-losing enteropathy in granulomatosis with polyangiitis: A case report

Hiroko Sato, Tsuyoshi Shirai, Hiroshi Fujii, Tomonori Ishii, Hideo Harigae

Match Overview

1	Internet 24 words www.ncbi.nlm.nih.gov	1%
2	Internet 23 words crawled on 01-Apr-2019 repo.lib.tokushima-u.ac.jp	1%
3	Internet 19 words crawled on 28-Feb-2018 www.mdpi.com	1%
4	Crossref 18 words T Shirai, Y Shirota, H Fujii, T Ishii, H Harigae. "Four distinct ... nical phenotypes of vasculitis affecting medium-sized arterie	1%
5	Internet 13 words crawled on 07-May-2020 www.wjgnet.com	1%

Cyclophosphamide-associated enteritis presenting with severe prot



ALL

IMAGES

VIDEOS



Add the Give v

63,300 Results

Any time ▼

[Inflammatory bowel disease–like conditions: ischemic bowel ...](#)

<https://www.sciencedirect.com/science/article/pii/B9780128148112000281>

Jan 01, 2020 · Lupus **enteritis** and **protein**-losing **enteropathy** may **present** with diffuse small bowel edema and erosions. Ischemic changes depend on the layers of bowel wall involved, ranging mucosal ulceration and hemorrhage, submucosal edema, and intestinal pseudo-obstruction due to a muscular injury, and ascites and perforation due to serosal damage (Fig. ...

Author: Xiaoying Wang, Yan Chen, Bo Shen **Publish Year:** 2020

[Intravenous immunoglobulins for severe gastrointestinal ...](#)

<https://www.sciencedirect.com/science/article/pii/S0929693X16301166>

Jun 01, 2016 · Severe gastrointestinal involvement of IBD mainly included intense pain, digestive

Search Toc

[Turn off Hover](#)

国内版

国际版

Cyclophosphamide-associated enteritis presenting with severe prot



网页

图片

视频

学术

词典

地图

检测到您输入了英文，试试切换到国际版？ 搜英文结果更丰富更准确



12,300 条结果

时间不限 ▼

[Protein-losing Enteropathy Associated With Refractory ...](https://www.sciencedirect.com/science/article/pii/S217357431500129X) [翻译此页](#)

<https://www.sciencedirect.com/science/article/pii/S217357431500129X>

2016-1-1 · **Protein-losing enteropathy associated** with SLE was diagnosed, and treatment was begun with methylprednisolone (MP) in intravenous (iv) pulses of 1 g/day for 3 days and 6 doses of 500 mg of cyclophosphamide (CY) at 2-week intervals, followed by 150 mg/day of azathioprine (AZA) and 400 mg/day of hydroxychloroquine; the doses of corticosteroids ...

Cited by: 3

Author: Pierina Sansinanea, Sebastián Augusto C...

Publish Year: 2016

[Protein-losing enteropathy associated with systemic ...](https://www.researchgate.net/publication/8459312_Protein-losing_enteropathy_associated...) [翻译此页](#)

[https://www.researchgate.net/publication/8459312_Protein-](https://www.researchgate.net/publication/8459312_Protein-losing_enteropathy_associated...)

[losing_enteropathy_associated...](https://www.researchgate.net/publication/8459312_Protein-losing_enteropathy_associated...)

Protein-losing enteropathy (PLE) is an uncommon manifestation **associated** with systemic lupus erythematosus (SLE). Here, a case with SLE and concomitant hypoalbuminemia is reported.

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

47,100 Results

Any time ▾

Open links in new tab



Protein-losing enteropathy associated with systemic lupus ...

<https://www.researchgate.net/publication/8459312...>

Protein-losing enteropathy is a rare manifestation of systemic lupus erythematosus (SLE) leading to hypoalbuminemia and anasarca. We **report** the **case** of a woman with SLE who presented chronic ...

(PDF) The use of tacrolimus for recurrent lupus enteritis ...

<https://www.researchgate.net/publication/44625592...>

The 3 main variants of lupus **enteritis** are lupus mesenteric vasculitis, intestinal pseudo-obstruction, and **protein-losing enteropathy**. These GI manifestations and others in patients with SLE are ...

(PDF) Wegener's granulomatosis mimicking inflammatory ...

https://www.researchgate.net/publication/257757048_Wegener

The **present case** indicates that GI bleeding may be the first manifestation of Wegener's **granulomatosis**. Moreover, it should be emphasized that gastric biopsy is not characteristic or diagnostic ...

Inflammatory bowel disease-like conditions: ischemic bowel ...

<https://www.sciencedirect.com/science/article/pii/B9780128148112000281>

Jan 01, 2020 · Lupus **enteritis** and **protein-losing enteropathy** may **present** with diffuse small bowel edema and erosions. Ischemic changes depend on the layers of bowel wall involved, ranging mucosal ulceration and hemorrhage, submucosal edema, and intestinal pseudo-obstruction due to a muscular injury, and ascites and perforation due to serosal damage (Fig. 28 ...

Author: Xiaoying Wang, Yan Chen, Bo Shen **Publish Year:** 2020

Cryptogenetic multifocal ulcerous stenosing enteritis: an ...

<https://www.researchgate.net/publication/12158202...>

Case Report: We **report a case** of acute, massive bleeding from multiple small-bowel ulcers in a 78-year-old woman with malignant lymphoma (diffuse large B-cell lymphoma) after R-CHOP ...

review of gastrointestinal manifestations of systemic ...

<https://academic.oup.com/rheumatology/article/38/10/917/1783513> ▾

The treatment of **severe** systemic vasculitis is well established with pulsed methylprednisolone at a dose of 1–2 mg/kg/day in addition to complete bowel rest. There are numerous **case** reports of successful treatment of intestinal vasculitis with high-dose prednisolone only [3, 8, 69, 84, 90]. Owing to the paucity