

Liver fibrosis in patients with metabolic associated fatty ...

<https://pubmed.ncbi.nlm.nih.gov/33551355>

Background: Metabolic diseases are risk factors for severe Coronavirus disease (COVID-19), which have a close relationship with metabolic dysfunction-associated fatty liver disease (MAFLD). Aims: ...

Treatments in Covid-19 patients with pre-existing ...

<https://pubmed.ncbi.nlm.nih.gov/32891697>

Obese patients who often present metabolic dysfunction-associated fatty liver disease (MAFLD) are at risk of severe presentation of coronavirus disease 2019 (COVID-19). These patients are more likely ...

Author: Pierre-Jean Ferron, Thomas Gicquel, ... Publish Year: 2020

Nomenclature and definition of metabolic-associated fatty ...

[https://www.thelancet.com/journals/langas/article/PIIS2468-1253\(20\)30213-2/fulltext](https://www.thelancet.com/journals/langas/article/PIIS2468-1253(20)30213-2/fulltext)

Summary. With the increasing prevalence of obesity and type 2 diabetes, fatty liver disease associated with metabolic dysfunction is a global health problem, especially because it is one of the earliest...

Cited by: 14 Author: Gamal Shiha, Khalid Alswat, Maryam Al ...

Publish Year: 2021

Metabolic dysfunction associated fatty liver disease ...

<https://europepmc.org/article/PMC/PMC7834636>

Jun 10, 2020 · Background and aims. Liver involvement is common in COVID-19. Elevated aspartate and alanine amino transaminase (AST/ALT) and borderline increase in serum bilirubin and serum alkaline...

Metabolic Associated Fatty Liver Disease Is Associated ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7994270>

Mar 12, 2021 · MS was found to be associated with chronic low-grade inflammation that compromises the immune system and causes microvascular endothelial dysfunction, which may contribute to poor outcomes in COVID-19 (6, 7). Metabolic-associated fatty liver disease (MAFLD) and non-alcoholic fatty liver disease (NAFLD) are the most common chronic liver diseases (CLD), which affect about a ...

Author: Péter Jenő Hegyi, Szilárd Vánca, Kle... Publish Year: 2021



Liver fibrosis in patients with metabolic associated fatty ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8047402>

Feb 02, 2021 · Feb 02, 2021 · Metabolic diseases are risk factors for severe Coronavirus disease (COVID-19), which have a close relationship with metabolic dysfunction-associated fatty liver disease

Name of Journal: *World Journal of Gastroenterology*
Manuscript NO: 63409
Manuscript Type: REVIEW

Clinical perspectives, assessment, and mechanisms of Metabolic Associated Fatty Liver Disease in Patients with COVID-19

Alejandro Campos-Murguía, Berenice M Román-Calleja, José A González-Regueiro, Ivonne Hurtado-Díaz-de-León, Alberto Adrián Solís-Ortega, Nayelli C Flores-García, Ignacio García-Juárez, Astrid Ruiz-Margáin, Ricardo Ulises Macías-Rodríguez

Abstract

Match Overview		
1	Internet 100 words created on 15-Nov-2020 www.ejgnet.com	2%
2	Crossref 47 words Alejandro Campos-Murguía, Berenice Monserrat Román-Calleja, Ivonne Hurtado-Díaz-de-León, Alberto Adrián Solís-Ortega, Nayelli C Flores-García, Ignacio García-Juárez, Astrid Ruiz-Margáin, Ricardo Ulises Macías-Rodríguez	1%
3	Crossref 37 words Michelle T. Loag, Alison Podley, Lisandra D. Galatrazo, Joseph M. Massaro, Udo Hoffmann, Paul Munster, Caroline S. Fox	1%
4	Internet 26 words downloads.hindawi.com	1%
5	Internet 26 words created on 20-Jul-2017 ij.bmj.com	1%
6	Internet 24 words created on 17-Feb-2021 www.ejgnet.com	1%

国内版

国际版

Clinical perspectives, assessment, and mechanisms of metabolic as



ALL

IMAGES

VIDEOS

52,000 Results

Any time ▾

Metabolic Associated Fatty Liver Disease Is Associated ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7994270>

Mar 12, 2021 · MS was found to be associated with chronic low-grade inflammation that compromises the immune system and causes microvascular endothelial dysfunction, which may contribute to poor outcomes in COVID-19 (6, 7). Metabolic-associated fatty liver disease (MAFLD) and non-alcoholic fatty liver disease (NAFLD) are the most common chronic liver diseases (CLD), which affect about a ...

Author: Péter Jenő Hegyi, Szilárd Váncsa, Kl... Publish Year: 2021

Liver fibrosis in patients with metabolic associated fatty ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8047402>

Feb 02, 2021 · Metabolic diseases are risk factors for severe Coronavirus disease (COVID-19), which have a close relationship with metabolic dysfunction-associated fatty liver disease (MAFLD). Aims To evaluate the presence of MAFLD and fibrosis in patients with COVID-19 ...

Cited by: 2 Author: Alejandro Campos-Murguía, Berenice Mo...
Publish Year: 2021

Frontiers | Metabolic Associated Fatty Liver Disease Is ...

<https://www.frontiersin.org/articles/10.3389/fmed.2021.626425> ▾

Mar 12, 2021 · Background: The most common pre-existing liver disease, the metabolic dysfunction-associated fatty liver disease (MAFLD) formerly named as non-alcoholic fatty liver disease (NAFLD), may have a negative impact on the severity of COVID-19. This meta-analysis aimed to evaluate if MAFLD or NAFLD are associated with a more severe disease course of COVID-19.

Author: Péter Jenő Hegyi, Szilárd Váncsa, Kl... Publish Year: 2021

Nomenclature and definition of metabolic-associated fatty ...

[https://www.thelancet.com/journals/langas/article/PIIS2468-1253\(20\)30213-2/fulltext](https://www.thelancet.com/journals/langas/article/PIIS2468-1253(20)30213-2/fulltext)

Nov 09, 2020 · With the increasing prevalence of obesity and type 2 diabetes, fatty liver disease associated with metabolic dysfunction is a global health problem, especially because it is one of the earliest consequences of obesity and it precedes diabetes development. Fatty liver disease associated with metabolic dysfunction is of particular concern in the Middle East and north Africa, where its ...

Cited by: 26 Author: Gamal Shiha, Khalid Alswat, Maryam Al ...
Publish Year: 2021