

国内版国际版

Microsoft Bing

Risk factors for antenatal depression: A review

ALLIMAGESVIDEOS

94,700,000 ResultsAny time

Prevalence and Risk Factors for Antenatal Depression in ...

<https://pubmed.ncbi.nlm.nih.gov/30112199>

Factors such as age, marital status, income, occupation, history of the previous mental disorder, antenatal follow-up, unplanned pregnancy, complication during to pregnancy, age of mother during pregnancy, conflict, and social support were associated with antenatal depression. Conclusions: Antenatal depression is a common maternal problem; further attention should be given to the effect of ...

Cited by: 13Author: Wondale Getinet, Tadele Amare, Berhan...

Publish Year: 2018

Risk factors for antenatal depression, postnatal ...

10 mins read

<https://bmcpsy psychiatry.biomedcentral.com/articles/10.1186/1471-244X-8-24>

Chat with Bing

Add the Give

Antenata

Antenatal depre  
prenatal or perir  
clinical depressi  
during pregnanc  
postpartum dep  
treated. It is esti  
pregnant women  
condition. Any fe  
the mother can  
various aspects

国内版

国际版

Microsoft Bing

Risk factors for antenatal depression: A review

Sign in

ALL

IMAGES

VIDEOS

88,900,000 Results

Any time

Psychosocial **factors** were the most common **risk factors** for **antenatal depression** identified across all **reviews**. Current or previous exposure to different forms of abuse and violence was associated with **antenatal depression** in six **reviews** of a total of 73 primary studies (collectively including over 290,000 pregnant mothers).

Author: Abel Fekadu Dadi, Abel Fekadu Dadi, Emma R. Miller, Telake Azale Bisetegn, Lillian Mwanri

Cited by: 15

Publish Year: 2020

Global burden of antenatal depression and its association ...  
[bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-020-8293-9](https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-020-8293-9)

Was this helpful?

PEOPLE ALSO ASK

What are the most relevant factors associated with antenatal depression?

Antenatal depression

Symptoms

Diagnosis

Causes

Treatments

Antenatal depression, also known as prenatal or perinatal depression, is a form of clinical depression that can affect a woman during pregnancy, and can be a precursor to postpartum depression if not properly treated. It is estimated that 7% to 20% of pregnant women are affected by this condition. Any form of prenatal stress felt by the mother can have negative effects on various aspects of fetal development, which can cause harm to the mother and child. Even after birth, a child born from a depressed or stressed mother feels the affects. The child is less active and can also suffer from emotional distress. Antenatal depression can be caused by the stress and worry that pregnancy can bring, but at a more severe level. Other triggers include unplanned pregnancy, difficulty becoming pregnant, history of abuse, and economic or family situations.


Wikipedia

激活 Windows  
转到“设置”以激活 Windows。

10-May-2021 04:54PM

4069 words • 10 matches • 7 sources

FAQ

iThenticate®

63932\_Auto\_Edited.docx

Quotes Excluded  
Bibliography Excluded

4%  
SIMILAR

**Name of Journal:** *World Journal of Psychiatry*

**Manuscript NO:** 63932

**Manuscript Type:** MINIREVIEWS

**Risk factors for antenatal depression: A review**

Risk factors for antenatal depression: A review

M Carmen Míguez, M Belén Vázquez

Match Overview

1

Crossref 58 words  
Baggi, Alessandra, Susan Conroy, Susan Pawlby, and Carmine M. Pariante. "Identifying the women at risk of i ...

1%

2

Crossref 56 words  
M.N. Norhayati, N.H. Nik Hadina, A.R. Asrenee, W.M.A.W. an Emilin. "Magnitude and risk factors for postpartum i ...

1%

3

Internet 17 words  
crawled on 22-Aug-2020  
mafiadoc.com

<1%

4

Internet 15 words  
s3-eu-west-1.amazonaws.com

<1%

5

Crossref 14 words  
Weobong, Benedict, Seyi Soremekun, Augustinus HATE n Asbroek, Sereba Amenga-Etego, Samuel Danso, Seth

<1%

6

Internet 14 words  
www.ncbi.nlm.nih.gov

<1%

Crossref 13 words

激活 Windows  
转到"设置"以激活 Windows。

国内版 国际版

Risk factors for antenatal depression: A review



ALL

IMAGES

VIDEOS

90,900,000 Results

Any time ▾

Antenatal depression and anxiety have a multi-factorial aetiology. Six different sources of risk factors have been identified. **Lack of support** has been identified as the strongest risk factor. Current/past abuse has also been found to be a significant predictor.

Author: Alessandra Biaggi, Susan Conroy, Susan Pawlby, Carmine M. Pariante

Cited by: 735

Publish Year: 2016

Identifying the women at risk of antenatal anxiety and ...

[www.sciencedirect.com/science/article/pii/S0165032715302330](https://www.sciencedirect.com/science/article/pii/S0165032715302330)

Was this helpful?

#### PEOPLE ALSO ASK

What are the most relevant factors associated with antenatal depression? ▾

Is antenatal depression a mediator? ▾

What are the predictors for postnatal depression? ▾

Is postnatal depression related to parenting stress? ▾

Feedback

Antenatal risk factors for postpartum depression: a ...

<https://pubmed.ncbi.nlm.nih.gov/15234824>

Antenatal risk factors for postpartum depression: a synthesis of recent literature. Postpartum nonpsychotic depression is the most common complication of childbearing, affecting approximately 10-15% of women and, as such, represents a considerable health problem affecting women and their families. This systematic review provides a synthesis of the recent literature pertaining to an ....

Cited by: 2090

Author: Emma Robertson, Sherry Grace, Tamara ...

Publish Year: 2004