

13,900 Results Any time ▾

Circumferential resection margin in the modern treatment ...

<https://www.ncbi.nlm.nih.gov/pubmed/23965313>

Author: Inhá P, Martínek L, Inhá Rudinská L, ... Publish Year: 2013

INTRODUCTION: In the last decades, the assessment of circumferential resection margin (CRM) has gained enormous importance in the management of patients with rectal carcinoma, not only in predictin...

Comparison of pathologic outcomes of robotic and open ...

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0245154>

Author: Yinyin Guo, Yichen Guo, Yanxin Luo, ... Publish Year: 2021

Jan 13, 2021 - Introduction. Colorectal cancer accounts for approximately 10% of diagnosed cancers and cancer-related deaths worldwide each year []. The incidence of colorectal cancer worldwide is...

Search Tools

Turn off Hover Translation (关闭取词)

PEOPLE ALSO ASK

15,300 Results Any time

Macroscopic assessment of mesorectal excision in rectal ...

<https://pubmed.ncbi.nlm.nih.gov/19479978>
 In this study, the authors have aimed to audit the implementation of a macroscopic assessment of mesorectal excision (MAME) and to investigate factors that influenced surgical quality and disease recurrence. Methods: All curative resections for rectal cancer were prospectively evaluated for MAME between 1998 and 2007. Mesorectal specimens were ...
 Cited by: 105 Author: Eduardo García-Granero, Omar Faiz, Elena ...
 Publish Year: 2009

PDF Macroscopic Assessment of Mesorectal Excision in Rectal ...

<https://acsjournals.onlinelibrary.wiley.com/doi/pdf/10.1002/cncr.24387>
 cancer. In this study, the authors have aimed to audit the implementation of a macroscopic assessment of mesorectal excision (MAME) and to investigate factors that influenced surgical quality and disease recurrence. METHODS: All curative resections for rectal cancer were prospectively evaluated for MAME between 1998 and 2007.
 Cited by: 105 Author: Eduardo Garcia-Granero, Omar Faiz, Elena ...
 Publish Year: 2009

PEOPLE ALSO ASK

- Which is the best outcome of rectal cancer treatment? ▾
- Can a rectal cancer be resected without a colostomy? ▾
- When did surgical resection of retroperitoneal sarcoma begin? ▾
- When do you need a pelvic excision for rectal cancer? ▾


Feedback

[Circumferential resection margin in the modern treatment ...

<https://www.ncbi.nlm.nih.gov/pubmed/23965313>
 INTRODUCTION: In the last decades, the assessment of circumferential resection margin (CRM) has gained enormous importance in the management of patients with rectal carcinoma, not only in predicting the prognosis, but also in precise cancer staging, in multimodal treatment indications and in quality assessment of provided care.
 Author: Ihnát P, Martinek L, Ihnát Rudinská L, M... Publish Year: 2013

Review of Intersphincteric Resections for Rectal Cancer ...

<https://www.sciencegate.app/document/10.31487/j.scr.2021.04.03>
 Apr 03, 2021 - Colorectal cancer is the third most common cancer, second most common cancer in women, and the fourth leading cause of death in the world. Radical surgical treatment with Total Mesorectal Excision (TME) is considered the best treatment for cancer found in the lower third of the rectum and has benefits of complete tumor removal to reduce risk of recurrence and to improve survival.
 Some results are removed in response to a notice of local law requirement. For more information, please see [here](#).



Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 64020

Manuscript Type: MINIREVIEWS

Review of incomplete macroscopic resections (R2) in rectal cancer: Treatment, prognosis and future perspectives

Pérez Lara FJ *et al.* Incomplete macroscopic resection in rectal cancer

Francisco Javier Pérez Lara, Maria Luisa Hebrero Jimenez, Francisco Javier Moya Donoso, Jose Manuel Hernández Gonzalez, Maria Pitarch Martinez, Tatiana Prieto-Puga Arjona

Abstract

Colorectal cancer is one of the most prevalent tumours, but with improved treatment and early detection, its prognosis has greatly improved in recent years. However, when the tumour is locally advanced at diagnosis or if there is local recurrence, it is more

Match Overview

1	Internet 215 words crawled on 31-May-2019 link.springer.com	5%
2	Crossref 113 words "Surgical and Survival Outcomes Following Pelvic Exent... ration for Locally Advanced Primary Rectal Cancer", Anna	3%
3	Crossref 97 words Bachmann, R., F. Heinzlmann, A.C. Müller, R. Ladurner, C.C. Schneider, A. Königstrainer, and M. Zibchavsky. "Lap	2%
4	Internet 92 words crawled on 23-Mar-2021 www.scielo.br	2%
5	Internet 74 words hdl.handle.net	2%
6	Crossref 88 words Christian Witzel, Carolyn C. Compton, Frederick L. C... eene, Leslie H. Sobin. "TNM residual tumor classification	2%
7	Internet 69 words crawled on 07-Jan-2020 www.biomedcentral.com	2%
8	Crossref 62 words Ron G Landmann, Martin R Weiser. "Surgical Managem... nt of Locally Advanced and Locally Recurrent Colon Canc	2%

Review of incomplete macroscopic resections (R2) in rectal cancer:



ALL IMAGES VIDEOS

12,200 Results Any time ▾

Including results for review of incomplete macroscopic **resection** r2 in rectal cancer treatment, prognosis and future perspectives.

Do you want results only for Review of incomplete macroscopic resections (R2) in rectal cancer: Treatment, prognosis and future perspectives?

Radical Resection After IORT-Containing Multimodality ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2467498>

Apr 04, 2008 · The introduction of total mesorectal excision (TME) surgery and neoadjuvant radio (chemo-) therapy (RCT) has resulted in a decrease of the incidence of locally recurrent **rectal cancer** (LRR) to below 10%.¹⁻⁶ However, patients who do develop LRR still have limited **treatment** options and subsequent **prognosis**. Due to prior surgery, tumor growth is not confined to a specific ...

Cited by: 211 Author: Raphaëla C. Dresen, Marleen J. Gosens, ...
Publish Year: 2008

Evidence and research in rectal cancer - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S0167814008002673>

Jun 01, 2008 · An audit of data on outcome of **rectal resections** in our department has shown that with standard use of MR in the preoperative work up the proportion of **incomplete resections** has been reduced by half, through better selection for neoadjuvant **treatment** and extensive surgery . The excellent MR results of single center series are applicable in routine clinical practice as shown by the multicenter MR rectum ...

Cited by: 146 Author: Vincenzo Valentini, Regina Beets-Tan, Jo...
Publish Year: 2008

PEOPLE ALSO ASK

How are pathologists involved in rectal carcinoma treatment? ▾

How is neoadjuvant radio used to treat rectal cancer? ▾

How is RCT used to diagnose rectal cancer? ▾

Feedback

Pathologic Prognostic Factors in the Recurrence of Rectal ...