

[\(PDF\) Low serum albumin may predict the need for gastric ...](#)

<https://www.researchgate.net/publication/301300882...>

Low serum albumin may predict the need for gastric resection in patients with perforated peptic ulcer June 2017 European Journal of Trauma and Emergency Surgery 43(3)



[Perforated and bleeding peptic ulcer: WSES guidelines ...](#)

<https://wjes.biomedcentral.com/articles/10.1186/s13017-019-0283-9>

Jan 07, 2020 · Peptic ulcer disease is common with a lifetime prevalence in the general population of 5–10% and an incidence of 0.1–0.3% per year. Despite a sharp reduction in incidence and rates of...

Cited by: 18 Author: Antonio Tarasconi, Federico Coccolini, W...

Publish Year: 2020 Estimated Reading Time: 8 mins

PEOPLE ALSO ASK

All Images Videos

9,590 Results Any time ▾

**Perforated peptic ulcer - ncbi.nlm.nih.gov**  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4618390>

Sep 26, 2015 · Introduction. Perforated peptic ulcer (PPU) is a surgical emergency and is associated with short-term mortality and morbidity in up to 30 and 50% of patients, respectively. 1 Worldwide variation in demography, socioeconomic status, Helicobacter pylori prevalence and prescription drugs make investigation into risk factors for PPU difficult. PPU presents as an acute abdominal condition, ...

Cited by: 251 Author: Kjetil Søreide, Kjetil Søreide, Kenneth Th...  
Publish Year: 2015

**Perforated and bleeding peptic ulcer: WSES guidelines ...**  
<https://wjeb.biomedcentral.com/articles/10.1186/s13017-019-0283-9>

Jan 07, 2020 · Peptic ulcer disease is common with a lifetime prevalence in the general population of 5–10% and an incidence of 0.1–0.3% per year. Despite a sharp reduction in incidence and rates of hospital admission and mortality over the past 30 years, complications are still encountered in 10–20% of these patients. Peptic ulcer disease remains a significant healthcare problem, which can consume ...

Cited by: 26 Author: Antonio Tarasconi, Federico Coccolini, W...  
Publish Year: 2020 Estimated Reading Time: 9 mins


PEOPLE ALSO ASK

- When did the perforated peptic ulcer rate decrease? ▾
- Is the perforated peptic ulcer a complication of PUD? ▾
- Why are there guidelines for peptic ulcer treatment? ▾
- What is the prevalence of H pylori in perforated duodenal ulcers? ▾

Feedback

**2013 WSES guidelines for management of intra-abdominal ...**  
<https://www.ncbi.nlm.nih.gov/pmc/articles/pmid/23294512>

Jan 08, 2013 · Research has shown that surgery is the most effective means of source control in patients with peptic ulcer perforations [105-107]. Patients with perforated peptic ulcers may respond ...



**Name of Journal:** *World Journal of Gastrointestinal Surgery*  
**Manuscript NO:** 64137  
**Manuscript Type:** ORIGINAL ARTICLE

**Retrospective Study**  
**Low serum albumin may predict poor efficacy in patients with perforated peptic ulcer treated nonoperatively**

Liang LS *et al.* LSA in PPU treated non-surgically

Tang-Shuai Liang, Bao-Lei Zhang, Bing-Bo Zhao, Dao-Gui Yang

**Abstract**

**BACKGROUND**

Nonoperative management (NOM) is a promising therapeutic modality for patients

**Match Overview**

1	Internet 25 words crawled on 17-Jul-2023 www.kidzfast.com	1%
2	Internet 27 words crawled on 07-Oct-2020 fiposhkings.ink.com windows.net	1%
3	Internet 27 words crawled on 09-Dec-2020 wps.somabcentral.com	1%
4	Internet 18 words crawled on 19-Oct-2020 www.vgnr.net	1%
5	Crossref 21 words Feng Cao, Jia Li, Ang Li, Yu Fang, Ya-jun Wang, Fei Li, Yi... nonoperative management for perforated peptic ulcer: Who can	1%
6	Internet 29 words crawled on 29-Jul-2023 journal.gluu.org	1%
7	Internet 29 words crawled on 12-May-2021 meridian.allenpress.com	1%
8	Internet 19 words crawled on 25-Jul-2021 bmjopen.bmj.com	1%
9	Internet 17 words crawled on 09-May-2021 academic.oup.com	1%

国内版

国际版

Low serum albumin may predict poor efficacy in patients with perf



ALL

IMAGES

VIDEOS

9,530 Results

Any time ▾

### [Perforated peptic ulcer - ncbi.nlm.nih.gov](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4618390)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4618390>

Sep 26, 2015 · Introduction. Perforated peptic ulcer (PPU) is a surgical emergency and is associated with short-term mortality and morbidity in up to 30 and 50% of patients, respectively. 1 Worldwide variation in demography, socioeconomic status, Helicobacter pylori prevalence and prescription drugs make investigation into risk factors for PPU difficult. PPU presents as an acute abdominal condition, ...

Cited by: 251

Author: Kjetil Søreide, Kjetil Søreide, Kenneth Th...

Publish Year: 2015

### [Perforated and bleeding peptic ulcer: WSES guidelines ...](https://wjcs.biomedcentral.com/articles/10.1186/s13017-019-0283-9)

<https://wjcs.biomedcentral.com/articles/10.1186/s13017-019-0283-9> ▾

Jan 07, 2020 · Peptic ulcer disease is common with a lifetime prevalence in the general population of 5–10% and an incidence of 0.1–0.3% per year. Despite a sharp reduction in incidence and rates of hospital admission and mortality over the past 30 years, complications are still encountered in 10–20% of these patients. Peptic ulcer disease remains a significant healthcare problem, which can consume ...

Cited by: 26

Author: Antonio Tarasconi, Federico Coccolini, W...

Publish Year: 2020

Estimated Reading Time: 9 mins

#### PEOPLE ALSO ASK

When did the perforated peptic ulcer rate decrease? ▾

Is the perforated peptic ulcer a complication of PUD? ▾

Why are there guidelines for peptic ulcer treatment? ▾

What is the prevalence of H pylori in perforated duodenal ulcers? ▾

Feedback

### [2013 WSES guidelines for management of intra-abdominal ...](https://www.ncbi.nlm.nih.gov/pmc/articles/pmid/23294512)

<https://www.ncbi.nlm.nih.gov/pmc/articles/pmid/23294512>

Jan 08, 2013 · Research has shown that surgery is the most effective means of source control in patients with peptic ulcer perforations [105-107]. Patients with perforated peptic ulcers may respond