

Arthrodesis of the first metatarsophalangeal joint. The "when and h



ALL IMAGES VIDEOS

1,240,000 Results Any time ▾

[Arthrodesis of the first metatarsophalangeal joint].

<https://www.ncbi.nlm.nih.gov/pubmed/7746929>

MATERIAL AND METHOD: The authors studied 225 arthrodesis of the first metatarso-phalangeal joint. 195 had a follow up of from two to fifteen years. The indications were: hallux valgus 52.5 per cent, hallux rigidus 20 p. 100, rheumatoid arthritis 12.5 per cent. The procedure used a stable axial fixation with an antero-posterior screw.

Cited by: 23 Author: Groulier P, Curvale G, Piclet-Legre B, Kel...

Publish Year: 1994

Arthrodesis of the first metatarsophalangeal joint

<https://pubmed.ncbi.nlm.nih.gov/15239355>

Arthrodesis has emerged as the primary salvage procedure for severe osteoarthritis of the first metatarsophalangeal (MTP) joint. Forty-three patients underwent arthrodesis of the first MTP joint with stabilization provided by either 2 crossed lag-screws or a dorsal plate and screws. First MTP joint arthrodesis was the primary procedure for 46 of the 54 treated feet.

Cited by: 15 Author: David T Taylor, Ronald A Sage, Michael S...

Publish Year: 2004

PEOPLE ALSO ASK

What is first metatarsophalangeal joint arthrodesis? ▾

What was the first treatment for MTP joint arthrodesis? ▾

Where are the metatarsal bones located in the foot? ▾

What is the first tarsometatarsal joint? ▾

Feedback

First metatarsophalangeal arthrodesis - PubMed

<https://pubmed.ncbi.nlm.nih.gov/19232991>

Arthrodesis of the first metatarsophalangeal joint is a highly successful treatment for patients with symptomatic hallux rigidus who have failed conservative management. Before arthrodesis, the

[Arthrodesis of the first metatarsophalangeal joint.](#)

<https://www.ncbi.nlm.nih.gov/pubmed/2181389>

Arthrodesis of the first metatarsophalangeal joint. Coughlin MJ(1). Author information: (1)Division of Orthopaedics and Rehabilitation, Oregon Health Sciences University, Portland. An excellent means of salvaging a deformity of the hallux, metatarsophalangeal joint arthrodesis should be technically simple and yield predictable results.

[Arthrodesis of the first metatarsophalangeal joint for ...](#)

<https://pubmed.ncbi.nlm.nih.gov/16221449>

Arthrodesis of the first metatarsophalangeal joint for idiopathic hallux valgus: intermediate results. In the present study, arthrodesis of the first MTP joint for idiopathic hallux valgus resulted in a high percentage of successful results at an average followup of over 8 years. In the present study, arthrodesis of the first MTP joint for idiopathic hallux valgus resulted in a high percentage of ...

Cited by: 179 Author: Michael J. Coughlin, Brett R. Grebing, Ca...
Publish Year: 2005

PEOPLE ALSO ASK

Is the arthrodesis of the first metatarsophalangeal joint successful? ▾

What causes arthritis in the first metatarsal joint? ▾

How does arthrodesis treat pain in the front of the foot? ▾

Which is a reasonable option for first MTP joint arthrodesis? ▾

Feedback

[\[Arthrodesis of the first metatarsophalangeal joint\].](#)

<https://www.ncbi.nlm.nih.gov/pubmed/16184391>

Arthrodesis of the first metatarsophalangeal joint is a useful technique for the surgical treatment of hallux rigidus, complicated hallux valgus and rheumatoid forefoot deformity, and for revisions following resection arthroplasty or explantation of a prosthesis combined with interposition of a tricortical bone graft.

Cited by: 8 Author: A. Suckel, N. Wülker

Name of Journal: *World Journal of Orthopedics*

Manuscript NO: 64287

Manuscript Type: MINIREVIEWS

Arthrodesis of the first metatarsophalangeal joint: The "when and how"

Koutsouradis P *et al.* Arthrodesis of the first metatarsophalangeal joint

Panagiotis Koutsouradis, Olga D Savvidou, Emmanouil D Stamatis

Abstract

Arthrodesis of the first metatarsophalangeal (MTP) joint has been established as the "gold standard" for the treatment of several first ray disorders, due to its perceived efficacy and the consistently reported good results in the literature. Arthrodesis is a commonly performed procedure for the treatment of end stage arthritis, rheumatoid

Match Overview

Match	Source	Words	Score
1	Crossref	80 words	2%
2	Crossref	80 words	2%
3	Internet	17 words	2%
4	Internet	39 words	2%
5	Internet	65 words	1%
6	Crossref	47 words	1%
7	Internet	11 words	1%
8	Internet	39 words	1%
9	Internet	27 words	1%
10	Crossref	36 words	1%

国内版

国际版

Arthrodesis of the first metatarsophalangeal joint: The "when and f



ALL

IMAGES

VIDEOS

274,000 Results

Any time ▾

[Arthrodesis of the first metatarsophalangeal joint]

<https://pubmed.ncbi.nlm.nih.gov/7746929>

Material and method: The authors studied 225 arthrodesis of the first metatarso-phalangeal joint. 195 had a follow up of from two to fifteen years. The indications were: hallux valgus 52.5 per cent, hallux rigidus 20 p. 100, rheumatoid arthritis 12.5 per cent. The procedure used a stable axial fixation with an antero-posterior screw.

Arthrodesis of the first metatarsophalangeal joint ...

<https://www.sciencedirect.com/science/article/pii/S1048666606800789>

Jul 01, 1992 - Arthrodesis of the first metatarsophalangeal joint has been advocated for the operative treatment of failed silicone implants, severe hallux rigidus, and hallux valgus associated with osteoarthritis, rheumatoid arthritis, and cerebral palsy. The differences in operative approaches to the achievement of successful arthrodesis include (1 ...

Author: George B. Holmes Publish Year: 1992

PEOPLE ALSO ASK

Is the first metatarsophalangeal arthrodesis a successful treatment? ▾

What kind of surgery is first metatarsal phalangeal joint? ▾

What causes stiffness in the metatarsophalangeal joint? ▾

What does the term metatarsalgia mean in medical terms? ▾

Feedback

[Arthrodesis of the first metatarsophalangeal joint].

<https://www.ncbi.nlm.nih.gov/pubmed/16184391>

Arthrodesis of the first metatarsophalangeal joint is a useful technique for the surgical treatment of hallux rigidus, complicated hallux valgus and rheumatoid forefoot deformity, and for revisions following resection arthroplasty or explantation of a prosthesis combined with interposition of a tricortical bone graft.

Cited by: 9

Author: A. Suckel, N. Wülker

Publish Year: 2006